FWH 38/22 Filed 8/27/73



SECTION (1/S1)

DETAIL (A/S1)

TYPICAL PILE CAP DETAIL

NOTE:
ALL FOOTINGS, FOUNDATIONS, PILINGS, PILE CAPS, LOBBY FLOOR SLAB AND SUCH INCLUDING ALL GROUND AREA BETWEEN, AND SHOWN HEREON SHALL BE COMMON ELEMENTS

TYPICAL FOOTING DETAIL

Note:
Lobby Floor (1st.) Finished Floor Elev. 11.62'
5" Slab On Grade 18" G.B. #10 W.W.M. Unless Otherwise Noted. (Turn Down Edge All Around.)
Top Of All Footings & Pile Caps To Be Elev. 10.0. Unless Otherwise Noted Thus (0'0")

SLAB THICKENING UNDER NON BEARING PARTITIONS

TURN DOWN SLAB EDGE

SECTION (2/S1)

SECTION (3/S1)

SECTION (3/S1)

FOUNDATION PLAN

PLAN SECTIONS

7-16-73

STRUCTURAL ENGINEER:
RICHARD CARROLL
1800 N. CHARLES STREET
BALTIMORE MARYLAND 21201

ENGLISH TOWERS

CONSULTANTS
BURDETTE - KOEHLER & MURPHY
311 THE QUADRANGLE BLDG.
BALTIMORE, MARYLAND 21210

ARCHITECT:
DONALD E. RATCLIFFE A.I.A.
34 WEST 25TH STREET
BALTIMORE, MARYLAND 21218

S-1

19 of 19

MSA C&M 2157-855-19

7-16-73

BOARD OF EXAMINERS AND REGISTRATION OF ARCHITECTS
STATE OF MARYLAND
No. 1906

Maryland State Archives