


MARYLAND VITAL STATISTICS ANNUAL REPORT 2016

Larry Hogan, Governor
Boyd Rutherford, Lt. Governor

Dennis R. Schrader, Secretary
Maryland Department of Health

MARYLAND

Regions and Political Subdivisions



The services and facilities of the Maryland Department of Health (MDH) are operated on a non-discriminatory basis. This policy prohibits discrimination on the basis of race, color, sex, or national origin and applies to the provisions of employment and granting of advantages, privileges and accommodations.

The Department, in compliance with the Americans With Disabilities Act, ensures that qualified individuals with disabilities are given an opportunity to participate in and benefit from MDH services, programs, benefits and employment opportunities,

Larry Hogan
Governor
State of Maryland

Boyd Rutherford
Lt. Governor
State of Maryland

MARYLAND VITAL STATISTICS ANNUAL REPORT 2016

Maryland Department of Health
Vital Statistics Administration

Dennis R. Schrader, Secretary
Maryland Department of Health

S. Lee Hurt, Dr.P.H., Acting Director
Geneva Sparks, State Registrar and Deputy Director for Vital Records
Vital Statistics Administration

4201 Patterson Avenue, 5th Floor ■ Baltimore, Maryland 21215

Phone: 410-764-3514 Toll-Free Phone: 1-877-4MD-DHMH
Fax: 410-358-4750

TABLE OF CONTENTS

Page

| | |
|--|----|
| Definitions and Explanatory Notes | ix |
| Vital Statistics Highlights | 1 |
| Charts | 7 |
| Population | 9 |
| Life Expectancy | 10 |
| Birth Rates | 11 |
| Adolescent Birth Rates | 12 |
| Births to Unmarried Women | 13 |
| Prenatal Care | 14 |
| Low Birth Weight | 15 |
| Infant Mortality | 16 |
| Neonatal Mortality | 17 |
| Postneonatal Mortality | 18 |
| 10 Leading Causes of Death | 19 |
| Mortality | |
| All Causes | 20 |
| Diseases of the Heart | 21 |
| Malignant Neoplasms | 22 |
| Cerebrovascular Diseases | 23 |
| Accidents | 24 |
| Chronic Lower Respiratory Diseases | 25 |
| Diabetes Mellitus | 26 |
| Alzheimer’s Disease | 27 |
| Influenza and Pneumonia | 28 |
| Septicemia | 29 |
| Human Immunodeficiency Virus | 30 |
| Assault (Homicide) | 31 |
| Intentional Self-Harm (Suicide) | 32 |
| Marriages | 33 |
| Divorces | 34 |
| Maps | 35 |
| Birth Rates | 37 |
| Age-Adjusted Death Rates-All Causes | 38 |
| Tables | 39 |

Population

| | |
|--|----|
| 1A. Estimated Maryland Population by Race, Hispanic Origin, Region and Political Subdivision, Maryland, July 1, 2016 | 41 |
| 1A. Estimated Maryland Population by Race, Region and Political Subdivision Maryland, July 1, 2016 | 42 |

| | | |
|------|--|----|
| 2A. | Estimated Maryland Total Population by Age Group, Region and Political Subdivision, Maryland, July 1, 2016 | 43 |
| 2B. | Estimated Maryland Non-Hispanic White Population by Age Group, Region and Political Subdivision, Maryland, July 1, 2016 | 44 |
| 2C. | Estimated Maryland Non-Hispanic Black Population by Age Group, Region and Political Subdivision, Maryland, July 1, 2016 | 45 |
| 2D. | Estimated Maryland Hispanic Population by Age Group, Region and Political Subdivision, Maryland, July 1, 2016 | 46 |
| 3. | Estimated Maryland Population by Detailed Age Group, Race, Hispanic Origin and Sex, Maryland, July 1, 2016 | 47 |
| 4. | Estimated Maryland Adolescent Population by Age Group, Sex, Race, Hispanic Origin, Region and Political Subdivision Maryland, July 1, 2016 | 48 |
| 5A. | Estimated Maryland Total Population by Age Group, Region and Political Subdivision, Maryland, July 1, 2016 | 49 |
| 5B. | Estimated Maryland Male Population by Age Group, Region and Political Subdivision, Maryland, July 1, 2016 | 50 |
| 5C. | Estimated Maryland Female Population by Age Group, Region and Political Subdivision, Maryland, July 1, 2016 | 51 |
| 5D. | Estimated Maryland Non-Hispanic White Population by Age Group, Region and Political Subdivision, Maryland, July 1, 2016 | 52 |
| 5E1. | Estimated Maryland Non-Hispanic White Male Population by Age Group, Region and Political Subdivision, Maryland, July 1, 2016 | 53 |
| 5E2. | Estimated Maryland White Male Population by Age Group, Region and Political Subdivision, Maryland, July 1, 2016 | 54 |
| 5F1. | Estimated Maryland Non-Hispanic White Female Population by Age Group, Region and Political Subdivision, Maryland, July 1, 2016 | 55 |
| 5F2. | Estimated Maryland White Female Population by Age Group, Region and Political Subdivision, Maryland, July 1, 2016 | 56 |
| 5G. | Estimated Maryland Non-Hispanic Black Population by Age Group, Region and Political Subdivision, Maryland, July 1, 2016 | 57 |
| 5H1. | Estimated Maryland Non-Hispanic Black Male Population by Age Group, Region and Political Subdivision, Maryland, July 1, 2016 | 58 |
| 5H2. | Estimated Maryland Black Male Population by Age Group, Region and Political Subdivision, Maryland, July 1, 2016 | 59 |

| | | |
|------|--|----|
| 511. | Estimated Maryland Non-Hispanic Black Female Population by Age Group, Region and Political Subdivision, Maryland, July 1, 2016 | 60 |
| 512. | Estimated Maryland Black Female Population by Age Group, Region and Political Subdivision, Maryland, July 1, 2016 | 61 |
| 5J. | Estimated Maryland Hispanic Population by Age Group, Region and Political Subdivision, Maryland, July 1, 2016 | 62 |
| 5K. | Estimated Maryland Hispanic Male Population by Age Group, Region and Political Subdivision, Maryland, July 1, 2016 | 63 |
| 5L. | Estimated Maryland Hispanic Female Population by Age Group, Region and Political Subdivision, Maryland, July 1, 2016 | 64 |

Life Expectancy

| | | |
|----|---|----|
| 6. | Life Expectancy by Age, Race and Sex, Maryland, 2016 | 67 |
| 7. | Life Expectancy at Birth by Race and Political Subdivision, 2014-2016 | 68 |

Natality

| | | |
|------|--|----|
| 8. | Births and Birth Rates by Race, Maryland, Selected Years, 1940-2016 | 71 |
| 9A. | Number of Births by Race and Hispanic Origin of Mother, Region and Political Subdivision, Maryland, 2016 | 72 |
| 9B. | Birth Rates by Race and Hispanic Origin of Mother, Region and Political Subdivision, Maryland, 2016 | 73 |
| 10. | Selected Natality Characteristics by Maternal Race and Hispanic Origin, Maryland, 2016 | 74 |
| 11. | Births by Age, Race and Hispanic Origin of Mother, Region, and Political Subdivision, Maryland, 2016 | |
| 11A. | All Races | 75 |
| 11B. | White | 76 |
| 11C. | Non-Hispanic White | 77 |
| 11D. | Black | 78 |
| 11E. | Non-Hispanic Black | 79 |
| 11F. | Hispanic | 80 |

| | | |
|------|--|-----|
| 11. | General Fertility Rates and Birth Rates by Age of Mother, Race of Mother, Region, and Political Subdivision, Maryland, July 1, 2016 | |
| 11G. | All Races | 81 |
| 11H. | White | 82 |
| 11I. | Non-Hispanic White | 83 |
| 11J. | Black | 84 |
| 11K. | Non-Hispanic Black | 85 |
| 11L. | Hispanic | 86 |
| 12. | Births by Birth Order, Race and Hispanic Origin of Mother, and Age of Mother, Maryland, 2016 | 87 |
| 13. | Number and Percent Distribution of Births by Live Birth Order, Region and Political Subdivision, Maryland, 2016..... | 90 |
| 14. | Births by Plurality, Age, Race and Hispanic Origin of Mother, Maryland, 2016 | 91 |
| 15. | Births to Unmarried Women by Race and Hispanic Origin of Mother, Region, and Political Subdivision, Maryland, 2016 | 94 |
| 16. | Births to Unmarried Women by Age, Race and Hispanic Origin of Mother, Maryland, 2016 | 95 |
| 17. | Births to Unmarried Women by Birth Order, Race and Hispanic Origin of Mother, Maryland, 2016 | 96 |
| 18. | Number of Births by Age, Educational Attainment, Race and Hispanic Origin of Mother, Maryland, 2016 | 97 |
| 19A. | Number of Births to Women Receiving First Trimester Prenatal Care by Race and Hispanic Origin of Mother, Region, and Political Subdivision, Maryland, 2016 | 100 |
| 19B. | Number of Births to Women Receiving Late or No Prenatal Care by Race and Hispanic Origin of Mother, Region, and Political Subdivision, Maryland, 2016 | 101 |
| 20. | Births by Birth Weight, Race and Hispanic Origin of Mother, and Trimester of Onset of Prenatal Care, Maryland, 2016..... | 102 |
| 21A. | Number and Percentage of Low Birth Weight Infants by Race and Hispanic Origin of Mother, Region, and Political Subdivision, Maryland, 2016..... | 105 |
| 21B. | Number and Percentage of Very Low Birth Weight Infants by Race and Hispanic Origin of Mother, Region, and Political Subdivision, Maryland, 2016 | 106 |
| 22. | Births by Plurality, Birth Weight of Infant and Race and Hispanic Origin of Mother, Maryland, 2016 | 107 |

| | | |
|--|---|-----|
| 23. | Births by Month of Birth, Race and Hispanic Origin of Mother and Sex of Infant, Maryland, 2016 | 108 |
| 24. | Births by Plurality, Race and Hispanic Origin of Mother, and Length of Gestation, Maryland, 2016 | 110 |
| 25. | Number and Percentage of Live Births Delivered by Cesarean Section by Race and Hispanic Origin of Mother, Region, and Political Subdivision, Maryland, 2016 | 112 |
| 26. | Births by Maternal Age, Race and Hispanic Origin, Method of Delivery and Percentage of Infants Delivered by Cesarean Section, Maryland, 2016 | 113 |
| 27. | Births Occurring in Maryland by Race and Hispanic Origin of Mother, Region, and Political Subdivision of Occurrence, Maryland, 2016 | 114 |
| 28. | Births to Residents of Maryland by Place of Occurrence and Region and Political Subdivision of Residency, Maryland, 2016..... | 115 |
| <u>Fetal and Infant Mortality</u> | | |
| 29. | Infant Deaths and Infant Mortality Rates by Race, Maryland, Selected Years, 1940-2016..... | 119 |
| 30. | Neonatal Deaths and Neonatal Mortality Rates by Race, Maryland, Selected Years, 1940-2016..... | 119 |
| 31. | Postneonatal Deaths and Postneonatal Mortality Rates by Race, Maryland, Selected Years, 1940-2016 | 120 |
| 32. | Fetal Deaths and Fetal Death Rates by Race, Maryland, Selected Years, 1940-2016..... | 120 |
| 33. | Infant Deaths and Infant Mortality Rates by Race, Hispanic Origin, Region and Political Subdivision, Maryland, 2016 | 121 |
| 33A. | Neonatal Deaths and Neonatal Mortality Rates by Race, Region and Political Subdivision, Maryland, 2016 | 122 |
| 33B. | Postneonatal Deaths and Postneonatal Mortality Rates by Race, Region and Political Subdivision, Maryland, 2016 | 123 |
| 34. | Number of Deaths, Mortality Rates and Percentage of Deaths Attributed to the Ten Leading Causes of Death by Race for Infant, Neonatal and Postneonatal Deaths, Maryland, 2016 | 124 |
| 35. | Fetal Deaths and Fetal Mortality Rates by Race, Hispanic Origin, Region and Political Subdivision, Maryland, 2016..... | 126 |
| 35A. | Perinatal Deaths and Perinatal Mortality Rates by Race, Region and Political Subdivision, Maryland, 2016 | 127 |

Mortality

| | | |
|------|--|-----|
| 36. | Deaths and Death Rates by Race, Maryland, Selected Years, 1940-2016 | 131 |
| 37. | Death Rates Per 100,000 Population for All Causes of Death by Race, Sex, and Age, Maryland, 2005-2016 | 132 |
| 38. | Age-Adjusted Death Rates Per 100,000 Population for Selected Causes of Death by Race and Sex, Maryland, 2005-2016 | 139 |
| 39. | Number of Deaths by Race, Hispanic Origin, Region and Political Subdivision, Maryland, 2016 | 146 |
| 39A. | Crude Death Rates by Race, Hispanic Origin, Region and Political Subdivision, Maryland, 2016 | 147 |
| 39B. | Number of Deaths by Age, Region and Political Subdivision, Maryland, 2016 | 148 |
| 40. | Deaths by Month of Death and Race, Maryland, 2016 | 149 |
| 41. | Deaths and Death Rates by Age, Sex, Race, and Hispanic Origin, Maryland, 2016 | 150 |
| 42. | Deaths and Death Rates for Fifteen Leading Causes by Sex, Race and Hispanic Origin, Maryland, 2016 | 151 |
| 43A. | The Eight Leading Causes of Death by Age, Maryland, 2016 | 153 |
| 43B. | The Eight Leading Causes of Death by Race and Age, Maryland, 2016 | 154 |
| 43C. | The Eight Leading Causes of Death by Sex and Age, Maryland, 2016..... | 155 |
| 43D. | The Eight Leading Causes of Death Among Males by Race and Age, Maryland, 2016 | 156 |
| 43E. | The Eight Leading Causes of Death Among Females by Race and Age, Maryland, 2016..... | 157 |
| 44. | Leading Causes of Death Among Adolescents by Age, Race and Sex, Maryland, 2016 | 158 |
| 45. | Number of Violent Deaths Among Adolescent Ages 10-19 Years by Cause of Death, Race, Region and Political Subdivision, Maryland, 2016..... | 159 |
| 46. | Deaths From 113 Selected Causes, Injury by Firearms, Drug-Induced Deaths, Alcohol-Induced Deaths and Injury at Work, by Age, Maryland, 2016 | 160 |
| 47. | Deaths From 113 Selected Causes, Injury By Firearms, Drug-Induced Deaths, Alcohol-Induced Deaths, and Injury at Work by Race and Sex, Maryland, 2016 | 167 |
| 48. | Deaths from Selected Causes by Region and Political Subdivision, Maryland, 2016 | 173 |
| 49. | Crude Death Rates for Ten Leading Causes by Region and Political Subdivision, Maryland, 2016 | 179 |

| | | |
|-----|---|-----|
| 50. | Age-Adjusted Death Rates for Leading Causes by Region and Political Subdivision, Maryland, 2011-2016 | 180 |
| 51. | Number of Deaths Among Infants, Children and Young Adults Ages 0-21 by Age Group, Region and Political Subdivision, Maryland, 2016 | 181 |
| 52. | Deaths Occurring in Institutions by Race, Region and Political Subdivision, Maryland, 2016 | 182 |
| 53. | Deaths to Residents of Maryland by Place of Residence and Place of Occurrence by Race, Region and Political Subdivision, Maryland, 2016 | 183 |
| 54. | Deaths to Residents of Maryland by Area of Occurrence, Maryland, 2016 | 184 |

Marriages

| | | |
|-----|---|-----|
| 55. | Marriages by Previous Marital Status, Maryland, 2016 | 187 |
| 56. | Marriages by Resident Status Region and Political Subdivision of Occurrence, Maryland, 2016 | 188 |
| 57. | Marriages by Age, Maryland, 2016 | 189 |
| 58. | Marriages by Place of Residence, Maryland, 2016 | 190 |

Divorces

| | | |
|-----|---|-----|
| 59. | Absolute Divorces and Annulments by Region and Political Subdivision of Occurrence, Maryland, 2016 | 193 |
| 60. | Absolute Divorces and Annulments by Age, Maryland, 2016 | 194 |
| 61. | Absolute Divorces and Annulments by Duration of Marriage and Region and Political Subdivision Maryland, 2016 | 195 |
| 62. | Absolute Divorces and Annulments by Number of Children Under 18 Years of Age and Duration of Marriage, Maryland, 2016 | 196 |

Comparative Vital Statistics

| | | |
|-----|---|-----|
| 63. | Selected Natality Data by Race for Maryland and the United States, 2007-2016 | 199 |
| 64. | Selected Mortality Data by Race for Maryland and the United States, 2007-2016 | 201 |

Appendix

| | | |
|--|---|-----|
| | List of 113 Selected Causes of Death, Injury by Firearms, Drug-Induced Deaths, and Alcohol-Induced Deaths | 205 |
|--|---|-----|

DEFINITIONS AND EXPLANATORY NOTES

Data contained in this report are presented on a county of residence basis, regardless of where the vital event occurred, unless specifically noted otherwise. Birth, death and fetal death data include information for all Maryland residents, regardless of whether the birth or death occurred in Maryland, the remainder of the United States, or certain foreign countries that report vital event data to Maryland. Information on marriages and divorces is limited to events occurring in Maryland.

DEFINITIONS

Age-adjustment: A methodology used to compare rates among populations with differing age distributions. The direct method of age-adjustment was used to calculate the rates in this report. Using this methodology, the crude death rate for each age group is multiplied by the proportion of the standard population within that age group; the sum of the products is the age-adjusted rate. Age-adjusted rates in this report are standardized to the projected 2000 U.S. population and are expressed as rates per 100,000 population. Publications prior to 1999 present adjustments to the 1940 standard U.S. population. **Age-adjusted rates should not be compared to crude rates or to adjusted rates calculated using a different standard population.**

Age-specific birth rate: Number of births to mothers of a specific age per 1,000 females in that age group.

Age-specific death rate: Number of deaths in a specific age group per 1,000 or 100,000 population in the same age group.

Crude birth rate: Number of live births per 1,000 population.

Crude death rate: Number of deaths from all causes per 1,000 or per 100,000 population. Death rates for specific causes are per 100,000 population.

General fertility rate: Total number of births per 1,000 females aged 15-44.

Fetal death*: The death of a product of human conception, before its complete expulsion or extraction from the mother, regardless of the duration of the pregnancy, as indicated by the fact that, after the expulsion or extraction, the fetus does not breathe or show any other evidence of life, such as heart beat, pulsation of the umbilical cord, or definite movement of voluntary muscle.

Fetal mortality rate*: Number of reportable* fetal deaths per 1,000 total births. Total births include live births plus fetal deaths of twenty or more weeks' gestation.

Infant death: Death occurring to a person under one year of age.

Infant mortality rate: Number of infant deaths per 1,000 live births.

Length of pregnancy: A measure of the duration of gestation in completed weeks as estimated by the attending physician.

Live birth*: The complete expulsion or extraction of a product of human conception from the mother, regardless of the period of gestation, if, after the expulsion or extraction, it breathes or shows any other evidence of life, such as heart beat, pulsation of the umbilical cord, or definite movement of voluntary muscle, whether or not the umbilical cord is cut or the placenta is attached.

Life expectancy: The average number of years of life remaining for an individual of a particular age group.

Low birth weight: A live birth weighing less than 2,500 grams (5.5 pounds).

Maternal death: Deaths due to pregnancy, childbirth and the puerperium (ICD-10 codes O00-O95, O98-O99, A34) occurring either during pregnancy or within 42 days of delivery or termination of pregnancy.

Maternal mortality rate: Number of maternal deaths per 100,000 live births.

Neonatal death: Death occurring to an infant under 28 days of age.

Neonatal mortality rate: Number of neonatal deaths per 1,000 live births.

Perinatal death: In this report, defined as the death of a fetus of 28 or more weeks' gestation or of an infant less than 7 days of age. Other commonly used definitions for perinatal death range from 20 to 28 weeks' gestation through seven to 28 days of life.

Perinatal death rate: In this report, defined as the number of perinatal deaths divided by the number of fetal deaths of 28 or more weeks' gestation plus the number of live births times 1,000. See perinatal death.

Postneonatal death: Death occurring to an infant between 28 days and one year of age.

Postneonatal mortality rate: Number of postneonatal deaths per 1,000 live births.

*The definitions of live birth and fetal death are set by law in Section 14 (a) of Article 43 of the Maryland Code, 1957 Edition – Supplement. Fetal deaths are reportable for filing purposes only if the death occurs after a period of gestation of twenty or more completed weeks (Section 21 (a) of Article 43 supra). Therefore, the fetal deaths included in this report are only those of twenty or more weeks gestation.

EXPLANATORY NOTES

Population

Between the decennial censuses, the U.S. Census Bureau, with the assistance of the Federal State Cooperative Program for Population Estimates (FSCPE), develops annual population estimates. These estimates use as their starting point the most recent decennial census data (currently April 1, 2010). Estimates for each year are derived using data on resident births, resident deaths, net international immigration, internal migration and net movement of U.S. armed forces. Estimates by race, sex, age and Hispanic origin are prepared for all states and counties. Estimates are also available for certain subcounty areas. Further information on the preparation of population estimates may be found on the U.S. Census Bureau web site at <http://www.census.gov/popest/>.

The population figures appearing in this report for Maryland and its political subdivisions are “bridged-race” estimates prepared by the National Center for Health Statistics (NCHS) in collaboration with the U.S. Census Bureau. Since many states continue to collect race information on birth and death records using pre-2000 Census race categories, the numerator (number of births or deaths) and denominator (population) data used to calculate vital statistics rates are not compatible. To address this issue, NCHS and the U.S. Census Bureau developed a method for “bridging” the 31 racial categories used since Census 2000 to the four single race categories specified in earlier standards. This methodology was developed using information obtained from the National Health Interview Survey, in which respondents who chose more than one race were asked to also choose the single race with which they most closely identified. Further information pertaining to the preparation of bridged population data may be found on the NCHS web site at http://www.cdc.gov/nchs/nvss/bridged_race.htm.

Cause of Death

The tenth revision of the International Classification of Diseases (ICD-10) has been used to code the causes of death reported on death certificates since 1999. The ICD is a classification system for mortality data developed by the World Health Organization and other international centers to promote comparability in the collection, classification, processing and presentation of mortality statistics. The ICD-10 is periodically revised to reflect advances in medical science. ICD-10 replaced ICD-9, which was used with 1979-98 data.

ICD-10 differs substantially from ICD-9. ICD-10 includes expanded detail for many conditions, transfers conditions between classifications, incorporates the use of alphanumeric instead of numeric codes, modifies coding rules and modifies tabulation

lists. Because of these changes, the presentation of mortality data by cause of death is substantially different, and discontinuities in trend data between ICD revisions are likely to exist for certain causes of death. Additional information on the history of the classification of diseases and the causes of death may be found at http://www.cdc.gov/nchs/data/misc/classification_diseases2011.pdf.

Age-adjusted Death Rates

As described in page x of this report, age-adjustment is the process used to compare rates among populations with differing age distributions. Age-adjustment is used to eliminate the confounding effect of differences in age distributions among groups or over time.

Beginning with data year 1999, all federal agencies adopted the year 2000 projected U.S. population as the standard for age-adjusting death rates. The year 2000 population replaced at least three different population standards used in earlier years. The use of these multiple standards resulted in difficulties comparing data prepared by agencies using different standards, and caused confusion among data users. Use of the 2000 standard was recommended to promote uniformity of data among agencies and to eliminate the need to calculate mortality rates using more than one standard. All age-adjusted rates presented in the Maryland Vital Statistics Annual Report have been calculated using the year 2000 standard population. Age-adjusted rates prepared using the year 2000 standard cannot be compared with rates calculated using other standards.

Race and Hispanic Origin

Several charts and tables in this report show data categorized by race and Hispanic origin. It is important to note that Hispanic origin is an ethnicity classification and can occur concurrently with any race. All birth data in the report are based on the race and Hispanic origin of the mother. In cases of death data, the race and Hispanic origin of the decedent is used. Thus, data for individuals of Hispanic origin are displayed across race categories excluding those specified as “Non-Hispanic”. Alternatively, categories labeled “Hispanic” are inclusive of all persons of Hispanic origin regardless of reported race. Therefore, an overlap exists between categories labeled “Hispanic” and those which include data on Hispanic individuals organized by race.

***VITAL
STATISTICS
HIGHLIGHTS***

Highlights of 2016

Population

- The **population** of Maryland in 2016 was 6,016,447, a small increase over the 2015 population estimate of 6,006,401.
- The racial distribution of the 2016 Maryland population was as follows: White (60.5%), Black (31.7%), American Indian (0.7%), and Asian or Pacific Islander (7.1%).
- Approximately 10% of the population was comprised of individuals of Hispanic origin, who may be any race.

Life expectancy

- The **life expectancy** for an infant born in 2016 was 79.1 years, compared with 79.5 years in 2015. This marks the second year in recent history that life expectancy has declined in Maryland. The largest decline occurred among Black males, whose life expectancy fell from 73.4 years in 2015 to 72.7 years in 2016.

Births

- There were 73,073 **live births** to Maryland residents in 2016, this was a slight decline compared to the number of births occurring in 2015 (73,544).
- The overall **birth rate** was 12.1 births per 1,000 population. The **birth rate** for women of Hispanic origin was 20.2 per 1,000 population, double the rate for Non-Hispanic White women (10.1).
- Births to **teen mothers** accounted for 4.2% of all births. One percent of all births were to mothers under the age of 18.
- The **adolescent birth rate** dropped to 15.9 per 1,000 women ages 15-19 years in 2016, a 5.9% decline from the

2015 rate of 16.9. The overall rate has fallen by 53.8% over the past decade.

- Thirteen percent (12.8%) of births were to women who had completed fewer than **12 years of education**. Nearly half (43.0%) of all Hispanic births were to mothers with fewer than 12 years of education.
- Fourth and higher order births accounted for 10.8% of all births in 2016, similar to the 2015 rate of 10.7%.
- In terms of **area of occurrence**, 92% of all births to Maryland residents occurred within the state. Nearly 6% occurred in the District of Columbia and approximately 2% in other states.
- Forty percent of all births were to **unmarried women**. This figure was 24.2% for Non-Hispanic White women, 60.8% for Non-Hispanic Black women and 53.5% for Hispanic women. The number of births to unmarried women has been decreasing since 2009.
- Sixty-eight percent of live births were to women who began **prenatal care** during the **first trimester** of pregnancy, and 9% were to women who received late (third trimester) or no prenatal care. Non-Hispanic Black women were twice as likely to receive late or no prenatal care as Non-Hispanic White women.
- The incidence of **low birth weight** (birth weight <2,500 grams) remained at 8.6% in 2016. The percentage of low birth weight infants was 6.6% for Non-Hispanic White infants, 12.1% for Non-Hispanic Black infants and 7.0% for Hispanic infants. The incidence of **very low birth weight** (birth weight <1,500 grams) was 1.7% overall, 1.1% for Non-Hispanic Whites, 2.8% for Non-Hispanic Blacks and 1.2% for Hispanics.

- Ten percent of infants were delivered prior to 37 completed weeks of **gestation**. This figure was 8.8% for Non-Hispanic Whites, 12.7% for Non-Hispanic Blacks and 9.2% for Hispanics.
- Twin, triplet and higher order multiple births accounted for 3.5% of total births in 2016. Over half of infants of multiple gestation pregnancies had birth weights below 2,500 grams (56.7%).
- Nearly 34% of infants born in 2016 were delivered by **cesarean delivery**, a decrease of 4% from the 2015 figure of 35%.
- The **crude death rate** was 812.5 per 100,000 population in 2016, compared with 764.5 in 2015.
- **Age-specific death rates** decreased between 2015 and 2016 for age groups under 15 years and among those 85 years and over. Rates increased for age groups between 15 years and 74 years of age.
- The overall **age-adjusted mortality rate** was 718.4 per 100,000 population in 2016, compared with a rate of 705.6 in 2015.
- The **ten leading causes of death**, in rank order, were diseases of the heart, malignant neoplasms, cerebrovascular diseases, accidents, chronic lower respiratory diseases, diabetes mellitus, Alzheimer's disease, influenza and pneumonia, septicemia, and nephritis, nephrotic syndrome and nephrosis.

Fetal and infant deaths

- The **fetal death rate** in 2016 was 7.5 per 1,000 total deliveries, compared to a rate of 7.1 in 2015. The rate was 5.9 for Whites and 11.0 for Blacks.
- The **infant mortality rate** was 6.5 per 1,000 live births in 2016, compared to the 2015 rate of 6.7. The rate was 4.3 among Whites, 10.4 among Blacks and 5.4 among Hispanics.
- The **neonatal mortality rate** was 4.7 per 1,000 live births in 2016, compared to a rate of 4.9 in 2015. The rate was 2.9 among Whites, 7.4 among Blacks and 3.8 among Hispanics.
- The **postneonatal mortality rate** was 1.9 per 1,000 live births in 2016 compared with the rate of 1.8 in 2015. The rate was 1.3 among Whites, 3.0 among Blacks and 1.6 among Hispanics.
- The overall age-adjusted mortality rate for Blacks was 1.2 times higher than the rate for Whites. The largest **race differential** by cause of death was for HIV disease, with a death rate that was 13.2 times higher among Blacks than Whites.
- **Heart disease** continued to be the leading cause of death in 2016. The age-adjusted mortality rate was 164.6 per 100,000 population, 18.9% lower than the rate a decade ago.
- The second leading cause of death in 2016 was **malignant neoplasms**, responsible for 22% of all deaths. The overall age-adjusted mortality rate for malignant neoplasms was 156.6 per 100,000 population in 2016 and has been falling steadily over the past decade.
- **Cerebrovascular disease** was the third leading cause of death in 2016, with an

Deaths

- There were 48,884 **deaths** among Maryland residents in 2016, compared with 47,235 in 2015.

age-adjusted mortality rate of 39.7 per 100,000 population. Deaths from cerebrovascular diseases have increased slightly in recent years.

- The fourth leading cause of death in 2016 was **accidents**, with an age-adjusted mortality rate of 35.8 per 100,000 population. This represents a 20.5% increase over the rate in 2015, mainly due to increases in deaths from motor vehicle accidents, falls, and drug overdoses.
- **Chronic lower respiratory disease** was the fourth leading cause of death in 2016. The age-adjusted mortality rate was 30.5 per 100,000 population, compared to the 2015 rate of 30.6.
- **Diabetes** was the sixth leading cause of death in 2016 with an age-adjusted mortality rate of 19.6 per 100,000 population, an increase from the 2015 rate of 18.3 per 100,000 population.
- The seventh leading cause of death was **Alzheimer's disease**. The age-adjusted death rate in 2016 was 17.4, a 6.1% increase from the 2015 rate of 16.4.
- **Influenza and pneumonia** were the eighth leading cause of death in 2016. The age-adjusted mortality rate for was 15.1, a 14.7% decrease from the 2015 age-adjusted mortality (17.7 per 100,000 population). Deaths from influenza and pneumonia decreased among Non-Hispanic Whites and increased among Non-Hispanic Blacks between 2015 and 2016.
- **Septicemia** was the ninth leading cause of death with an age-adjusted mortality rate of 12.9 per 100,000 population in 2016, 4.4% decrease from the 2015 rate of 13.5. Deaths from septicemia had been increasing in

Maryland prior to the 2015 decline.

- The **assault (homicide)** rate was 10.1 per 100,000 population in 2016, a slight decrease from the 2015 rate of 10.3. Prior to the 2015, homicide rates had been declining in Maryland.
- There were 581 deaths due to **intentional self-harm (suicide)** in 2016. The age-adjusted mortality rate for suicide was 9.3 per 100,000 population in 2016, 6.9% higher than the rate in 2015. The suicide rate for White males was approximately 14 times that of Black females.
- **Human immunodeficiency virus (HIV)** disease was responsible for 191 deaths among Marylanders in 2016. The age-adjusted death rate for HIV was 2.8 per 100,000 population in 2016 and has been rapidly declining in Maryland since 2003, particularly among Black individuals.
- In terms of **place of occurrence**, approximately 94% of all deaths among Maryland residents occurred within the state. Approximately 3% occurred in the District of Columbia and 3% occurred in other states or countries.

Marriages

- There were 37,964 marriages in Maryland in 2016. At least one spouse had been previously married in 31% of marriages.


Divorces

- There were 16,167 divorces in 2016. The number of divorces was highest among individuals between the ages of 45-54 years and individuals who had been married for 4-9 years. Nearly half of divorcing couples reported having children under 18 years of age.


CHARTS

POPULATION

Distribution of the Population by Race, Maryland, 1940-2016.




Distribution of the Population by Age Group, Maryland, 1940-2016.




LIFE EXPECTANCY

Average Length of Life by Race and Sex, Maryland, 2016.




Life Expectancy at Birth by Race, Maryland, 2007-2016.




BIRTH RATES

Birth Rates by Race and Hispanic Origin, Maryland, 2007-2016.



| | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|---|------|------|------|------|------|------|------|------|------|------|
| — All Races | 13.9 | 13.7 | 13.2 | 12.8 | 12.5 | 12.4 | 12.1 | 12.3 | 12.2 | 12.1 |
| — NH White | 10.9 | 10.8 | 10.4 | 10.5 | 10.3 | 10.3 | 10.1 | 10.3 | 10.2 | 10.1 |
| — NH Black | 15.7 | 15.6 | 14.8 | 14.2 | 13.7 | 13.5 | 13.1 | 13.3 | 13.0 | 12.8 |
| — Hispanic | 29.8 | 28.0 | 23.1 | 21.8 | 21.0 | 19.9 | 19.7 | 19.7 | 20.5 | 20.2 |


Birth Rates, Maryland and the United States, 2007-2016.



| | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|--|------|------|------|------|------|------|------|------|------|------|
| — MD | 13.9 | 13.7 | 13.2 | 12.8 | 12.5 | 12.4 | 12.1 | 12.3 | 12.2 | 12.1 |
| — US | 14.3 | 14.0 | 13.5 | 13.0 | 12.7 | 12.6 | 12.4 | 12.5 | 12.4 | * |


* Data for the US have not yet been released.

Birth Rates by Race, Maryland, 2016.




ADOLESCENT BIRTH RATES

Birth Rates for Adolescents Ages 15-19 Years by Race and Hispanic Origin, Maryland, 2007-2016.




| | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|-------------|------|------|------|------|------|------|------|------|------|------|
| — All Races | 34.4 | 32.7 | 31.2 | 27.2 | 24.7 | 22.1 | 19.3 | 17.8 | 16.9 | 15.9 |
| — NH White | 19.1 | 17.5 | 17.2 | 16.1 | 14.9 | 12.3 | 10.7 | 10.1 | 9.1 | 8.6 |
| — NH Black | 51.4 | 50.2 | 47.9 | 40.5 | 36.5 | 33.0 | 29.0 | 25.3 | 22.8 | 21.3 |
| — Hispanic | 95.5 | 84.0 | 66.4 | 52.7 | 45.9 | 44.6 | 39.5 | 39.8 | 42.7 | 38.9 |

Birth Rates for Adolescents Ages 15-19 Years, Maryland and the United States, 2007-2016.




| | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|------|------|------|------|------|------|------|------|------|------|------|
| — MD | 34.4 | 32.7 | 31.2 | 27.2 | 24.7 | 22.1 | 19.3 | 17.8 | 16.9 | 15.9 |
| — US | 42.5 | 40.2 | 37.9 | 34.2 | 31.3 | 29.4 | 26.5 | 24.2 | 22.3 | 20.3 |

Birth Rates for Adolescents Ages 15-19 Years by Race and Hispanic Origin, Maryland, 2016.




BIRTHS TO UNMARRIED WOMEN

Percentage of Births to Unmarried Women by Race and Hispanic Origin, Maryland, 2007-2016.




Percentage of Births to Unmarried Women, Maryland and the United States, 2007-2016.




2016 U.S. data are preliminary

Percentage of Births to Unmarried Women by Race, Maryland, 2016.




PRENATAL CARE

Percentage of Births to Women Receiving Late* or No Prenatal Care by Race and Hispanic Origin, Maryland, 2016.**




| | | | | | | | |
|-------------|------|------|------|------|------|------|------|
| — All Races | 6.3 | 8.5 | 8.7 | 9.3 | 9.2 | 9.0 | 8.5 |
| — NH White | 4.0 | 5.1 | 5.6 | 6.1 | 5.8 | 5.6 | 5.3 |
| — NH Black | 10.9 | 11.8 | 12.2 | 13.8 | 13.2 | 12.5 | 12.0 |
| — Hispanic | 8.9 | 12.7 | 11.3 | 10.2 | 11.5 | 11.8 | 11.3 |

Percentage of Births to Women Receiving Late* or No Prenatal Care, Maryland and the United States, 2016.**



2016 U.S. data are preliminary

Percentage of Births to Women Receiving Late* or No Prenatal Care by Race, Maryland, 2016.**




*Late care refers to prenatal care which begins during the third trimester of pregnancy.
 **Rates are calculated excluding missing or unknown values.


Note: The methodology for collecting information on the time during pregnancy that prenatal care began was changed in the 2010 revision of the Maryland birth certificate. As a result, prenatal care data collected after 2009 are not comparable to data collected in earlier years.

LOW BIRTH WEIGHT

Percentage of Low Birth Weight Infants by Race and Hispanic Origin, Maryland, 2007-2016.




Percentage of Low Birth Weight Infants, Maryland and the United States, 2007-2016.




2016 U.S. data are preliminary

Percentage of Low Birth Weight Infants by Race, Maryland, 2016.




INFANT MORTALITY

Infant Mortality Rate by Race and Hispanic Origin, Maryland, 2007-2016.



| | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|-----------|------|------|------|------|------|------|------|------|------|------|
| All Races | 8.0 | 8.0 | 7.2 | 6.7 | 6.7 | 6.3 | 6.6 | 6.5 | 6.7 | 6.5 |
| NH White | 5.1 | 5.8 | 4.4 | 4.2 | 4.3 | 3.8 | 4.6 | 4.4 | 4.0 | 4.3 |
| NH Black | 13.9 | 13.5 | 13.6 | 12.0 | 12.2 | 10.4 | 10.6 | 10.7 | 11.3 | 10.5 |
| Hispanic | 3.8 | 3.2 | 3.1 | 4.1 | 3.0 | 5.5 | 4.7 | 4.4 | 5.5 | 5.4 |


Infant Mortality Rate, Maryland and the United States, 2007-2016.



| | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|----|------|------|------|------|------|------|------|------|------|------|
| MD | 8.0 | 8.0 | 7.2 | 6.7 | 6.7 | 6.3 | 6.6 | 6.6 | 6.7 | 6.5 |
| US | 6.8 | 6.6 | 6.4 | 6.2 | 6.1 | 6.0 | 6.0 | 5.8 | 5.9 | * |

* Data for the US have not yet been released.

Infant Mortality Rate by Race, Maryland, 2016.




**Rates based on <5 events in the numerator are not presented since such rates are subject to instability.

**Rates based on <5 events in the numerator are not presented since such rates are subject to instability.


NEONATAL MORTALITY

Neonatal Mortality Rate by Race and Hispanic Origin, Maryland, 2007-2016.



| | | | | | | | | | | |
|-------------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| — All Races | 5.8 | 5.8 | 5.1 | 4.7 | 5.1 | 4.7 | 4.5 | 4.6 | 4.9 | 4.7 |
| — NH White | 3.7 | 4.1 | 3 | 3 | 3.3 | 2.7 | 3.2 | 2.9 | 2.7 | 2.9 |
| — NH Black | 10 | 10 | 9.8 | 8.6 | 8.9 | 8 | 7.3 | 7.7 | 8.5 | 7.5 |
| — Hispanic | 3 | 2.5 | 2.4 | 2.5 | 2.4 | 3.9 | 3.3 | 3.2 | 4.1 | 3.8 |


Neonatal Mortality Rate, Maryland and the United States, 2007-2016.



| | | | | | | | | | | |
|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| — MD | 5.8 | 5.8 | 5.1 | 4.7 | 5.1 | 4.7 | 4.5 | 4.5 | 4.9 | 4.7 |
| — US | 4.4 | 4.3 | 4.2 | 4.1 | 4.1 | 4.0 | 4.0 | 4.0 | 3.9 | * |

*Data for U.S. has not yet been released.

Neonatal Mortality Rate by Race, Maryland, 2016.




| | |
|-------------------------|-----|
| Total White | 2.9 |
| Total Black | 7.4 |
| **Total American Indian | 3.6 |


**Rates based on <5 events in the numerator are not presented since such rates are subject to instability.

POSTNEONATAL MORTALITY

Postneonatal Mortality Rate by Race and Hispanic Origin, Maryland, 2007-2016.




Postneonatal Mortality Rate, Maryland and the United States, 2007-2016.



*Data for U.S. has not yet been released.


Postneonatal Mortality Rate by Race, Maryland, 2016.



**Rates based on <5 events in the numerator are not presented since such rates are subject to instability.


10 LEADING CAUSES OF DEATH

Percent Distribution for 10 Leading Causes of Death, Maryland, 2016.




MORTALITY

Age-adjusted Death Rate* for All Causes of Death by Race, Maryland, 2007-2016.




Age-Adjusted Death Rate* for All Causes of Death, Maryland and the U.S., 2007-2016.



*Death rates are age-adjusted to the 2000 U.S. standard population.


**Data for U.S. has not yet been released.

Age-Adjusted Death Rate* for All Causes of Death by Race and Sex, Maryland, 2016.




DISEASES OF THE HEART

Age-adjusted Death Rate* for Diseases of the Heart by Race, Maryland, 2007-2016



| | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| — All Races | 203.0 | 196.7 | 193.9 | 182.0 | 171.4 | 171.9 | 171.7 | 167.2 | 169.3 | 164.6 |
| — White | 195.1 | 188.0 | 184.3 | 174.2 | 166.6 | 164.6 | 167.5 | 165.1 | 164.7 | 160.1 |
| — Black | 242.6 | 240.1 | 238.3 | 216.8 | 196.6 | 203.4 | 197.3 | 186.4 | 196.2 | 187.5 |

Age-Adjusted Death Rate* for Diseases of the Heart, Maryland and the United States, 2007-2016.




| | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|--|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| — MD | 203.0 | 196.7 | 193.9 | 182.0 | 171.4 | 171.9 | 171.7 | 167.2 | 169.3 | 164.6 |
| — US | 190.9 | 186.5 | 182.8 | 179.1 | 173.1 | 170.5 | 169.8 | 167.0 | 168.5 | ** |

*Death rates are age-adjusted to the 2000 U.S. standard population.


**Data for U.S. has not yet been released.

Age-Adjusted Death Rate* for Diseases of the Heart by Race and Sex, Maryland, 2016.




MALIGNANT NEOPLASMS

Age-adjusted Death Rate* for Malignant Neoplasms by Race, Maryland, 2007-2016.




Age-Adjusted Death Rate** for Malignant Neoplasms, Maryland and the United States, 2007-2016.



*Death rates are age-adjusted to the 2000 U.S. standard population.


**Data for U.S. has not yet been released.

Age-Adjusted Death Rate* for Malignant Neoplasms by Race and Sex, Maryland, 2016.




CEREBROVASCULAR DISEASES

Age-adjusted Death Rate* for Cerebrovascular Diseases by Race, Maryland, 2007-2016.




Age-Adjusted Death Rate* for Cerebrovascular Diseases, Maryland and the United States, 2007-2016.



*Death rates are age-adjusted to the 2000 U.S. standard population.


**Data for U.S. has not yet been released.

Age-Adjusted Death Rate* for Cerebrovascular Diseases by Race and Sex, Maryland, 2016.




ACCIDENTS

Age-adjusted Death Rate* for Accidents by Race, Maryland, 2007-2016.




Age-Adjusted Death Rate* for Accidents, Maryland and the United States, 2007-2016.



*Death rates are age-adjusted to the 2000 U.S. standard population.


**Data for U.S. has not yet been released.

Age-Adjusted Death Rate* for Accidents by Race and Sex, Maryland, 2016.




CHRONIC LOWER RESPIRATORY DISEASES

Age-adjusted Death Rate* for Chronic Lower Respiratory Diseases by Race, Maryland, 2007-2016.




Age-Adjusted Death Rate* for Chronic Lower Respiratory Diseases, Maryland and the United States, 2007-2016.



*Death rates are age-adjusted to the 2000 U.S. standard population.


**Data for U.S. has not yet been released.

Age-Adjusted Death Rate* for Chronic Lower Respiratory Diseases by Race and Sex, Maryland, 2016.




DIABETES MELLITUS

Age-adjusted Death Rate* for Diabetes by Race, Maryland, 2007-2016.



| | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|---|------|------|------|------|------|------|------|------|------|------|
| — All Races | 23.3 | 21.7 | 20.7 | 19.8 | 20.8 | 19.1 | 19.0 | 19.6 | 18.3 | 19.6 |
| — White | 19.2 | 17.6 | 17.1 | 15.3 | 17.0 | 15.9 | 15.2 | 16.0 | 15.7 | 15.8 |
| — Black | 38.8 | 37.2 | 34.4 | 35.4 | 33.8 | 31.3 | 31.8 | 33.4 | 27.9 | 31.3 |

Age-Adjusted Death Rate* for Diabetes, Maryland and the United States, 2007-2016.




| | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|--|------|------|------|------|------|------|------|------|------|------|
| — MD | 23.3 | 21.7 | 20.7 | 19.8 | 20.8 | 19.1 | 19.0 | 19.6 | 18.3 | 19.6 |
| — US | 22.5 | 21.8 | 21.0 | 20.8 | 21.6 | 21.2 | 21.2 | 20.9 | 21.3 | ** |

*Death rates are age-adjusted to the 2000 U.S. standard population.


**Data for U.S. has not yet been released.

Age-Adjusted Death Rate* for Diabetes by Race and Sex, Maryland, 2016.




ALZHEIMER'S DISEASE

Age-adjusted Death Rate* for Alzheimer's Disease by Race, Maryland, 2007-2016.



| | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|---|------|------|------|------|------|------|------|------|------|------|
| — All Races | 16.0 | 18.2 | 16.9 | 16.7 | 15.0 | 14.5 | 14.2 | 14.4 | 16.4 | 17.4 |
| — White | 16.5 | 18.6 | 17.6 | 17.7 | 15.8 | 14.9 | 15.4 | 15.1 | 17.5 | 18.5 |
| — Black | 16.0 | 19.2 | 15.6 | 14.2 | 13.3 | 13.7 | 11.1 | 13.1 | 15.1 | 15.5 |

Age-Adjusted Death Rate* for Alzheimer's Disease, Maryland and the United States, 2007-2016.




| | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|--|------|------|------|------|------|------|------|------|------|------|
| — MD | 16.0 | 18.2 | 16.9 | 16.7 | 15.0 | 14.5 | 14.2 | 14.4 | 16.4 | 17.4 |
| — US | 22.7 | 24.4 | 24.2 | 25.1 | 24.7 | 23.8 | 23.5 | 25.4 | 29.4 | ** |

*Death rates are age-adjusted to the 2000 U.S. standard population.


**Data for U.S. has not yet been released.

Age-Adjusted Death Rate* for Alzheimer's Disease by Race and Sex, Maryland, 2016.




INFLUENZA AND PNEUMONIA

Age-adjusted Death Rate* for Influenza and Pneumonia by Race, Maryland, 2007-2016.




| | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|---|------|------|------|------|------|------|------|------|------|------|
| — All Races | 18.2 | 18.1 | 17.4 | 15.7 | 17.0 | 15.7 | 17.0 | 15.5 | 17.7 | 15.1 |
| — White | 18.5 | 18.3 | 17.2 | 15.3 | 16.9 | 15.6 | 17.1 | 15.5 | 18.6 | 15.1 |
| — Black | 17.7 | 16.8 | 17.5 | 16.2 | 18.3 | 15.8 | 17.3 | 16.1 | 15.6 | 15.9 |

Age-Adjusted Death Rate* for Influenza and Pneumonia, Maryland and the United States, 2007-2016.



| | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|--|------|------|------|------|------|------|------|------|------|------|
| — MD | 18.2 | 18.1 | 17.4 | 15.7 | 17.0 | 15.7 | 17.0 | 15.5 | 17.7 | 15.1 |
| — US | 16.2 | 16.9 | 16.5 | 15.1 | 15.7 | 14.4 | 15.9 | 15.1 | 15.2 | ** |

Age-Adjusted Death Rate* for Influenza and Pneumonia by Race and Sex, Maryland, 2016.




*Death rates are age-adjusted to the 2000 U.S. standard population.

**Data for U.S. has not yet been released.


SEPTICEMIA

Age-adjusted Death Rate* for Septicemia by Race, Maryland, 2007-2016.



| | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|---|------|------|------|------|------|------|------|------|------|------|
| — All Races | 16.7 | 17.5 | 18.3 | 14.9 | 13.0 | 14.6 | 14.8 | 15.5 | 13.5 | 12.9 |
| — White | 14.2 | 14.8 | 16.5 | 13.0 | 11.6 | 13.2 | 13.2 | 14.0 | 12.0 | 11.5 |
| — Black | 26.3 | 27.7 | 25.2 | 22.8 | 18.3 | 19.5 | 20.9 | 21.3 | 18.9 | 17.6 |

Age-Adjusted Death Rate* for Septicemia, Maryland and the United States, 2007-2016.




| | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|--|------|------|------|------|------|------|------|------|------|------|
| — MD | 16.7 | 17.5 | 18.3 | 14.9 | 13.0 | 14.6 | 14.8 | 15.5 | 13.5 | 12.9 |
| — US | 11.0 | 11.1 | 11.0 | 10.6 | 10.5 | 10.3 | 10.7 | 10.7 | 11.0 | ** |

*Death rates are age-adjusted to the 2000 U.S. standard population.


**Data for U.S. has not yet been released.

Age-Adjusted Death Rate* for Septicemia by Race and Sex, Maryland, 2016.




HUMAN IMMUNODEFICIENCY VIRUS

Age-adjusted Death Rate* for Human Immunodeficiency Virus by Race, Maryland, 2007-2016.




Age-Adjusted Death Rate* for Human Immunodeficiency Virus, Maryland and the United States, 2007-2016.



*Death rates are age-adjusted to the 2000 U.S. standard population.


**Data for U.S. has not yet been released.

Age-Adjusted Death Rate* for Human Immunodeficiency Virus by Race and Sex, Maryland, 2016.




ASSAULT (HOMICIDE)

Age-adjusted Death Rate* for Assault (Homicide) by Race, Maryland, 2007-2016.



| | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|---|------|------|------|------|------|------|------|------|------|------|
| — All Races | 10.4 | 9.5 | 7.9 | 7.7 | 7.6 | 7.2 | 7.2 | 6.6 | 10.3 | 10.1 |
| — White | 3.2 | 3.7 | 2.4 | 2.4 | 2.2 | 2.6 | 2.2 | 2.1 | 3.0 | 2.4 |
| — Black | 25.7 | 21.7 | 19.1 | 18.5 | 18.4 | 17.1 | 17.8 | 15.3 | 25.4 | 24.9 |

Age-Adjusted Death Rate* for Assault (Homicide), Maryland and the United States, 2007-2016.




| | 2006 | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 |
|--|------|------|------|------|------|------|------|------|------|------|
| — MD | 10.2 | 10.4 | 9.5 | 7.9 | 7.7 | 7.6 | 7.2 | 7.2 | 6.6 | 10.3 |
| — US | 6.2 | 6.1 | 5.9 | 5.5 | 5.3 | 5.3 | 5.4 | 5.2 | 5.1 | ** |

*Death rates are age-adjusted to the 2000 U.S. standard population.


**Data for U.S. has not yet been released.

Age-Adjusted Death Rate* for Assault (Homicide) by Race and Sex, Maryland, 2016.




INTENTIONAL SELF-HARM (SUICIDE)

Age-adjusted Death Rate* for Intentional Self-Harm (Suicide) by Race, Maryland, 2007-2016.



| | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|---|------|------|------|------|------|------|------|------|------|------|
| — All Races | 8.9 | 8.5 | 9.3 | 8.4 | 9.1 | 9.0 | 9.0 | 9.6 | 8.7 | 9.3 |
| — White | 10.8 | 10.5 | 11.4 | 10.4 | 11.1 | 11.2 | 11.5 | 12.3 | 11.4 | 11.3 |
| — Black | 4.8 | 4.4 | 5.2 | 4.4 | 5.3 | 4.8 | 4.6 | 5.0 | 4.5 | 5.0 |

Age-Adjusted Death Rate* for Intentional Self-Harm (Suicide), Maryland and the United States, 2007-2016.




| | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|--|------|------|------|------|------|------|------|------|------|------|
| — MD | 8.9 | 8.5 | 9.3 | 8.4 | 9.1 | 9.0 | 9.0 | 9.6 | 8.7 | 9.3 |
| — US | 11.3 | 11.6 | 11.8 | 12.1 | 12.3 | 12.6 | 12.6 | 13.0 | 13.3 | ** |

*Death rates are age-adjusted to the 2000 U.S. standard population.


**Data for U.S. has not yet been released.

Age-Adjusted Death Rate* for Intentional Self-Harm (Suicide) by Race and Sex, Maryland, 2016.




MARRIAGES

Number of First Marriages by Age of Both Spouses, Maryland, 2016.




Percent Distribution of Marriages by Previous Marital Status of Both Spouses, Maryland, 2016.



*Percentages do not total 100% due to rounding.


DIVORCES

Number of Absolute Divorces and Annulments by Duration of Marriage, Maryland, 2016.




MAPS

Comparison of Jurisdiction Birth Rates* with the Maryland State Rate, 2016



* Rates are shown on Table 9b.

Comparison of Jurisdiction Age-adjusted Death Rates* for All Causes with the Maryland State Rate, 2014-2016



* Rates are shown on Table 50.

POPULATION

TABLE 1A. ESTIMATED MARYLAND POPULATION BY RACE, HISPANIC ORIGIN, REGION AND POLITICAL SUBDIVISION, MARYLAND, JULY 1, 2016.*

| REGION AND POLITICAL SUBDIVISION | POPULATION BY RACE AND HISPANIC ORIGIN | | | | | |
|----------------------------------|--|--------------------|--------------------|------------------------------|--|------------|
| | ALL RACES | NON-HISPANIC WHITE | NON-HISPANIC BLACK | NON-HISPANIC AMERICAN INDIAN | NON-HISPANIC ASIAN OR PACIFIC ISLANDER | HISPANIC** |
| MARYLAND | 6,016,447 | 3,160,007 | 1,836,453 | 17,971 | 415,215 | 586,801 |
| NORTHWEST AREA | 499,438 | 401,802 | 48,401 | 1,106 | 16,876 | 31,253 |
| GARRETT | 29,425 | 28,511 | 377 | 45 | 138 | 354 |
| ALLEGANY | 72,130 | 63,643 | 6,236 | 124 | 877 | 1,250 |
| WASHINGTON | 150,292 | 122,030 | 17,770 | 290 | 3,149 | 7,053 |
| FREDERICK | 247,591 | 187,618 | 24,018 | 647 | 12,712 | 22,596 |
| BALTIMORE METRO AREA | 2,749,957 | 1,586,090 | 830,577 | 8,192 | 169,539 | 155,559 |
| BALTIMORE CITY | 614,664 | 173,301 | 389,966 | 2,185 | 18,068 | 31,144 |
| BALTIMORE COUNTY | 831,026 | 490,920 | 239,557 | 2,557 | 53,998 | 43,994 |
| ANNE ARUNDEL | 568,346 | 400,270 | 98,294 | 1,746 | 25,234 | 42,802 |
| CARROLL | 167,656 | 151,806 | 6,286 | 311 | 3,590 | 5,663 |
| HOWARD | 317,233 | 174,041 | 61,423 | 736 | 60,082 | 20,951 |
| HARFORD | 251,032 | 195,752 | 35,051 | 657 | 8,567 | 11,005 |
| NATIONAL CAPITAL AREA | 1,951,912 | 601,015 | 775,769 | 5,435 | 209,009 | 360,684 |
| MONTGOMERY | 1,043,863 | 478,995 | 196,225 | 2,226 | 167,015 | 199,402 |
| PRINCE GEORGE'S | 908,049 | 122,020 | 579,544 | 3,209 | 41,994 | 161,282 |
| SOUTHERN AREA | 361,543 | 226,993 | 103,304 | 1,983 | 11,506 | 17,757 |
| CALVERT | 91,251 | 73,138 | 12,283 | 367 | 2,049 | 3,414 |
| CHARLES | 157,705 | 67,769 | 74,078 | 1,213 | 5,934 | 8,711 |
| ST MARY'S | 112,587 | 86,086 | 16,943 | 403 | 3,523 | 5,632 |
| EASTERN SHORE AREA | 453,597 | 344,107 | 78,402 | 1,255 | 8,285 | 21,548 |
| CECIL | 102,603 | 88,877 | 7,416 | 298 | 1,589 | 4,423 |
| KENT | 19,730 | 15,518 | 3,053 | 28 | 237 | 894 |
| QUEEN ANNE'S | 48,929 | 42,971 | 3,337 | 134 | 720 | 1,767 |
| CAROLINE | 32,850 | 25,329 | 4,752 | 115 | 300 | 2,354 |
| TALBOT | 37,278 | 29,370 | 4,857 | 64 | 537 | 2,450 |
| DORCHESTER | 32,258 | 20,728 | 9,297 | 114 | 418 | 1,701 |
| WICOMICO | 102,577 | 66,096 | 27,515 | 257 | 3,436 | 5,273 |
| SOMERSET | 25,928 | 13,528 | 11,114 | 108 | 251 | 927 |
| WORCESTER | 51,444 | 41,690 | 7,061 | 137 | 797 | 1,759 |

*See page xii in the introduction of this report for an explanation of the methodology in estimating population.

**Persons of Hispanic origin may be any race.

**TABLE 1B. ESTIMATED MARYLAND POPULATION BY RACE, REGION AND POLITICAL SUBDIVISION,
MARYLAND, JULY 1, 2016.***

| REGION AND POLITICAL SUBDIVISION | POPULATION BY RACE | | | | |
|-------------------------------------|--------------------|-----------|-----------|-----------------|------------------------------|
| | ALL RACES | WHITE | BLACK | AMERICAN INDIAN | ASIAN OR PACIFIC ISLANDER |
| MARYLAND | 6,016,447 | 3,639,880 | 1,907,689 | 40,343 | 428,535 |
| NORTHWEST AREA | 499,438 | 428,553 | 51,351 | 2,057 | 17,477 |
| GARRETT | 29,425 | 28,851 | 385 | 49 | 140 |
| ALLEGANY | 72,130 | 64,739 | 6,332 | 155 | 904 |
| WASHINGTON | 150,292 | 127,923 | 18,592 | 503 | 3,274 |
| FREDERICK | 247,591 | 207,040 | 26,042 | 1,350 | 13,159 |
| BALTIMORE METRO AREA | 2,749,957 | 1,711,111 | 851,888 | 13,305 | 173,653 |
| BALTIMORE CITY | 614,664 | 196,132 | 396,216 | 3,424 | 18,892 |
| BALTIMORE COUNTY | 831,026 | 525,741 | 246,028 | 4,083 | 55,174 |
| ANNE ARUNDEL | 568,346 | 436,587 | 102,615 | 2,867 | 26,277 |
| CARROLL | 167,656 | 156,944 | 6,598 | 432 | 3,682 |
| HOWARD | 317,233 | 190,974 | 63,943 | 1,543 | 60,773 |
| HARFORD | 251,032 | 204,733 | 36,488 | 956 | 8,855 |
| NATIONAL CAPITAL AREA | 1,951,912 | 897,708 | 817,509 | 20,268 | 216,427 |
| MONTGOMERY | 1,043,863 | 652,289 | 212,019 | 8,432 | 171,123 |
| PRINCE GEORGE'S | 908,049 | 245,419 | 605,490 | 11,836 | 45,304 |
| SOUTHERN AREA | 361,543 | 240,901 | 106,072 | 2,553 | 12,017 |
| CALVERT | 91,251 | 76,043 | 12,607 | 467 | 2,134 |
| CHARLES | 157,705 | 73,983 | 75,973 | 1,512 | 6,237 |
| ST MARY'S | 112,587 | 90,875 | 17,492 | 574 | 3,646 |
| EASTERN SHORE AREA | 453,597 | 361,607 | 80,869 | 2,160 | 8,961 |
| CECIL | 102,603 | 92,633 | 7,863 | 458 | 1,649 |
| KENT | 19,730 | 16,240 | 3,167 | 61 | 262 |
| QUEEN ANNE'S | 48,929 | 44,465 | 3,453 | 238 | 773 |
| CAROLINE | 32,850 | 27,119 | 4,935 | 302 | 494 |
| TALBOT | 37,278 | 31,411 | 5,075 | 144 | 648 |
| DORCHESTER | 32,258 | 22,066 | 9,599 | 159 | 434 |
| WICOMICO | 102,577 | 70,236 | 28,272 | 455 | 3,614 |
| SOMERSET | 25,928 | 14,210 | 11,312 | 132 | 274 |
| WORCESTER | 51,444 | 43,227 | 7,193 | 211 | 813 |

*See page xii in the introduction of this report for an explanation of the methodology in estimating population.

TABLE 2A. ESTIMATED MARYLAND TOTAL POPULATION BY AGE GROUP, REGION AND POLITICAL SUBDIVISION, MARYLAND, JULY 1, 2016.

| REGION AND POLITICAL SUBDIVISION | TOTAL POPULATION BY AGE | | | | | | |
|----------------------------------|-------------------------|---------|---------|---------|-----------|-----------|---------|
| | ALL AGES | UNDER 1 | 1-4 | 5-17 | 18-44 | 45-64 | 65+ |
| MARYLAND | 6,016,447 | 72,580 | 294,515 | 981,633 | 2,142,695 | 1,648,814 | 876,210 |
| NORTHWEST AREA | 499,438 | 5,446 | 22,653 | 81,958 | 169,638 | 140,613 | 79,130 |
| GARRETT | 29,425 | 280 | 1,180 | 4,134 | 8,868 | 8,721 | 6,242 |
| ALLEGANY | 72,130 | 660 | 2,654 | 9,362 | 26,559 | 18,800 | 14,095 |
| WASHINGTON | 150,292 | 1,725 | 7,041 | 24,596 | 50,102 | 41,866 | 24,962 |
| FREDERICK | 247,591 | 2,781 | 11,778 | 43,866 | 84,109 | 71,226 | 33,831 |
| BALTIMORE METRO AREA | 2,749,957 | 33,113 | 132,859 | 441,471 | 992,493 | 746,630 | 403,391 |
| BALTIMORE CITY | 614,664 | 8,512 | 31,686 | 89,009 | 253,227 | 153,139 | 79,091 |
| BALTIMORE COUNTY | 831,026 | 9,827 | 39,284 | 130,717 | 291,165 | 223,219 | 136,814 |
| ANNE ARUNDEL | 568,346 | 6,894 | 28,080 | 92,347 | 205,171 | 156,001 | 79,853 |
| CARROLL | 167,656 | 1,629 | 6,991 | 28,017 | 51,891 | 51,892 | 27,236 |
| HOWARD | 317,233 | 3,588 | 15,428 | 58,873 | 108,786 | 88,963 | 41,595 |
| HARFORD | 251,032 | 2,663 | 11,390 | 42,508 | 82,253 | 73,416 | 38,802 |
| NATIONAL CAPITAL AREA | 1,951,912 | 25,101 | 101,861 | 321,663 | 710,260 | 529,647 | 263,380 |
| MONTGOMERY | 1,043,863 | 13,188 | 53,868 | 177,421 | 361,869 | 285,921 | 151,596 |
| PRINCE GEORGE'S | 908,049 | 11,913 | 47,993 | 144,242 | 348,391 | 243,726 | 111,784 |
| SOUTHERN AREA | 361,543 | 4,184 | 17,594 | 65,632 | 123,830 | 104,589 | 45,714 |
| CALVERT | 91,251 | 900 | 4,035 | 16,636 | 28,681 | 28,222 | 12,777 |
| CHARLES | 157,705 | 1,826 | 7,786 | 28,584 | 54,933 | 45,786 | 18,790 |
| ST MARY'S | 112,587 | 1,458 | 5,773 | 20,412 | 40,216 | 30,581 | 14,147 |
| EASTERN SHORE AREA | 453,597 | 4,736 | 19,548 | 70,909 | 146,474 | 127,335 | 84,595 |
| CECIL | 102,603 | 1,142 | 4,639 | 17,904 | 33,454 | 30,413 | 15,051 |
| KENT | 19,730 | 159 | 687 | 2,389 | 6,096 | 5,344 | 5,055 |
| QUEEN ANNE'S | 48,929 | 454 | 1,951 | 8,221 | 13,987 | 15,402 | 8,914 |
| CAROLINE | 32,850 | 373 | 1,607 | 5,752 | 10,609 | 9,288 | 5,221 |
| TALBOT | 37,278 | 323 | 1,352 | 5,230 | 9,497 | 10,473 | 10,403 |
| DORCHESTER | 32,258 | 369 | 1,505 | 4,990 | 9,464 | 9,274 | 6,656 |
| WICOMICO | 102,577 | 1,219 | 4,936 | 16,469 | 39,043 | 25,421 | 15,489 |
| SOMERSET | 25,928 | 239 | 1,009 | 3,209 | 10,804 | 6,525 | 4,142 |
| WORCESTER | 51,444 | 458 | 1,862 | 6,745 | 13,520 | 15,195 | 13,664 |

TABLE 2B. ESTIMATED MARYLAND TOTAL POPULATION BY RACE, HISPANIC ORIGIN, AGE GROUP, REGION AND POLITICAL SUBDIVISION, MARYLAND, JULY 1, 2016.

| REGION AND POLITICAL SUBDIVISION | NON-HISPANIC WHITE POPULATION BY AGE | | | | | | |
|----------------------------------|--------------------------------------|---------|---------|---------|-----------|---------|---------|
| | ALL AGES | UNDER 1 | 1-4 | 5-17 | 18-44 | 45-64 | 65+ |
| MARYLAND | 3,160,007 | 31,497 | 127,065 | 450,296 | 1,021,987 | 941,635 | 587,527 |
| NORTHWEST AREA | 401,802 | 4,028 | 16,440 | 60,965 | 126,902 | 120,226 | 73,241 |
| GARRETT | 28,511 | 267 | 1,116 | 3,910 | 8,481 | 8,580 | 6,157 |
| ALLEGANY | 63,643 | 572 | 2,366 | 8,594 | 21,060 | 17,410 | 13,641 |
| WASHINGTON | 122,030 | 1,318 | 5,155 | 18,501 | 37,359 | 36,266 | 23,431 |
| FREDERICK | 187,618 | 1,871 | 7,803 | 29,960 | 60,002 | 57,970 | 30,012 |
| BALTIMORE METRO AREA | 1,586,090 | 16,219 | 64,436 | 221,016 | 532,008 | 467,396 | 285,015 |
| BALTIMORE CITY | 173,301 | 2,316 | 6,810 | 14,001 | 81,930 | 42,017 | 26,227 |
| BALTIMORE COUNTY | 490,920 | 4,807 | 18,930 | 64,287 | 155,047 | 144,036 | 103,813 |
| ANNE ARUNDEL | 400,270 | 4,146 | 17,345 | 59,640 | 134,370 | 118,357 | 66,412 |
| CARROLL | 151,806 | 1,395 | 6,056 | 24,662 | 45,787 | 48,052 | 25,854 |
| HOWARD | 174,041 | 1,636 | 7,070 | 28,024 | 53,588 | 55,034 | 28,689 |
| HARFORD | 195,752 | 1,919 | 8,225 | 30,402 | 61,286 | 59,900 | 34,020 |
| NATIONAL CAPITAL AREA | 601,015 | 5,728 | 23,426 | 81,420 | 185,184 | 182,524 | 122,733 |
| MONTGOMERY | 478,995 | 4,546 | 19,019 | 71,179 | 140,323 | 147,366 | 96,562 |
| PRINCE GEORGE'S | 122,020 | 1,182 | 4,407 | 10,241 | 44,861 | 35,158 | 26,171 |
| SOUTHERN AREA | 226,993 | 2,393 | 10,236 | 37,808 | 73,613 | 69,054 | 33,889 |
| CALVERT | 73,138 | 691 | 3,133 | 12,923 | 22,521 | 23,153 | 10,717 |
| CHARLES | 67,769 | 692 | 2,985 | 9,907 | 21,129 | 21,559 | 11,497 |
| ST MARY'S | 86,086 | 1,010 | 4,118 | 14,978 | 29,963 | 24,342 | 11,675 |
| EASTERN SHORE AREA | 344,107 | 3,129 | 12,527 | 49,087 | 104,280 | 102,435 | 72,649 |
| CECIL | 88,877 | 936 | 3,756 | 14,754 | 28,159 | 27,275 | 13,997 |
| KENT | 15,518 | 113 | 441 | 1,704 | 4,637 | 4,299 | 4,324 |
| QUEEN ANNE'S | 42,971 | 363 | 1,583 | 7,033 | 12,015 | 13,906 | 8,071 |
| CAROLINE | 25,329 | 234 | 1,056 | 4,112 | 7,936 | 7,571 | 4,420 |
| TALBOT | 29,370 | 180 | 781 | 3,676 | 6,848 | 8,588 | 9,297 |
| DORCHESTER | 20,728 | 197 | 719 | 2,607 | 5,627 | 6,440 | 5,138 |
| WICOMICO | 66,096 | 683 | 2,456 | 8,709 | 24,795 | 17,383 | 12,070 |
| SOMERSET | 13,528 | 85 | 459 | 1,607 | 4,059 | 4,172 | 3,146 |
| WORCESTER | 41,690 | 338 | 1,276 | 4,885 | 10,204 | 12,801 | 12,186 |

TABLE 2C. ESTIMATED MARYLAND TOTAL POPULATION BY RACE, HISPANIC ORIGIN, AGE GROUP, REGION AND POLITICAL SUBDIVISION, MARYLAND, JULY 1, 2016.

| REGION AND POLITICAL SUBDIVISION | NON-HISPANIC BLACK POPULATION BY AGE | | | | | | |
|----------------------------------|--------------------------------------|---------|--------|---------|---------|---------|---------|
| | ALL AGES | UNDER 1 | 1-4 | 5-17 | 18-44 | 45-64 | 65+ |
| MARYLAND | 1,836,453 | 23,465 | 95,310 | 326,905 | 688,637 | 491,443 | 210,693 |
| NORTHWEST AREA | 48,401 | 598 | 2,676 | 9,345 | 21,849 | 10,895 | 3,038 |
| GARRETT | 377 | 6 | 23 | 127 | 155 | 44 | 22 |
| ALLEGANY | 6,236 | 63 | 177 | 442 | 4,251 | 1,031 | 272 |
| WASHINGTON | 17,770 | 223 | 1,050 | 3,481 | 8,397 | 3,697 | 922 |
| FREDERICK | 24,018 | 306 | 1,426 | 5,295 | 9,046 | 6,123 | 1,822 |
| BALTIMORE METRO AREA | 830,577 | 11,012 | 44,504 | 153,206 | 314,100 | 213,240 | 94,515 |
| BALTIMORE CITY | 389,966 | 4,948 | 20,542 | 66,578 | 144,585 | 103,119 | 50,194 |
| BALTIMORE COUNTY | 239,557 | 3,321 | 13,055 | 46,062 | 92,313 | 59,474 | 25,332 |
| ANNE ARUNDEL | 98,294 | 1,394 | 5,438 | 18,479 | 39,599 | 24,234 | 9,150 |
| CARROLL | 6,286 | 70 | 281 | 1,152 | 2,364 | 1,726 | 693 |
| HOWARD | 61,423 | 808 | 3,194 | 13,332 | 22,413 | 15,564 | 6,112 |
| HARFORD | 35,051 | 471 | 1,994 | 7,603 | 12,826 | 9,123 | 3,034 |
| NATIONAL CAPITAL AREA | 775,769 | 9,555 | 38,488 | 128,624 | 286,051 | 219,436 | 93,615 |
| MONTGOMERY | 196,225 | 2,815 | 11,380 | 37,210 | 75,204 | 50,004 | 19,612 |
| PRINCE GEORGE'S | 579,544 | 6,740 | 27,108 | 91,414 | 210,847 | 169,432 | 74,003 |
| SOUTHERN AREA | 103,304 | 1,315 | 5,281 | 21,011 | 37,377 | 28,678 | 9,642 |
| CALVERT | 12,283 | 144 | 547 | 2,253 | 3,959 | 3,729 | 1,651 |
| CHARLES | 74,078 | 903 | 3,727 | 15,253 | 27,356 | 20,689 | 6,150 |
| ST MARY'S | 16,943 | 268 | 1,007 | 3,505 | 6,062 | 4,260 | 1,841 |
| EASTERN SHORE AREA | 78,402 | 985 | 4,361 | 14,719 | 29,260 | 19,194 | 9,883 |
| CECIL | 7,416 | 116 | 452 | 1,610 | 2,681 | 1,893 | 664 |
| KENT | 3,053 | 30 | 165 | 472 | 919 | 835 | 632 |
| QUEEN ANNE'S | 3,337 | 35 | 144 | 537 | 992 | 972 | 657 |
| CAROLINE | 4,752 | 61 | 264 | 929 | 1,505 | 1,301 | 692 |
| TALBOT | 4,857 | 48 | 217 | 845 | 1,466 | 1,358 | 923 |
| DORCHESTER | 9,297 | 124 | 567 | 1,857 | 2,926 | 2,464 | 1,359 |
| WICOMICO | 27,515 | 360 | 1,757 | 5,826 | 10,314 | 6,386 | 2,872 |
| SOMERSET | 11,114 | 124 | 423 | 1,331 | 6,181 | 2,137 | 918 |
| WORCESTER | 7,061 | 87 | 372 | 1,312 | 2,276 | 1,848 | 1,166 |

TABLE 2D. ESTIMATED MARYLAND TOTAL POPULATION BY HISPANIC ORIGIN, AGE GROUP, REGION AND POLITICAL SUBDIVISION, MARYLAND, JULY 1, 2016.

| REGION AND POLITICAL SUBDIVISION | HISPANIC POPULATION BY AGE* | | | | | | |
|----------------------------------|-----------------------------|---------|--------|---------|---------|---------|--------|
| | ALL AGES | UNDER 1 | 1-4 | 5-17 | 18-44 | 45-64 | 65+ |
| MARYLAND | 586,801 | 12,642 | 50,843 | 132,518 | 257,100 | 105,524 | 28,174 |
| NORTHWEST AREA | 31,253 | 605 | 2,572 | 7,827 | 13,702 | 5,192 | 1,355 |
| GARRETT | 354 | 2 | 28 | 68 | 162 | 57 | 37 |
| ALLEGANY | 1,250 | 10 | 63 | 181 | 723 | 189 | 84 |
| WASHINGTON | 7,053 | 138 | 627 | 1,868 | 3,031 | 1,112 | 277 |
| FREDERICK | 22,596 | 455 | 1,854 | 5,710 | 9,786 | 3,834 | 957 |
| BALTIMORE METRO AREA | 155,559 | 3,717 | 14,331 | 36,024 | 69,872 | 24,811 | 6,804 |
| BALTIMORE CITY | 31,144 | 918 | 3,414 | 6,482 | 14,708 | 4,479 | 1,143 |
| BALTIMORE COUNTY | 43,994 | 1,047 | 4,109 | 10,478 | 19,405 | 6,819 | 2,136 |
| ANNE ARUNDEL | 42,802 | 1,002 | 3,963 | 10,024 | 19,626 | 6,598 | 1,589 |
| CARROLL | 5,663 | 117 | 455 | 1,379 | 2,337 | 1,085 | 290 |
| HOWARD | 20,951 | 464 | 1,625 | 4,996 | 8,896 | 3,954 | 1,016 |
| HARFORD | 11,005 | 169 | 765 | 2,665 | 4,900 | 1,876 | 630 |
| NATIONAL CAPITAL AREA | 360,684 | 7,502 | 30,352 | 78,917 | 156,476 | 69,156 | 18,281 |
| MONTGOMERY | 199,402 | 4,012 | 15,835 | 41,965 | 83,693 | 41,456 | 12,441 |
| PRINCE GEORGE'S | 161,282 | 3,490 | 14,517 | 36,952 | 72,783 | 27,700 | 5,840 |
| SOUTHERN AREA | 17,757 | 310 | 1,403 | 4,267 | 7,881 | 3,130 | 766 |
| CALVERT | 3,414 | 35 | 220 | 889 | 1,412 | 691 | 167 |
| CHARLES | 8,711 | 151 | 729 | 2,094 | 3,838 | 1,536 | 363 |
| ST MARY'S | 5,632 | 124 | 454 | 1,284 | 2,631 | 903 | 236 |
| EASTERN SHORE AREA | 21,548 | 508 | 2,185 | 5,483 | 9,169 | 3,235 | 968 |
| CECIL | 4,423 | 61 | 322 | 1,210 | 1,887 | 717 | 226 |
| KENT | 894 | 13 | 69 | 183 | 425 | 157 | 47 |
| QUEEN ANNE'S | 1,767 | 43 | 183 | 472 | 699 | 289 | 81 |
| CAROLINE | 2,354 | 74 | 275 | 637 | 1,005 | 311 | 52 |
| TALBOT | 2,450 | 91 | 324 | 587 | 967 | 363 | 118 |
| DORCHESTER | 1,701 | 42 | 188 | 434 | 722 | 232 | 83 |
| WICOMICO | 5,273 | 132 | 548 | 1,340 | 2,300 | 754 | 199 |
| SOMERSET | 927 | 28 | 110 | 227 | 419 | 111 | 32 |
| WORCESTER | 1,759 | 24 | 166 | 393 | 745 | 301 | 130 |

*Persons of Hispanic origin may be any race.

TABLE 3. ESTIMATED MARYLAND POPULATION BY DETAILED AGE GROUP, RACE, HISPANIC ORIGIN AND SEX, MARYLAND, JULY 1, 2016.

| AGE GROUP | TOTAL POPULATION | MALE | | | | FEMALE | | | |
|---------------|------------------|-----------|--------------------|--------------------|----------|-----------|--------------------|--------------------|-----------|
| | | ALL RACES | NON-HISPANIC WHITE | NON-HISPANIC BLACK | HISPANIC | ALL RACES | NON-HISPANIC WHITE | NON-HISPANIC BLACK | HISPANIC* |
| ALL AGES | 6,016,447 | 2,914,466 | 1,547,341 | 856,888 | 304,433 | 3,101,981 | 1,612,666 | 979,565 | 282,368 |
| UNDER 1 | 72,580 | 37,164 | 16,091 | 11,973 | 6,532 | 35,416 | 15,406 | 11,492 | 6,110 |
| 1-4 | 294,515 | 150,035 | 64,814 | 48,687 | 25,716 | 144,480 | 62,251 | 46,623 | 25,127 |
| 5-9 | 376,196 | 192,061 | 84,249 | 63,279 | 30,054 | 184,135 | 80,213 | 61,769 | 28,327 |
| 10-14 | 373,806 | 190,015 | 89,113 | 62,599 | 24,440 | 183,791 | 85,426 | 60,700 | 23,791 |
| 15-19 | 385,934 | 196,744 | 95,930 | 64,896 | 22,409 | 189,190 | 91,295 | 64,107 | 20,735 |
| 20-24 | 392,558 | 199,643 | 96,177 | 66,830 | 23,343 | 192,915 | 91,429 | 67,477 | 20,762 |
| 25-29 | 420,525 | 210,142 | 102,372 | 68,204 | 24,086 | 210,383 | 100,015 | 72,130 | 21,150 |
| 30-34 | 413,925 | 203,587 | 100,595 | 58,359 | 28,204 | 210,338 | 99,768 | 68,320 | 23,504 |
| 35-39 | 391,864 | 191,875 | 90,338 | 55,696 | 29,738 | 199,989 | 91,201 | 65,746 | 24,212 |
| 40-44 | 369,520 | 178,896 | 85,604 | 52,842 | 24,114 | 190,624 | 88,558 | 62,588 | 20,749 |
| 45-49 | 412,617 | 198,438 | 104,200 | 59,593 | 19,851 | 214,179 | 108,691 | 70,799 | 17,294 |
| 50-54 | 442,129 | 212,235 | 121,722 | 61,685 | 15,381 | 229,894 | 125,712 | 73,573 | 14,594 |
| 55-59 | 430,881 | 205,800 | 125,882 | 56,443 | 11,336 | 225,081 | 130,022 | 69,556 | 11,359 |
| 60-64 | 363,187 | 170,128 | 109,457 | 42,982 | 7,513 | 193,059 | 115,949 | 56,812 | 8,196 |
| 65-69 | 305,195 | 140,408 | 93,515 | 33,934 | 4,944 | 164,787 | 101,433 | 47,455 | 5,881 |
| 70-74 | 210,927 | 95,117 | 65,423 | 20,834 | 2,876 | 115,810 | 74,636 | 30,502 | 3,827 |
| 75-79 | 144,625 | 62,766 | 43,349 | 13,540 | 1,782 | 81,859 | 53,575 | 20,809 | 2,795 |
| 80-84 | 100,532 | 40,865 | 29,168 | 8,237 | 1,093 | 59,667 | 40,493 | 14,000 | 1,988 |
| 85+ | 114,931 | 38,547 | 29,342 | 6,275 | 1,021 | 76,384 | 56,593 | 15,107 | 1,967 |

*Persons of Hispanic origin may be any race.

TABLE 4. ESTIMATED MARYLAND ADOLESCENT POPULATION BY AGE GROUP, SEX, RACE, HISPANIC ORIGIN, REGION AND POLITICAL SUBDIVISION, MARYLAND, JULY 1, 2016.

| REGION AND POLITICAL SUBDIVISION | ALL RACES* | | | NON-HISPANIC WHITE | | | | NON-HISPANIC BLACK | | | | HISPANIC** | | | |
|----------------------------------|------------|---------|---------|--------------------|--------|--------|--------|--------------------|--------|--------|--------|------------|--------|--------|--------|
| | 10-19 | 10-14 | 15-19 | MALE | | FEMALE | | MALE | | FEMALE | | MALE | | FEMALE | |
| | | | | 10-14 | 15-19 | 10-14 | 15-19 | 10-14 | 15-19 | 10-14 | 15-19 | 10-14 | 15-19 | | |
| MARYLAND | 759,740 | 373,806 | 385,934 | 89,113 | 95,930 | 85,426 | 91,295 | 62,599 | 64,896 | 60,700 | 64,107 | 24,440 | 22,409 | 23,791 | 20,735 |
| NORTHWEST AREA | 64,738 | 31,540 | 33,198 | 12,290 | 12,743 | 11,372 | 12,051 | 1,761 | 2,304 | 1,681 | 1,989 | 1,564 | 1,449 | 1,379 | 1,292 |
| GARRETT | 3,339 | 1,597 | 1,742 | 800 | 869 | 747 | 725 | 12 | 104 | 7 | 11 | 16 | 12 | 9 | 4 |
| ALLEGANY | 8,556 | 3,564 | 4,992 | 1,751 | 2,123 | 1,537 | 2,009 | 89 | 334 | 70 | 340 | 27 | 54 | 31 | 45 |
| WASHINGTON | 18,542 | 9,428 | 9,114 | 3,752 | 3,556 | 3,462 | 3,350 | 645 | 797 | 602 | 616 | 364 | 293 | 305 | 279 |
| FREDERICK | 34,301 | 16,951 | 17,350 | 5,987 | 6,195 | 5,626 | 5,967 | 1,015 | 1,069 | 1,002 | 1,022 | 1,157 | 1,090 | 1,034 | 964 |
| BALTIMORE METRO AREA .. | 341,392 | 168,159 | 173,233 | 43,619 | 46,764 | 41,724 | 44,231 | 29,345 | 29,825 | 28,381 | 29,606 | 6,506 | 5,962 | 6,569 | 5,572 |
| BALTIMORE CITY | 68,941 | 32,518 | 36,423 | 2,502 | 3,468 | 2,517 | 3,795 | 12,523 | 12,729 | 12,054 | 13,223 | 1,128 | 891 | 1,124 | 922 |
| BALTIMORE COUNTY | 102,693 | 49,762 | 52,931 | 12,743 | 13,783 | 11,985 | 13,834 | 8,819 | 9,115 | 8,662 | 9,090 | 1,933 | 1,767 | 1,956 | 1,665 |
| ANNE ARUNDEL | 69,214 | 35,030 | 34,184 | 11,691 | 11,924 | 11,241 | 10,726 | 3,527 | 3,590 | 3,459 | 3,252 | 1,696 | 1,672 | 1,812 | 1,465 |
| CARROLL | 22,835 | 11,141 | 11,694 | 4,995 | 5,369 | 4,844 | 4,951 | 215 | 323 | 223 | 249 | 230 | 272 | 272 | 240 |
| HOWARD | 44,810 | 23,186 | 21,624 | 5,633 | 5,897 | 5,408 | 5,341 | 2,780 | 2,592 | 2,536 | 2,394 | 986 | 888 | 905 | 817 |
| HARFORD | 32,899 | 16,522 | 16,377 | 6,055 | 6,323 | 5,729 | 5,584 | 1,481 | 1,476 | 1,447 | 1,398 | 533 | 472 | 500 | 463 |
| NATIONAL CAPITAL AREA ... | 244,886 | 121,526 | 123,360 | 15,968 | 18,132 | 15,721 | 17,004 | 24,597 | 25,229 | 23,994 | 25,110 | 14,620 | 13,320 | 14,028 | 12,289 |
| MONTGOMERY | 131,782 | 67,907 | 63,875 | 14,172 | 13,676 | 13,961 | 13,038 | 7,038 | 6,938 | 6,880 | 6,891 | 7,895 | 7,425 | 7,444 | 6,885 |
| PRINCE GEORGE'S | 113,104 | 53,619 | 59,485 | 1,796 | 4,456 | 1,760 | 3,966 | 17,559 | 18,291 | 17,114 | 18,219 | 6,725 | 5,895 | 6,584 | 5,404 |
| SOUTHERN AREA | 50,819 | 25,301 | 25,518 | 7,429 | 7,539 | 7,238 | 7,207 | 4,091 | 4,216 | 3,921 | 4,184 | 796 | 695 | 810 | 721 |
| CALVERT | 13,091 | 6,581 | 6,510 | 2,568 | 2,592 | 2,561 | 2,441 | 416 | 503 | 423 | 463 | 180 | 145 | 171 | 178 |
| CHARLES | 22,108 | 10,961 | 11,147 | 2,017 | 2,043 | 1,814 | 1,809 | 3,011 | 3,082 | 2,839 | 3,069 | 400 | 323 | 380 | 316 |
| ST MARY'S | 15,620 | 7,759 | 7,861 | 2,844 | 2,904 | 2,863 | 2,957 | 664 | 631 | 659 | 652 | 216 | 227 | 259 | 227 |
| EASTERN SHORE AREA | 57,905 | 27,280 | 30,625 | 9,807 | 10,752 | 9,371 | 10,802 | 2,805 | 3,322 | 2,723 | 3,218 | 954 | 983 | 1,005 | 861 |
| CECIL | 13,717 | 6,932 | 6,785 | 2,942 | 2,879 | 2,766 | 2,698 | 334 | 340 | 296 | 292 | 238 | 251 | 229 | 187 |
| KENT | 2,335 | 913 | 1,422 | 354 | 535 | 320 | 596 | 86 | 105 | 81 | 84 | 27 | 44 | 33 | 33 |
| QUEEN ANNE'S | 6,311 | 3,226 | 3,085 | 1,424 | 1,405 | 1,362 | 1,278 | 93 | 118 | 102 | 86 | 87 | 54 | 84 | 76 |
| CAROLINE | 4,259 | 2,253 | 2,006 | 827 | 755 | 813 | 712 | 185 | 166 | 170 | 181 | 103 | 89 | 126 | 78 |
| TALBOT | 3,909 | 2,036 | 1,873 | 735 | 714 | 713 | 684 | 156 | 155 | 171 | 123 | 99 | 64 | 118 | 83 |
| DORCHESTER | 3,631 | 1,903 | 1,728 | 526 | 533 | 501 | 455 | 357 | 317 | 335 | 282 | 72 | 63 | 77 | 58 |
| WICOMICO | 15,346 | 6,247 | 9,099 | 1,701 | 2,604 | 1,696 | 3,148 | 1,068 | 1,272 | 1,111 | 1,264 | 227 | 317 | 226 | 222 |
| SOMERSET | 3,252 | 1,219 | 2,033 | 320 | 333 | 304 | 312 | 281 | 613 | 229 | 648 | 26 | 43 | 44 | 59 |
| WORCESTER | 5,145 | 2,551 | 2,594 | 978 | 994 | 896 | 919 | 245 | 236 | 228 | 258 | 75 | 58 | 68 | 65 |

*Includes races categorized as 'unknown' or 'other'.

**Includes all persons of Hispanic origin of any race.

TABLE 5A. ESTIMATED MARYLAND POPULATION BY AGE GROUP, REGION AND POLITICAL SUBDIVISION, MARYLAND, JULY 1, 2016.

| REGION AND POLITICAL SUBDIVISION | TOTAL POPULATION | | | | | | | | | | | | |
|----------------------------------|------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|
| | TOTAL | UNDER 1 | 1-4 | 5-14 | 15-19 | 20-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ |
| MARYLAND | 6,016,447 | 72,580 | 294,515 | 750,002 | 385,934 | 392,558 | 834,450 | 761,384 | 854,746 | 794,068 | 516,122 | 245,157 | 114,931 |
| NORTHWEST AREA | 499,438 | 5,446 | 22,653 | 61,587 | 33,198 | 32,370 | 62,571 | 61,870 | 74,005 | 66,608 | 45,521 | 23,037 | 10,572 |
| GARRETT | 29,425 | 280 | 1,180 | 3,004 | 1,742 | 1,714 | 3,214 | 3,328 | 4,120 | 4,601 | 3,680 | 1,833 | 729 |
| ALLEGANY | 72,130 | 660 | 2,654 | 7,026 | 4,992 | 6,337 | 9,179 | 8,387 | 9,237 | 9,563 | 7,717 | 4,536 | 1,842 |
| WASHINGTON | 150,292 | 1,725 | 7,041 | 18,590 | 9,114 | 8,993 | 19,371 | 18,630 | 22,125 | 19,741 | 14,030 | 7,470 | 3,462 |
| FREDERICK | 247,591 | 2,781 | 11,778 | 32,967 | 17,350 | 15,326 | 30,807 | 31,525 | 38,523 | 32,703 | 20,094 | 9,198 | 4,539 |
| BALTIMORE METRO AREA | 2,749,957 | 33,113 | 132,859 | 337,433 | 173,233 | 179,251 | 403,202 | 340,845 | 381,952 | 364,678 | 235,928 | 112,768 | 54,695 |
| BALTIMORE CITY | 614,664 | 8,512 | 31,686 | 69,312 | 36,423 | 45,280 | 116,947 | 74,274 | 75,853 | 77,286 | 46,753 | 22,182 | 10,156 |
| BALTIMORE COUNTY | 831,026 | 9,827 | 39,284 | 100,025 | 52,931 | 52,390 | 116,423 | 100,113 | 110,470 | 112,749 | 75,585 | 38,505 | 22,724 |
| ANNE ARUNDEL | 568,346 | 6,894 | 28,080 | 71,077 | 34,184 | 37,550 | 80,943 | 73,764 | 81,999 | 74,002 | 48,384 | 22,281 | 9,188 |
| CARROLL | 167,656 | 1,629 | 6,991 | 20,582 | 11,694 | 10,382 | 18,755 | 18,495 | 27,490 | 24,402 | 15,989 | 7,719 | 3,528 |
| HOWARD | 317,233 | 3,588 | 15,428 | 44,531 | 21,624 | 18,582 | 38,867 | 44,055 | 48,266 | 40,697 | 25,809 | 11,097 | 4,689 |
| HARFORD | 251,032 | 2,663 | 11,390 | 31,906 | 16,377 | 15,067 | 31,267 | 30,144 | 37,874 | 35,542 | 23,408 | 10,984 | 4,410 |
| NATIONAL CAPITAL AREA | 1,951,912 | 25,101 | 101,861 | 247,888 | 123,360 | 125,698 | 269,689 | 265,288 | 278,708 | 250,939 | 156,942 | 71,919 | 34,519 |
| MONTGOMERY | 1,043,863 | 13,188 | 53,868 | 135,926 | 63,875 | 61,229 | 134,818 | 143,442 | 149,457 | 136,464 | 86,220 | 41,939 | 23,437 |
| PRINCE GEORGE'S | 908,049 | 11,913 | 47,993 | 111,962 | 59,485 | 64,469 | 134,871 | 121,846 | 129,251 | 114,475 | 70,722 | 29,980 | 11,082 |
| SOUTHERN AREA | 361,543 | 4,184 | 17,594 | 49,350 | 25,518 | 23,412 | 46,471 | 44,711 | 57,728 | 46,861 | 27,867 | 12,776 | 5,071 |
| CALVERT | 91,251 | 900 | 4,035 | 12,329 | 6,510 | 5,478 | 10,385 | 10,615 | 15,098 | 13,124 | 7,788 | 3,443 | 1,546 |
| CHARLES | 157,705 | 1,826 | 7,786 | 21,427 | 11,147 | 10,331 | 20,195 | 20,417 | 25,936 | 19,850 | 11,658 | 5,226 | 1,906 |
| ST MARY'S | 112,587 | 1,458 | 5,773 | 15,594 | 7,861 | 7,603 | 15,891 | 13,679 | 16,694 | 13,887 | 8,421 | 4,107 | 1,619 |
| EASTERN SHORE AREA | 453,597 | 4,736 | 19,548 | 53,744 | 30,625 | 31,827 | 52,517 | 48,670 | 62,353 | 64,982 | 49,864 | 24,657 | 10,074 |
| CECIL | 102,603 | 1,142 | 4,639 | 13,413 | 6,785 | 6,154 | 12,703 | 12,303 | 15,723 | 14,690 | 9,527 | 4,037 | 1,487 |
| KENT | 19,730 | 159 | 687 | 1,810 | 1,422 | 1,485 | 2,106 | 1,662 | 2,351 | 2,993 | 2,833 | 1,488 | 734 |
| QUEEN ANNE'S | 48,929 | 454 | 1,951 | 6,170 | 3,085 | 2,572 | 5,108 | 5,273 | 7,981 | 7,421 | 5,467 | 2,531 | 916 |
| CAROLINE | 32,850 | 373 | 1,607 | 4,438 | 2,006 | 1,878 | 4,096 | 3,943 | 4,645 | 4,643 | 3,095 | 1,511 | 615 |
| TALBOT | 37,278 | 323 | 1,352 | 3,981 | 1,873 | 1,754 | 3,689 | 3,430 | 4,770 | 5,703 | 5,686 | 3,255 | 1,462 |
| DORCHESTER | 32,258 | 369 | 1,505 | 3,865 | 1,728 | 1,721 | 3,861 | 3,279 | 4,331 | 4,943 | 3,843 | 1,971 | 842 |
| WICOMICO | 102,577 | 1,219 | 4,936 | 12,547 | 9,099 | 10,449 | 12,271 | 11,146 | 12,423 | 12,998 | 9,165 | 4,344 | 1,980 |
| SOMERSET | 25,928 | 239 | 1,009 | 2,492 | 2,033 | 3,238 | 3,420 | 2,830 | 3,163 | 3,362 | 2,431 | 1,202 | 509 |
| WORCESTER | 51,444 | 458 | 1,862 | 5,028 | 2,594 | 2,576 | 5,263 | 4,804 | 6,966 | 8,229 | 7,817 | 4,318 | 1,529 |

TABLE 5B. ESTIMATED MARYLAND POPULATION BY SEX, REGION AND POLITICAL SUBDIVISION, MARYLAND, JULY 1, 2016.

| REGION AND POLITICAL SUBDIVISION | MALE POPULATION | | | | | | | | | | | | |
|----------------------------------|-----------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|--------|
| | TOTAL | UNDER 1 | 1-4 | 5-14 | 15-19 | 20-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ |
| MARYLAND | 2,914,466 | 37,164 | 150,035 | 382,076 | 196,744 | 199,643 | 413,729 | 370,771 | 410,673 | 375,928 | 235,525 | 103,631 | 38,547 |
| NORTHWEST AREA | 250,708 | 2,785 | 11,526 | 31,677 | 17,156 | 17,161 | 33,131 | 31,892 | 37,372 | 32,958 | 21,613 | 9,978 | 3,459 |
| GARRETT | 14,554 | 143 | 591 | 1,548 | 988 | 838 | 1,662 | 1,616 | 2,017 | 2,273 | 1,800 | 848 | 230 |
| ALLEGANY | 37,565 | 338 | 1,367 | 3,689 | 2,560 | 3,369 | 5,550 | 4,794 | 4,932 | 4,797 | 3,587 | 1,947 | 635 |
| WASHINGTON | 76,424 | 877 | 3,569 | 9,519 | 4,767 | 5,081 | 10,453 | 9,941 | 11,397 | 9,860 | 6,632 | 3,143 | 1,185 |
| FREDERICK | 122,165 | 1,427 | 5,999 | 16,921 | 8,841 | 7,873 | 15,466 | 15,541 | 19,026 | 16,028 | 9,594 | 4,040 | 1,409 |
| BALTIMORE METRO AREA | 1,324,707 | 16,925 | 67,542 | 171,627 | 88,309 | 91,126 | 197,206 | 164,331 | 183,214 | 172,333 | 107,137 | 46,656 | 18,301 |
| BALTIMORE CITY | 288,660 | 4,335 | 16,005 | 34,983 | 17,788 | 21,740 | 55,617 | 35,377 | 36,141 | 34,977 | 20,014 | 8,560 | 3,123 |
| BALTIMORE COUNTY | 394,049 | 5,018 | 19,879 | 50,932 | 26,565 | 26,071 | 56,133 | 47,591 | 52,116 | 52,473 | 34,030 | 15,565 | 7,676 |
| ANNE ARUNDEL | 281,308 | 3,538 | 14,347 | 36,149 | 17,969 | 20,728 | 40,869 | 36,781 | 39,878 | 35,722 | 22,468 | 9,659 | 3,200 |
| CARROLL | 82,827 | 834 | 3,620 | 10,445 | 6,105 | 5,384 | 9,683 | 9,054 | 13,455 | 12,156 | 7,604 | 3,295 | 1,192 |
| HOWARD | 155,210 | 1,834 | 7,853 | 22,799 | 11,256 | 9,562 | 19,212 | 20,951 | 23,188 | 19,893 | 12,074 | 4,861 | 1,727 |
| HARFORD | 122,653 | 1,366 | 5,838 | 16,319 | 8,626 | 7,641 | 15,692 | 14,577 | 18,436 | 17,112 | 10,947 | 4,716 | 1,383 |
| NATIONAL CAPITAL AREA | 940,223 | 12,900 | 52,124 | 126,084 | 62,965 | 63,674 | 133,640 | 129,297 | 131,614 | 116,412 | 69,989 | 30,092 | 11,432 |
| MONTGOMERY | 503,489 | 6,798 | 27,682 | 69,187 | 32,668 | 31,034 | 66,013 | 69,559 | 70,994 | 64,419 | 39,528 | 17,690 | 7,917 |
| PRINCE GEORGE'S | 436,734 | 6,102 | 24,442 | 56,897 | 30,297 | 32,640 | 67,627 | 59,738 | 60,620 | 51,993 | 30,461 | 12,402 | 3,515 |
| SOUTHERN AREA | 177,369 | 2,135 | 8,990 | 25,228 | 12,976 | 12,025 | 23,172 | 21,369 | 27,869 | 22,956 | 13,226 | 5,620 | 1,803 |
| CALVERT | 45,113 | 463 | 2,054 | 6,307 | 3,340 | 2,903 | 5,246 | 5,155 | 7,352 | 6,469 | 3,814 | 1,517 | 493 |
| CHARLES | 76,067 | 927 | 3,986 | 11,094 | 5,726 | 5,239 | 9,846 | 9,357 | 12,210 | 9,510 | 5,347 | 2,206 | 619 |
| ST MARY'S | 56,189 | 745 | 2,950 | 7,827 | 3,910 | 3,883 | 8,080 | 6,857 | 8,307 | 6,977 | 4,065 | 1,897 | 691 |
| EASTERN SHORE AREA | 221,459 | 2,419 | 9,853 | 27,460 | 15,338 | 15,657 | 26,580 | 23,882 | 30,604 | 31,269 | 23,560 | 11,285 | 3,552 |
| CECIL | 50,997 | 587 | 2,304 | 6,939 | 3,524 | 3,067 | 6,444 | 5,972 | 7,785 | 7,334 | 4,664 | 1,863 | 514 |
| KENT | 9,418 | 80 | 341 | 901 | 696 | 698 | 1,081 | 814 | 1,162 | 1,367 | 1,328 | 699 | 251 |
| QUEEN ANNE'S | 24,276 | 231 | 999 | 3,149 | 1,603 | 1,342 | 2,594 | 2,568 | 3,993 | 3,643 | 2,590 | 1,218 | 346 |
| CAROLINE | 16,128 | 192 | 825 | 2,244 | 1,016 | 979 | 2,057 | 1,944 | 2,265 | 2,273 | 1,455 | 695 | 183 |
| TALBOT | 17,612 | 164 | 677 | 2,010 | 954 | 844 | 1,853 | 1,609 | 2,234 | 2,592 | 2,573 | 1,531 | 571 |
| DORCHESTER | 15,330 | 187 | 732 | 1,987 | 926 | 816 | 1,800 | 1,541 | 2,044 | 2,335 | 1,797 | 875 | 290 |
| WICOMICO | 48,748 | 620 | 2,502 | 6,378 | 4,299 | 4,847 | 5,960 | 5,320 | 5,962 | 6,095 | 4,233 | 1,881 | 651 |
| SOMERSET | 13,913 | 123 | 524 | 1,265 | 1,003 | 1,757 | 2,109 | 1,737 | 1,777 | 1,695 | 1,210 | 537 | 176 |
| WORCESTER | 25,037 | 235 | 949 | 2,587 | 1,317 | 1,307 | 2,682 | 2,377 | 3,382 | 3,935 | 3,710 | 1,986 | 570 |

TABLE 5C. ESTIMATED MARYLAND POPULATION BY SEX, REGION AND POLITICAL SUBDIVISION, MARYLAND, JULY 1, 2016.

| REGION AND POLITICAL SUBDIVISION | FEMALE POPULATION | | | | | | | | | | | | |
|----------------------------------|-------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|--------|
| | TOTAL | UNDER 1 | 1-4 | 5-14 | 15-19 | 20-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ |
| MARYLAND | 3,101,981 | 35,416 | 144,480 | 367,926 | 189,190 | 192,915 | 420,721 | 390,613 | 444,073 | 418,140 | 280,597 | 141,526 | 76,384 |
| NORTHWEST AREA | 248,730 | 2,661 | 11,127 | 29,910 | 16,042 | 15,209 | 29,440 | 29,978 | 36,633 | 33,650 | 23,908 | 13,059 | 7,113 |
| GARRETT | 14,871 | 137 | 589 | 1,456 | 754 | 876 | 1,552 | 1,712 | 2,103 | 2,328 | 1,880 | 985 | 499 |
| ALLEGANY | 34,565 | 322 | 1,287 | 3,337 | 2,432 | 2,968 | 3,629 | 3,593 | 4,305 | 4,766 | 4,130 | 2,589 | 1,207 |
| WASHINGTON | 73,868 | 848 | 3,472 | 9,071 | 4,347 | 3,912 | 8,918 | 8,689 | 10,728 | 9,881 | 7,398 | 4,327 | 2,277 |
| FREDERICK | 125,426 | 1,354 | 5,779 | 16,046 | 8,509 | 7,453 | 15,341 | 15,984 | 19,497 | 16,675 | 10,500 | 5,158 | 3,130 |
| BALTIMORE METRO AREA | 1,425,250 | 16,188 | 65,317 | 165,806 | 84,924 | 88,125 | 205,996 | 176,514 | 198,738 | 192,345 | 128,791 | 66,112 | 36,394 |
| BALTIMORE CITY | 326,004 | 4,177 | 15,681 | 34,329 | 18,635 | 23,540 | 61,330 | 38,897 | 39,712 | 42,309 | 26,739 | 13,622 | 7,033 |
| BALTIMORE COUNTY | 436,977 | 4,809 | 19,405 | 49,093 | 26,366 | 26,319 | 60,290 | 52,522 | 58,354 | 60,276 | 41,555 | 22,940 | 15,048 |
| ANNE ARUNDEL | 287,038 | 3,356 | 13,733 | 34,928 | 16,215 | 16,822 | 40,074 | 36,983 | 42,121 | 38,280 | 25,916 | 12,622 | 5,988 |
| CARROLL | 84,829 | 795 | 3,371 | 10,137 | 5,589 | 4,998 | 9,072 | 9,441 | 14,035 | 12,246 | 8,385 | 4,424 | 2,336 |
| HOWARD | 162,023 | 1,754 | 7,575 | 21,732 | 10,368 | 9,020 | 19,655 | 23,104 | 25,078 | 20,804 | 13,735 | 6,236 | 2,962 |
| HARFORD | 128,379 | 1,297 | 5,552 | 15,587 | 7,751 | 7,426 | 15,575 | 15,567 | 19,438 | 18,430 | 12,461 | 6,268 | 3,027 |
| NATIONAL CAPITAL AREA | 1,011,689 | 12,201 | 49,737 | 121,804 | 60,395 | 62,024 | 136,049 | 135,991 | 147,094 | 134,527 | 86,953 | 41,827 | 23,087 |
| MONTGOMERY | 540,374 | 6,390 | 26,186 | 66,739 | 31,207 | 30,195 | 68,805 | 73,883 | 78,463 | 72,045 | 46,692 | 24,249 | 15,520 |
| PRINCE GEORGE'S | 471,315 | 5,811 | 23,551 | 55,065 | 29,188 | 31,829 | 67,244 | 62,108 | 68,631 | 62,482 | 40,261 | 17,578 | 7,567 |
| SOUTHERN AREA | 184,174 | 2,049 | 8,604 | 24,122 | 12,542 | 11,387 | 23,299 | 23,342 | 29,859 | 23,905 | 14,641 | 7,156 | 3,268 |
| CALVERT | 46,138 | 437 | 1,981 | 6,022 | 3,170 | 2,575 | 5,139 | 5,460 | 7,746 | 6,655 | 3,974 | 1,926 | 1,053 |
| CHARLES | 81,638 | 899 | 3,800 | 10,333 | 5,421 | 5,092 | 10,349 | 11,060 | 13,726 | 10,340 | 6,311 | 3,020 | 1,287 |
| ST MARY'S | 56,398 | 713 | 2,823 | 7,767 | 3,951 | 3,720 | 7,811 | 6,822 | 8,387 | 6,910 | 4,356 | 2,210 | 928 |
| EASTERN SHORE AREA | 232,138 | 2,317 | 9,695 | 26,284 | 15,287 | 16,170 | 25,937 | 24,788 | 31,749 | 33,713 | 26,304 | 13,372 | 6,522 |
| CECIL | 51,606 | 555 | 2,335 | 6,474 | 3,261 | 3,087 | 6,259 | 6,331 | 7,938 | 7,356 | 4,863 | 2,174 | 973 |
| KENT | 10,312 | 79 | 346 | 909 | 726 | 787 | 1,025 | 848 | 1,189 | 1,626 | 1,505 | 789 | 483 |
| QUEEN ANNE'S | 24,653 | 223 | 952 | 3,021 | 1,482 | 1,230 | 2,514 | 2,705 | 3,988 | 3,778 | 2,877 | 1,313 | 570 |
| CAROLINE | 16,722 | 181 | 782 | 2,194 | 990 | 899 | 2,039 | 1,999 | 2,380 | 2,370 | 1,640 | 816 | 432 |
| TALBOT | 19,666 | 159 | 675 | 1,971 | 919 | 910 | 1,836 | 1,821 | 2,536 | 3,111 | 3,113 | 1,724 | 891 |
| DORCHESTER | 16,928 | 182 | 773 | 1,878 | 802 | 905 | 2,061 | 1,738 | 2,287 | 2,608 | 2,046 | 1,096 | 552 |
| WICOMICO | 53,829 | 599 | 2,434 | 6,169 | 4,800 | 5,602 | 6,311 | 5,826 | 6,461 | 6,903 | 4,932 | 2,463 | 1,329 |
| SOMERSET | 12,015 | 116 | 485 | 1,227 | 1,030 | 1,481 | 1,311 | 1,093 | 1,386 | 1,667 | 1,221 | 665 | 333 |
| WORCESTER | 26,407 | 223 | 913 | 2,441 | 1,277 | 1,269 | 2,581 | 2,427 | 3,584 | 4,294 | 4,107 | 2,332 | 959 |

TABLE 5D. ESTIMATED MARYLAND POPULATION BY RACE, HISPANIC ORIGIN, REGION AND POLITICAL SUBDIVISION, MARYLAND, JULY 1, 2016.

| REGION AND POLITICAL SUBDIVISION | NON-HISPANIC WHITE POPULATION | | | | | | | | | | | | |
|----------------------------------|-------------------------------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|---------|--------|
| | TOTAL | UNDER 1 | 1-4 | 5-14 | 15-19 | 20-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ |
| MARYLAND | 3,160,007 | 31,497 | 127,065 | 339,001 | 187,225 | 187,606 | 402,750 | 355,701 | 460,325 | 481,310 | 335,007 | 166,585 | 85,935 |
| NORTHWEST AREA | 401,802 | 4,028 | 16,440 | 45,522 | 24,794 | 24,382 | 46,987 | 46,182 | 61,182 | 59,044 | 41,736 | 21,479 | 10,026 |
| GARRETT | 28,511 | 267 | 1,116 | 2,880 | 1,594 | 1,644 | 3,078 | 3,195 | 4,043 | 4,537 | 3,628 | 1,812 | 717 |
| ALLEGANY | 63,643 | 572 | 2,366 | 6,451 | 4,132 | 5,140 | 7,058 | 6,873 | 8,343 | 9,067 | 7,429 | 4,417 | 1,795 |
| WASHINGTON | 122,030 | 1,318 | 5,155 | 13,885 | 6,906 | 6,471 | 14,408 | 14,190 | 18,559 | 17,707 | 12,998 | 7,080 | 3,353 |
| FREDERICK | 187,618 | 1,871 | 7,803 | 22,306 | 12,162 | 11,127 | 22,443 | 21,924 | 30,237 | 27,733 | 17,681 | 8,170 | 4,161 |
| BALTIMORE METRO AREA | 1,586,090 | 16,219 | 64,436 | 166,814 | 90,995 | 94,178 | 220,130 | 180,907 | 229,007 | 238,389 | 163,033 | 79,921 | 42,061 |
| BALTIMORE CITY | 173,301 | 2,316 | 6,810 | 11,138 | 7,263 | 11,089 | 43,717 | 22,724 | 20,210 | 21,807 | 15,368 | 6,949 | 3,910 |
| BALTIMORE COUNTY | 490,920 | 4,807 | 18,930 | 48,864 | 27,617 | 27,930 | 62,852 | 52,071 | 66,180 | 77,856 | 54,401 | 29,910 | 19,502 |
| ANNE ARUNDEL | 400,270 | 4,146 | 17,345 | 45,462 | 22,650 | 24,855 | 53,381 | 47,662 | 60,043 | 58,314 | 39,888 | 18,622 | 7,902 |
| CARROLL | 151,806 | 1,395 | 6,056 | 18,059 | 10,320 | 9,205 | 16,602 | 16,263 | 25,161 | 22,891 | 15,162 | 7,304 | 3,388 |
| HOWARD | 174,041 | 1,636 | 7,070 | 20,619 | 11,238 | 9,976 | 20,024 | 17,755 | 27,280 | 27,754 | 17,900 | 7,421 | 3,368 |
| HARFORD | 195,752 | 1,919 | 8,225 | 22,672 | 11,907 | 11,123 | 23,554 | 22,432 | 30,133 | 29,767 | 20,314 | 9,715 | 3,991 |
| NATIONAL CAPITAL AREA | 601,015 | 5,728 | 23,426 | 61,474 | 35,136 | 33,491 | 69,632 | 66,871 | 84,706 | 97,818 | 66,987 | 34,459 | 21,287 |
| MONTGOMERY | 478,995 | 4,546 | 19,019 | 53,393 | 26,714 | 24,678 | 51,989 | 54,728 | 69,718 | 77,648 | 52,716 | 26,408 | 17,438 |
| PRINCE GEORGE'S | 122,020 | 1,182 | 4,407 | 8,081 | 8,422 | 8,813 | 17,643 | 12,143 | 14,988 | 20,170 | 14,271 | 8,051 | 3,849 |
| SOUTHERN AREA | 226,993 | 2,393 | 10,236 | 28,425 | 14,746 | 13,622 | 28,572 | 26,056 | 36,237 | 32,817 | 20,440 | 9,565 | 3,884 |
| CALVERT | 73,138 | 691 | 3,133 | 9,562 | 5,033 | 4,249 | 8,239 | 8,361 | 12,246 | 10,907 | 6,549 | 2,844 | 1,324 |
| CHARLES | 67,769 | 692 | 2,985 | 7,467 | 3,852 | 3,847 | 8,495 | 7,375 | 10,872 | 10,687 | 6,947 | 3,316 | 1,234 |
| ST MARY'S | 86,086 | 1,010 | 4,118 | 11,396 | 5,861 | 5,526 | 11,838 | 10,320 | 13,119 | 11,223 | 6,944 | 3,405 | 1,326 |
| EASTERN SHORE AREA | 344,107 | 3,129 | 12,527 | 36,766 | 21,554 | 21,933 | 37,429 | 35,685 | 49,193 | 53,242 | 42,811 | 21,161 | 8,677 |
| CECIL | 88,877 | 936 | 3,756 | 10,997 | 5,577 | 5,073 | 10,837 | 10,429 | 13,858 | 13,417 | 8,879 | 3,736 | 1,382 |
| KENT | 15,518 | 113 | 441 | 1,274 | 1,131 | 1,175 | 1,523 | 1,238 | 1,820 | 2,479 | 2,428 | 1,250 | 646 |
| QUEEN ANNE'S | 42,971 | 363 | 1,583 | 5,236 | 2,683 | 2,214 | 4,340 | 4,575 | 7,209 | 6,697 | 4,965 | 2,279 | 827 |
| CAROLINE | 25,329 | 234 | 1,056 | 3,133 | 1,467 | 1,386 | 3,063 | 2,999 | 3,792 | 3,779 | 2,627 | 1,270 | 523 |
| TALBOT | 29,370 | 180 | 781 | 2,734 | 1,398 | 1,284 | 2,611 | 2,497 | 3,772 | 4,816 | 5,070 | 2,891 | 1,336 |
| DORCHESTER | 20,728 | 197 | 719 | 1,954 | 988 | 971 | 2,316 | 2,005 | 2,898 | 3,542 | 2,949 | 1,560 | 629 |
| WICOMICO | 66,096 | 683 | 2,456 | 6,598 | 5,752 | 7,106 | 7,214 | 6,834 | 8,210 | 9,173 | 7,040 | 3,436 | 1,594 |
| SOMERSET | 13,528 | 85 | 459 | 1,227 | 645 | 832 | 1,539 | 1,423 | 1,859 | 2,313 | 1,873 | 887 | 386 |
| WORCESTER | 41,690 | 338 | 1,276 | 3,613 | 1,913 | 1,892 | 3,986 | 3,685 | 5,775 | 7,026 | 6,980 | 3,852 | 1,354 |

TABLE 5E1. ESTIMATED MARYLAND POPULATION BY SEX, RACE, HISPANIC ORIGIN, REGION AND POLITICAL SUBDIVISION, MARYLAND, JULY 1, 2016.

| REGION AND POLITICAL SUBDIVISION | NON-HISPANIC WHITE MALE POPULATION | | | | | | | | | | | | |
|----------------------------------|------------------------------------|---------|--------|---------|--------|--------|---------|---------|---------|---------|---------|--------|--------|
| | TOTAL | UNDER 1 | 1-4 | 5-14 | 15-19 | 20-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ |
| MARYLAND | 1,547,341 | 16,091 | 64,814 | 173,362 | 95,930 | 96,177 | 202,967 | 175,942 | 225,922 | 235,339 | 158,938 | 72,517 | 29,342 |
| NORTHWEST AREA | 197,620 | 2,054 | 8,399 | 23,486 | 12,743 | 12,423 | 23,900 | 22,864 | 30,206 | 29,090 | 19,876 | 9,312 | 3,267 |
| GARRETT | 14,086 | 137 | 559 | 1,479 | 869 | 817 | 1,596 | 1,559 | 1,984 | 2,241 | 1,781 | 839 | 225 |
| ALLEGANY | 31,544 | 292 | 1,226 | 3,402 | 2,123 | 2,581 | 3,796 | 3,521 | 4,192 | 4,473 | 3,431 | 1,894 | 613 |
| WASHINGTON | 59,925 | 668 | 2,607 | 7,105 | 3,556 | 3,399 | 7,227 | 7,145 | 9,210 | 8,716 | 6,168 | 2,971 | 1,153 |
| FREDERICK | 92,065 | 957 | 4,007 | 11,500 | 6,195 | 5,626 | 11,281 | 10,639 | 14,820 | 13,660 | 8,496 | 3,608 | 1,276 |
| BALTIMORE METRO AREA | 775,869 | 8,296 | 32,780 | 85,297 | 46,764 | 48,674 | 110,555 | 89,719 | 112,336 | 116,123 | 76,868 | 34,118 | 14,339 |
| BALTIMORE CITY | 85,115 | 1,185 | 3,406 | 5,533 | 3,468 | 5,224 | 21,577 | 11,686 | 10,549 | 10,827 | 7,316 | 3,037 | 1,307 |
| BALTIMORE COUNTY | 235,016 | 2,451 | 9,572 | 25,115 | 13,783 | 14,002 | 31,097 | 25,555 | 32,016 | 37,332 | 25,186 | 12,175 | 6,732 |
| ANNE ARUNDEL | 198,731 | 2,123 | 8,840 | 23,202 | 11,924 | 13,879 | 27,079 | 23,822 | 29,563 | 28,468 | 18,867 | 8,203 | 2,761 |
| CARROLL | 74,714 | 713 | 3,145 | 9,225 | 5,369 | 4,745 | 8,519 | 7,878 | 12,258 | 11,367 | 7,218 | 3,130 | 1,147 |
| HOWARD | 86,430 | 841 | 3,597 | 10,591 | 5,897 | 5,184 | 10,387 | 9,741 | 13,222 | 13,736 | 8,713 | 3,370 | 1,151 |
| HARFORD | 95,863 | 983 | 4,220 | 11,631 | 6,323 | 5,640 | 11,896 | 11,037 | 14,728 | 14,393 | 9,568 | 4,203 | 1,241 |
| NATIONAL CAPITAL AREA | 293,018 | 2,922 | 12,122 | 31,143 | 18,132 | 17,247 | 35,178 | 33,020 | 41,344 | 47,898 | 31,881 | 14,907 | 7,224 |
| MONTGOMERY | 231,949 | 2,315 | 9,838 | 26,988 | 13,676 | 12,491 | 25,829 | 26,842 | 33,756 | 37,822 | 25,055 | 11,442 | 5,895 |
| PRINCE GEORGE'S | 61,069 | 607 | 2,284 | 4,155 | 4,456 | 4,756 | 9,349 | 6,178 | 7,588 | 10,076 | 6,826 | 3,465 | 1,329 |
| SOUTHERN AREA | 113,317 | 1,220 | 5,226 | 14,491 | 7,539 | 7,102 | 14,553 | 12,918 | 18,007 | 16,463 | 10,007 | 4,383 | 1,408 |
| CALVERT | 36,384 | 356 | 1,602 | 4,861 | 2,592 | 2,263 | 4,206 | 4,081 | 6,014 | 5,454 | 3,266 | 1,262 | 427 |
| CHARLES | 33,652 | 349 | 1,510 | 3,909 | 2,043 | 2,020 | 4,282 | 3,637 | 5,357 | 5,296 | 3,336 | 1,502 | 411 |
| ST MARY'S | 43,281 | 515 | 2,114 | 5,721 | 2,904 | 2,819 | 6,065 | 5,200 | 6,636 | 5,713 | 3,405 | 1,619 | 570 |
| EASTERN SHORE AREA | 167,517 | 1,599 | 6,287 | 18,945 | 10,752 | 10,731 | 18,781 | 17,421 | 24,029 | 25,765 | 20,306 | 9,797 | 3,104 |
| CECIL | 44,037 | 479 | 1,864 | 5,683 | 2,879 | 2,518 | 5,478 | 5,074 | 6,831 | 6,667 | 4,370 | 1,727 | 467 |
| KENT | 7,378 | 58 | 221 | 641 | 535 | 553 | 770 | 590 | 896 | 1,140 | 1,160 | 588 | 226 |
| QUEEN ANNE'S | 21,268 | 186 | 796 | 2,681 | 1,405 | 1,146 | 2,173 | 2,196 | 3,597 | 3,307 | 2,362 | 1,101 | 318 |
| CAROLINE | 12,363 | 120 | 541 | 1,598 | 755 | 718 | 1,490 | 1,459 | 1,848 | 1,863 | 1,229 | 586 | 156 |
| TALBOT | 13,865 | 92 | 405 | 1,427 | 714 | 622 | 1,305 | 1,156 | 1,753 | 2,204 | 2,286 | 1,381 | 520 |
| DORCHESTER | 9,976 | 99 | 343 | 992 | 533 | 461 | 1,131 | 977 | 1,413 | 1,688 | 1,389 | 718 | 232 |
| WICOMICO | 31,395 | 348 | 1,233 | 3,401 | 2,604 | 3,333 | 3,566 | 3,353 | 3,907 | 4,369 | 3,261 | 1,489 | 531 |
| SOMERSET | 6,953 | 44 | 239 | 631 | 333 | 444 | 889 | 776 | 968 | 1,138 | 929 | 423 | 139 |
| WORCESTER | 20,282 | 173 | 645 | 1,891 | 994 | 936 | 1,979 | 1,840 | 2,816 | 3,389 | 3,320 | 1,784 | 515 |

TABLE 5E2. ESTIMATED MARYLAND POPULATION BY SEX, RACE, HISPANIC ORIGIN, REGION AND POLITICAL SUBDIVISION, MARYLAND, JULY 1, 2016.

| REGION AND POLITICAL SUBDIVISION | WHITE MALE POPULATION | | | | | | | | | | | | |
|----------------------------------|-----------------------|---------|--------|---------|---------|---------|---------|---------|---------|---------|---------|--------|--------|
| | TOTAL | UNDER 1 | 1-4 | 5-14 | 15-19 | 20-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ |
| MARYLAND | 1,797,457 | 21,211 | 84,954 | 217,052 | 113,995 | 115,490 | 246,167 | 221,211 | 255,352 | 251,149 | 165,615 | 74,992 | 30,269 |
| NORTHWEST AREA | 211,646 | 2,318 | 9,416 | 26,026 | 13,886 | 13,574 | 26,345 | 25,437 | 31,807 | 29,854 | 20,213 | 9,437 | 3,333 |
| GARRETT | 14,244 | 138 | 578 | 1,514 | 881 | 821 | 1,621 | 1,585 | 1,999 | 2,248 | 1,786 | 845 | 228 |
| ALLEGANY | 32,254 | 296 | 1,246 | 3,455 | 2,166 | 2,656 | 4,011 | 3,661 | 4,276 | 4,502 | 3,456 | 1,907 | 622 |
| WASHINGTON | 63,063 | 725 | 2,818 | 7,724 | 3,811 | 3,659 | 7,795 | 7,681 | 9,561 | 8,890 | 6,247 | 2,991 | 1,161 |
| FREDERICK | 102,085 | 1,159 | 4,774 | 13,333 | 7,028 | 6,438 | 12,918 | 12,510 | 15,971 | 14,214 | 8,724 | 3,694 | 1,322 |
| BALTIMORE METRO AREA | 840,880 | 9,759 | 38,505 | 97,026 | 51,417 | 53,843 | 122,240 | 101,239 | 119,257 | 119,793 | 78,473 | 34,718 | 14,610 |
| BALTIMORE CITY | 97,211 | 1,516 | 4,617 | 7,666 | 4,106 | 6,030 | 24,279 | 13,781 | 11,781 | 11,396 | 7,568 | 3,124 | 1,347 |
| BALTIMORE COUNTY | 253,210 | 2,851 | 11,205 | 28,411 | 15,135 | 15,432 | 34,199 | 28,780 | 33,859 | 38,438 | 25,716 | 12,375 | 6,809 |
| ANNE ARUNDEL | 217,488 | 2,552 | 10,520 | 26,627 | 13,282 | 15,564 | 30,398 | 27,245 | 31,418 | 29,451 | 19,255 | 8,355 | 2,821 |
| CARROLL | 77,380 | 766 | 3,343 | 9,695 | 5,616 | 4,969 | 8,934 | 8,286 | 12,624 | 11,545 | 7,284 | 3,156 | 1,162 |
| HOWARD | 94,995 | 1,023 | 4,270 | 12,158 | 6,585 | 5,843 | 11,671 | 11,270 | 14,346 | 14,267 | 8,918 | 3,445 | 1,199 |
| HARFORD | 100,596 | 1,051 | 4,550 | 12,469 | 6,693 | 6,005 | 12,759 | 11,877 | 15,229 | 14,696 | 9,732 | 4,263 | 1,272 |
| NATIONAL CAPITAL AREA | 447,981 | 5,991 | 24,132 | 57,522 | 29,124 | 28,874 | 61,480 | 61,612 | 60,516 | 58,333 | 36,205 | 16,454 | 7,738 |
| MONTGOMERY | 319,690 | 4,079 | 16,436 | 41,558 | 20,028 | 19,202 | 40,130 | 41,922 | 45,002 | 44,544 | 27,965 | 12,537 | 6,287 |
| PRINCE GEORGE'S | 128,291 | 1,912 | 7,696 | 15,964 | 9,096 | 9,672 | 21,350 | 19,690 | 15,514 | 13,789 | 8,240 | 3,917 | 1,451 |
| SOUTHERN AREA | 120,309 | 1,342 | 5,746 | 15,767 | 8,044 | 7,763 | 15,794 | 14,103 | 18,762 | 16,922 | 10,156 | 4,471 | 1,439 |
| CALVERT | 37,818 | 372 | 1,687 | 5,152 | 2,710 | 2,395 | 4,429 | 4,287 | 6,217 | 5,552 | 3,291 | 1,287 | 439 |
| CHARLES | 36,703 | 403 | 1,760 | 4,479 | 2,244 | 2,282 | 4,847 | 4,135 | 5,677 | 5,502 | 3,414 | 1,540 | 420 |
| ST MARY'S | 45,788 | 567 | 2,299 | 6,136 | 3,090 | 3,086 | 6,518 | 5,681 | 6,868 | 5,868 | 3,451 | 1,644 | 580 |
| EASTERN SHORE AREA | 176,641 | 1,801 | 7,155 | 20,711 | 11,524 | 11,436 | 20,308 | 18,820 | 25,010 | 26,247 | 20,568 | 9,912 | 3,149 |
| CECIL | 46,017 | 505 | 1,979 | 6,098 | 3,084 | 2,672 | 5,789 | 5,393 | 7,044 | 6,795 | 4,425 | 1,755 | 478 |
| KENT | 7,797 | 62 | 250 | 696 | 566 | 583 | 853 | 671 | 948 | 1,168 | 1,175 | 596 | 229 |
| QUEEN ANNE'S | 22,040 | 204 | 883 | 2,841 | 1,454 | 1,192 | 2,291 | 2,326 | 3,696 | 3,341 | 2,380 | 1,111 | 321 |
| CAROLINE | 13,366 | 150 | 659 | 1,774 | 823 | 799 | 1,675 | 1,623 | 1,953 | 1,912 | 1,247 | 594 | 157 |
| TALBOT | 14,884 | 127 | 524 | 1,616 | 769 | 666 | 1,504 | 1,320 | 1,860 | 2,258 | 2,322 | 1,395 | 523 |
| DORCHESTER | 10,611 | 116 | 420 | 1,136 | 583 | 498 | 1,212 | 1,084 | 1,480 | 1,712 | 1,412 | 724 | 234 |
| WICOMICO | 33,540 | 399 | 1,447 | 3,824 | 2,835 | 3,546 | 3,914 | 3,616 | 4,120 | 4,475 | 3,311 | 1,511 | 542 |
| SOMERSET | 7,283 | 55 | 280 | 693 | 361 | 475 | 933 | 830 | 999 | 1,151 | 937 | 426 | 143 |
| WORCESTER | 21,103 | 183 | 713 | 2,033 | 1,049 | 1,005 | 2,137 | 1,957 | 2,910 | 3,435 | 3,359 | 1,800 | 522 |

TABLE 5F1. ESTIMATED MARYLAND POPULATION BY SEX, RACE, HISPANIC ORIGIN, REGION AND POLITICAL SUBDIVISION, MARYLAND, JULY 1, 2016.

| REGION AND POLITICAL SUBDIVISION | NON-HISPANIC WHITE FEMALE POPULATION | | | | | | | | | | | | |
|----------------------------------|--------------------------------------|---------|--------|---------|--------|--------|---------|---------|---------|---------|---------|--------|--------|
| | TOTAL | UNDER 1 | 1-4 | 5-14 | 15-19 | 20-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ |
| MARYLAND | 1,612,666 | 15,406 | 62,251 | 165,639 | 91,295 | 91,429 | 199,783 | 179,759 | 234,403 | 245,971 | 176,069 | 94,068 | 56,593 |
| NORTHWEST AREA | 204,182 | 1,974 | 8,041 | 22,036 | 12,051 | 11,959 | 23,087 | 23,318 | 30,976 | 29,954 | 21,860 | 12,167 | 6,759 |
| GARRETT | 14,425 | 130 | 557 | 1,401 | 725 | 827 | 1,482 | 1,636 | 2,059 | 2,296 | 1,847 | 973 | 492 |
| ALLEGANY | 32,099 | 280 | 1,140 | 3,049 | 2,009 | 2,559 | 3,262 | 3,352 | 4,151 | 4,594 | 3,998 | 2,523 | 1,182 |
| WASHINGTON | 62,105 | 650 | 2,548 | 6,780 | 3,350 | 3,072 | 7,181 | 7,045 | 9,349 | 8,991 | 6,830 | 4,109 | 2,200 |
| FREDERICK | 95,553 | 914 | 3,796 | 10,806 | 5,967 | 5,501 | 11,162 | 11,285 | 15,417 | 14,073 | 9,185 | 4,562 | 2,885 |
| BALTIMORE METRO AREA | 810,221 | 7,923 | 31,656 | 81,517 | 44,231 | 45,504 | 109,575 | 91,188 | 116,671 | 122,266 | 86,165 | 45,803 | 27,722 |
| BALTIMORE CITY | 88,186 | 1,131 | 3,404 | 5,605 | 3,795 | 5,865 | 22,140 | 11,038 | 9,661 | 10,980 | 8,052 | 3,912 | 2,603 |
| BALTIMORE COUNTY | 255,904 | 2,356 | 9,358 | 23,749 | 13,834 | 13,928 | 31,755 | 26,516 | 34,164 | 40,524 | 29,215 | 17,735 | 12,770 |
| ANNE ARUNDEL | 201,539 | 2,023 | 8,505 | 22,260 | 10,726 | 10,976 | 26,302 | 23,840 | 30,480 | 29,846 | 21,021 | 10,419 | 5,141 |
| CARROLL | 77,092 | 682 | 2,911 | 8,834 | 4,951 | 4,460 | 8,083 | 8,385 | 12,903 | 11,524 | 7,944 | 4,174 | 2,241 |
| HOWARD | 87,611 | 795 | 3,473 | 10,028 | 5,341 | 4,792 | 9,637 | 10,014 | 14,058 | 14,018 | 9,187 | 4,051 | 2,217 |
| HARFORD | 99,889 | 936 | 4,005 | 11,041 | 5,584 | 5,483 | 11,658 | 11,395 | 15,405 | 15,374 | 10,746 | 5,512 | 2,750 |
| NATIONAL CAPITAL AREA | 307,997 | 2,806 | 11,304 | 30,331 | 17,004 | 16,244 | 34,454 | 33,851 | 43,362 | 49,920 | 35,106 | 19,552 | 14,063 |
| MONTGOMERY | 247,046 | 2,231 | 9,181 | 26,405 | 13,038 | 12,187 | 26,160 | 27,886 | 35,962 | 39,826 | 27,661 | 14,966 | 11,543 |
| PRINCE GEORGE'S | 60,951 | 575 | 2,123 | 3,926 | 3,966 | 4,057 | 8,294 | 5,965 | 7,400 | 10,094 | 7,445 | 4,586 | 2,520 |
| SOUTHERN AREA | 113,676 | 1,173 | 5,010 | 13,934 | 7,207 | 6,520 | 14,019 | 13,138 | 18,230 | 16,354 | 10,433 | 5,182 | 2,476 |
| CALVERT | 36,754 | 335 | 1,531 | 4,701 | 2,441 | 1,986 | 4,033 | 4,280 | 6,232 | 5,453 | 3,283 | 1,582 | 897 |
| CHARLES | 34,117 | 343 | 1,475 | 3,558 | 1,809 | 1,827 | 4,213 | 3,738 | 5,515 | 5,391 | 3,611 | 1,814 | 823 |
| ST MARY'S | 42,805 | 495 | 2,004 | 5,675 | 2,957 | 2,707 | 5,773 | 5,120 | 6,483 | 5,510 | 3,539 | 1,786 | 756 |
| EASTERN SHORE AREA | 176,590 | 1,530 | 6,240 | 17,821 | 10,802 | 11,202 | 18,648 | 18,264 | 25,164 | 27,477 | 22,505 | 11,364 | 5,573 |
| CECIL | 44,840 | 457 | 1,892 | 5,314 | 2,698 | 2,555 | 5,359 | 5,355 | 7,027 | 6,750 | 4,509 | 2,009 | 915 |
| KENT | 8,140 | 55 | 220 | 633 | 596 | 622 | 753 | 648 | 924 | 1,339 | 1,268 | 662 | 420 |
| QUEEN ANNE'S | 21,703 | 177 | 787 | 2,555 | 1,278 | 1,068 | 2,167 | 2,379 | 3,612 | 3,390 | 2,603 | 1,178 | 509 |
| CAROLINE | 12,966 | 114 | 515 | 1,535 | 712 | 668 | 1,573 | 1,540 | 1,944 | 1,916 | 1,398 | 684 | 367 |
| TALBOT | 15,505 | 88 | 376 | 1,307 | 684 | 662 | 1,306 | 1,341 | 2,019 | 2,612 | 2,784 | 1,510 | 816 |
| DORCHESTER | 10,752 | 98 | 376 | 962 | 455 | 510 | 1,185 | 1,028 | 1,485 | 1,854 | 1,560 | 842 | 397 |
| WICOMICO | 34,701 | 335 | 1,223 | 3,197 | 3,148 | 3,773 | 3,648 | 3,481 | 4,303 | 4,804 | 3,779 | 1,947 | 1,063 |
| SOMERSET | 6,575 | 41 | 220 | 596 | 312 | 388 | 650 | 647 | 891 | 1,175 | 944 | 464 | 247 |
| WORCESTER | 21,408 | 165 | 631 | 1,722 | 919 | 956 | 2,007 | 1,845 | 2,959 | 3,637 | 3,660 | 2,068 | 839 |

TABLE 5F2. ESTIMATED MARYLAND POPULATION BY SEX, RACE, HISPANIC ORIGIN, REGION AND POLITICAL SUBDIVISION, MARYLAND, JULY 1, 2016.

| REGION AND POLITICAL SUBDIVISION | WHITE FEMALE POPULATION | | | | | | | | | | | | |
|----------------------------------|-------------------------|---------|--------|---------|---------|---------|---------|---------|---------|---------|---------|--------|--------|
| | TOTAL | UNDER 1 | 1-4 | 5-14 | 15-19 | 20-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ |
| MARYLAND | 1,842,423 | 20,196 | 81,969 | 207,647 | 108,026 | 108,339 | 236,005 | 216,548 | 260,767 | 262,181 | 184,212 | 98,184 | 58,349 |
| NORTHWEST AREA | 216,907 | 2,219 | 9,112 | 24,445 | 13,178 | 12,857 | 25,030 | 25,352 | 32,489 | 30,741 | 22,263 | 12,363 | 6,858 |
| GARRETT | 14,607 | 131 | 566 | 1,422 | 728 | 841 | 1,504 | 1,692 | 2,086 | 2,303 | 1,859 | 980 | 495 |
| ALLEGANY | 32,485 | 284 | 1,174 | 3,121 | 2,048 | 2,603 | 3,319 | 3,403 | 4,180 | 4,616 | 4,015 | 2,535 | 1,187 |
| WASHINGTON | 64,860 | 705 | 2,798 | 7,368 | 3,582 | 3,267 | 7,599 | 7,484 | 9,648 | 9,136 | 6,899 | 4,151 | 2,223 |
| FREDERICK | 104,955 | 1,099 | 4,574 | 12,534 | 6,820 | 6,146 | 12,608 | 12,773 | 16,575 | 14,686 | 9,490 | 4,697 | 2,953 |
| BALTIMORE METRO AREA | 870,231 | 9,311 | 37,297 | 92,928 | 48,584 | 50,187 | 119,779 | 100,604 | 122,791 | 125,817 | 87,991 | 46,761 | 28,181 |
| BALTIMORE CITY | 98,921 | 1,443 | 4,732 | 7,606 | 4,421 | 6,741 | 24,309 | 12,662 | 10,527 | 11,489 | 8,307 | 4,024 | 2,660 |
| BALTIMORE COUNTY | 272,531 | 2,738 | 10,899 | 27,037 | 15,099 | 15,234 | 34,503 | 29,023 | 35,701 | 41,562 | 29,764 | 18,035 | 12,936 |
| ANNE ARUNDEL | 219,099 | 2,427 | 10,182 | 25,585 | 11,955 | 12,399 | 29,364 | 26,637 | 32,337 | 30,838 | 21,497 | 10,641 | 5,237 |
| CARROLL | 79,564 | 732 | 3,106 | 9,328 | 5,170 | 4,654 | 8,429 | 8,728 | 13,215 | 11,679 | 8,023 | 4,230 | 2,270 |
| HOWARD | 95,979 | 972 | 4,094 | 11,531 | 5,960 | 5,387 | 10,866 | 11,447 | 15,141 | 14,566 | 9,486 | 4,237 | 2,292 |
| HARFORD | 104,137 | 999 | 4,284 | 11,841 | 5,979 | 5,772 | 12,308 | 12,107 | 15,870 | 15,683 | 10,914 | 5,594 | 2,786 |
| NATIONAL CAPITAL AREA | 449,727 | 5,655 | 22,890 | 55,444 | 26,999 | 26,394 | 56,116 | 56,883 | 60,483 | 60,862 | 40,564 | 22,275 | 15,162 |
| MONTGOMERY | 332,599 | 3,859 | 15,585 | 40,017 | 18,936 | 18,328 | 38,648 | 41,553 | 47,123 | 47,448 | 31,618 | 17,072 | 12,412 |
| PRINCE GEORGE'S | 117,128 | 1,796 | 7,305 | 15,427 | 8,063 | 8,066 | 17,468 | 15,330 | 13,360 | 13,414 | 8,946 | 5,203 | 2,750 |
| SOUTHERN AREA | 120,592 | 1,288 | 5,537 | 15,223 | 7,762 | 7,077 | 15,172 | 14,201 | 19,068 | 16,814 | 10,638 | 5,297 | 2,515 |
| CALVERT | 38,225 | 350 | 1,628 | 4,974 | 2,601 | 2,114 | 4,242 | 4,495 | 6,437 | 5,546 | 3,325 | 1,606 | 907 |
| CHARLES | 37,280 | 395 | 1,726 | 4,128 | 2,020 | 2,091 | 4,768 | 4,236 | 5,912 | 5,605 | 3,703 | 1,854 | 842 |
| ST MARY'S | 45,087 | 543 | 2,183 | 6,121 | 3,141 | 2,872 | 6,162 | 5,470 | 6,719 | 5,663 | 3,610 | 1,837 | 766 |
| EASTERN SHORE AREA | 184,966 | 1,723 | 7,133 | 19,607 | 11,503 | 11,824 | 19,908 | 19,508 | 25,936 | 27,947 | 22,756 | 11,488 | 5,633 |
| CECIL | 46,616 | 483 | 2,038 | 5,685 | 2,867 | 2,708 | 5,604 | 5,627 | 7,203 | 6,849 | 4,587 | 2,035 | 930 |
| KENT | 8,443 | 60 | 252 | 692 | 622 | 645 | 801 | 694 | 946 | 1,361 | 1,279 | 666 | 425 |
| QUEEN ANNE'S | 22,425 | 194 | 861 | 2,725 | 1,343 | 1,105 | 2,263 | 2,485 | 3,679 | 3,438 | 2,629 | 1,190 | 513 |
| CAROLINE | 13,753 | 142 | 616 | 1,743 | 772 | 735 | 1,681 | 1,648 | 1,996 | 1,953 | 1,409 | 687 | 371 |
| TALBOT | 16,527 | 122 | 507 | 1,522 | 738 | 716 | 1,461 | 1,512 | 2,124 | 2,659 | 2,811 | 1,533 | 819 |
| DORCHESTER | 11,455 | 113 | 444 | 1,072 | 506 | 571 | 1,313 | 1,167 | 1,543 | 1,890 | 1,579 | 850 | 407 |
| WICOMICO | 36,696 | 383 | 1,461 | 3,618 | 3,334 | 3,922 | 3,970 | 3,726 | 4,482 | 4,928 | 3,823 | 1,975 | 1,074 |
| SOMERSET | 6,927 | 51 | 254 | 685 | 352 | 419 | 704 | 687 | 914 | 1,194 | 951 | 467 | 249 |
| WORCESTER | 22,124 | 175 | 700 | 1,865 | 969 | 1,003 | 2,111 | 1,959 | 3,049 | 3,675 | 3,688 | 2,085 | 845 |

TABLE 5G. ESTIMATED MARYLAND POPULATION BY SEX, RACE, HISPANIC ORIGIN, REGION AND POLITICAL SUBDIVISION, MARYLAND, JULY 1, 2016.

| REGION AND POLITICAL SUBDIVISION | NON-HISPANIC BLACK POPULATION | | | | | | | | | | | | |
|----------------------------------|-------------------------------|---------|--------|---------|---------|---------|---------|---------|---------|---------|---------|--------|--------|
| | TOTAL | UNDER 1 | 1-4 | 5-14 | 15-19 | 20-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ |
| MARYLAND | 1,836,453 | 23,465 | 95,310 | 248,347 | 129,003 | 134,307 | 267,013 | 236,872 | 265,650 | 225,793 | 132,725 | 56,586 | 21,382 |
| NORTHWEST AREA | 48,401 | 598 | 2,676 | 7,017 | 4,293 | 4,468 | 7,991 | 7,425 | 6,812 | 4,083 | 2,038 | 741 | 259 |
| GARRETT | 377 | 6 | 23 | 48 | 115 | 33 | 54 | 32 | 22 | 22 | 16 | 6 | 0 |
| ALLEGANY | 6,236 | 63 | 177 | 327 | 674 | 925 | 1,627 | 1,140 | 685 | 346 | 182 | 63 | 27 |
| WASHINGTON | 17,770 | 223 | 1,050 | 2,621 | 1,413 | 1,766 | 3,257 | 2,821 | 2,381 | 1,316 | 656 | 210 | 56 |
| FREDERICK | 24,018 | 306 | 1,426 | 4,021 | 2,091 | 1,744 | 3,053 | 3,432 | 3,724 | 2,399 | 1,184 | 462 | 176 |
| BALTIMORE METRO AREA | 830,577 | 11,012 | 44,504 | 116,801 | 59,431 | 61,671 | 125,149 | 104,254 | 113,079 | 100,161 | 58,109 | 26,058 | 10,348 |
| BALTIMORE CITY | 389,966 | 4,948 | 20,542 | 51,117 | 25,952 | 29,824 | 60,646 | 43,624 | 50,805 | 52,314 | 29,757 | 14,508 | 5,929 |
| BALTIMORE COUNTY | 239,557 | 3,321 | 13,055 | 34,961 | 18,205 | 17,495 | 36,011 | 31,703 | 32,786 | 26,688 | 16,319 | 6,432 | 2,581 |
| ANNE ARUNDEL | 98,294 | 1,394 | 5,438 | 14,163 | 6,842 | 7,174 | 15,359 | 14,540 | 13,893 | 10,341 | 5,793 | 2,458 | 899 |
| CARROLL | 6,286 | 70 | 281 | 815 | 572 | 472 | 833 | 824 | 1,016 | 710 | 445 | 189 | 59 |
| HOWARD | 61,423 | 808 | 3,194 | 10,030 | 4,986 | 4,060 | 7,634 | 9,035 | 9,424 | 6,140 | 3,807 | 1,684 | 621 |
| HARFORD | 35,051 | 471 | 1,994 | 5,715 | 2,874 | 2,646 | 4,666 | 4,528 | 5,155 | 3,968 | 1,988 | 787 | 259 |
| NATIONAL CAPITAL AREA | 775,769 | 9,555 | 38,488 | 97,664 | 50,339 | 53,437 | 110,266 | 102,969 | 118,587 | 100,849 | 60,724 | 24,267 | 8,624 |
| MONTGOMERY | 196,225 | 2,815 | 11,380 | 28,352 | 13,829 | 13,049 | 28,518 | 28,666 | 28,261 | 21,743 | 11,918 | 5,317 | 2,377 |
| PRINCE GEORGE'S | 579,544 | 6,740 | 27,108 | 69,312 | 36,510 | 40,388 | 81,748 | 74,303 | 90,326 | 79,106 | 48,806 | 18,950 | 6,247 |
| SOUTHERN AREA | 103,304 | 1,315 | 5,281 | 15,598 | 8,400 | 7,387 | 13,244 | 13,759 | 17,389 | 11,289 | 6,097 | 2,576 | 969 |
| CALVERT | 12,283 | 144 | 547 | 1,637 | 966 | 816 | 1,399 | 1,394 | 2,003 | 1,726 | 1,003 | 476 | 172 |
| CHARLES | 74,078 | 903 | 3,727 | 11,270 | 6,151 | 5,300 | 9,345 | 10,543 | 12,996 | 7,693 | 4,000 | 1,599 | 551 |
| ST MARY'S | 16,943 | 268 | 1,007 | 2,691 | 1,283 | 1,271 | 2,500 | 1,822 | 2,390 | 1,870 | 1,094 | 501 | 246 |
| EASTERN SHORE AREA | 78,402 | 985 | 4,361 | 11,267 | 6,540 | 7,344 | 10,363 | 8,465 | 9,783 | 9,411 | 5,757 | 2,944 | 1,182 |
| CECIL | 7,416 | 116 | 452 | 1,226 | 632 | 581 | 906 | 946 | 1,100 | 793 | 402 | 201 | 61 |
| KENT | 3,053 | 30 | 165 | 365 | 189 | 198 | 381 | 258 | 405 | 430 | 348 | 210 | 74 |
| QUEEN ANNE'S | 3,337 | 35 | 144 | 405 | 204 | 205 | 410 | 305 | 463 | 509 | 387 | 205 | 65 |
| CAROLINE | 4,752 | 61 | 264 | 709 | 347 | 286 | 569 | 523 | 607 | 694 | 404 | 207 | 81 |
| TALBOT | 4,857 | 48 | 217 | 660 | 278 | 311 | 602 | 460 | 657 | 701 | 508 | 299 | 116 |
| DORCHESTER | 9,297 | 124 | 567 | 1,482 | 599 | 607 | 1,192 | 903 | 1,215 | 1,249 | 791 | 377 | 191 |
| WICOMICO | 27,515 | 360 | 1,757 | 4,385 | 2,536 | 2,417 | 3,701 | 3,101 | 3,264 | 3,122 | 1,774 | 762 | 336 |
| SOMERSET | 11,114 | 124 | 423 | 1,047 | 1,261 | 2,251 | 1,716 | 1,237 | 1,195 | 942 | 514 | 290 | 114 |
| WORCESTER | 7,061 | 87 | 372 | 988 | 494 | 488 | 886 | 732 | 877 | 971 | 629 | 393 | 144 |

TABLE 5H1. ESTIMATED MARYLAND POPULATION BY SEX, RACE, HISPANIC ORIGIN, REGION AND POLITICAL SUBDIVISION, MARYLAND, JULY 1, 2016.

| REGION AND POLITICAL SUBDIVISION | NON-HISPANIC BLACK MALE POPULATION | | | | | | | | | | | | |
|----------------------------------|------------------------------------|---------|--------|---------|--------|--------|---------|---------|---------|--------|--------|--------|-------|
| | TOTAL | UNDER 1 | 1-4 | 5-14 | 15-19 | 20-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ |
| MARYLAND | 856,888 | 11,973 | 48,687 | 125,878 | 64,896 | 66,830 | 126,563 | 108,538 | 121,278 | 99,425 | 54,768 | 21,777 | 6,275 |
| NORTHWEST AREA | 28,101 | 308 | 1,365 | 3,549 | 2,304 | 2,851 | 5,305 | 4,739 | 4,145 | 2,218 | 928 | 309 | 80 |
| GARRETT | 240 | 3 | 11 | 28 | 104 | 11 | 29 | 19 | 13 | 13 | 7 | 2 | 0 |
| ALLEGANY | 4,760 | 33 | 93 | 170 | 334 | 654 | 1,432 | 1,052 | 605 | 260 | 91 | 26 | 10 |
| WASHINGTON | 11,100 | 116 | 560 | 1,345 | 797 | 1,254 | 2,289 | 1,973 | 1,585 | 780 | 285 | 101 | 15 |
| FREDERICK | 12,001 | 156 | 701 | 2,006 | 1,069 | 932 | 1,555 | 1,695 | 1,942 | 1,165 | 545 | 180 | 55 |
| BALTIMORE METRO AREA | 382,835 | 5,604 | 22,702 | 59,049 | 29,825 | 30,486 | 57,691 | 46,636 | 51,156 | 43,582 | 23,500 | 9,609 | 2,995 |
| BALTIMORE CITY | 177,353 | 2,509 | 10,457 | 25,826 | 12,729 | 14,381 | 27,566 | 19,471 | 22,972 | 22,594 | 11,947 | 5,213 | 1,688 |
| BALTIMORE COUNTY | 108,615 | 1,687 | 6,611 | 17,562 | 9,115 | 8,542 | 16,195 | 13,737 | 14,403 | 11,168 | 6,507 | 2,393 | 695 |
| ANNE ARUNDEL | 48,032 | 720 | 2,841 | 7,156 | 3,590 | 3,917 | 7,741 | 7,054 | 6,501 | 4,798 | 2,446 | 962 | 306 |
| CARROLL | 3,416 | 36 | 143 | 400 | 323 | 274 | 488 | 508 | 548 | 382 | 212 | 87 | 15 |
| HOWARD | 28,633 | 412 | 1,649 | 5,196 | 2,592 | 2,041 | 3,482 | 3,852 | 4,303 | 2,754 | 1,496 | 644 | 212 |
| HARFORD | 16,786 | 240 | 1,001 | 2,909 | 1,476 | 1,331 | 2,219 | 2,014 | 2,429 | 1,886 | 892 | 310 | 79 |
| NATIONAL CAPITAL AREA | 358,491 | 4,887 | 19,664 | 49,574 | 25,229 | 26,089 | 51,861 | 46,873 | 53,097 | 44,011 | 25,040 | 9,637 | 2,529 |
| MONTGOMERY | 91,198 | 1,453 | 5,895 | 14,441 | 6,938 | 6,474 | 12,990 | 13,126 | 12,849 | 9,453 | 4,891 | 2,018 | 670 |
| PRINCE GEORGE'S | 267,293 | 3,434 | 13,769 | 35,133 | 18,291 | 19,615 | 38,871 | 33,747 | 40,248 | 34,558 | 20,149 | 7,619 | 1,859 |
| SOUTHERN AREA | 49,175 | 670 | 2,741 | 8,021 | 4,216 | 3,701 | 6,374 | 6,130 | 8,095 | 5,247 | 2,677 | 1,000 | 303 |
| CALVERT | 5,958 | 74 | 281 | 847 | 503 | 426 | 688 | 674 | 963 | 791 | 459 | 205 | 47 |
| CHARLES | 34,963 | 460 | 1,942 | 5,821 | 3,082 | 2,649 | 4,463 | 4,584 | 5,960 | 3,543 | 1,721 | 582 | 156 |
| ST MARY'S | 8,254 | 136 | 518 | 1,353 | 631 | 626 | 1,223 | 872 | 1,172 | 913 | 497 | 213 | 100 |
| EASTERN SHORE AREA | 38,286 | 504 | 2,215 | 5,685 | 3,322 | 3,703 | 5,332 | 4,160 | 4,785 | 4,367 | 2,623 | 1,222 | 368 |
| CECIL | 3,761 | 62 | 234 | 631 | 340 | 291 | 461 | 448 | 565 | 423 | 189 | 90 | 27 |
| KENT | 1,416 | 15 | 82 | 179 | 105 | 93 | 192 | 125 | 185 | 184 | 140 | 94 | 22 |
| QUEEN ANNE'S | 1,689 | 18 | 76 | 199 | 118 | 111 | 228 | 172 | 230 | 242 | 183 | 90 | 22 |
| CAROLINE | 2,247 | 31 | 139 | 353 | 166 | 144 | 284 | 236 | 260 | 326 | 190 | 95 | 23 |
| TALBOT | 2,267 | 24 | 93 | 324 | 155 | 157 | 291 | 220 | 312 | 296 | 224 | 127 | 44 |
| DORCHESTER | 4,312 | 63 | 274 | 774 | 317 | 294 | 523 | 401 | 525 | 581 | 363 | 142 | 55 |
| WICOMICO | 12,917 | 182 | 911 | 2,209 | 1,272 | 1,112 | 1,745 | 1,344 | 1,546 | 1,375 | 798 | 322 | 101 |
| SOMERSET | 6,313 | 64 | 210 | 538 | 613 | 1,230 | 1,137 | 875 | 748 | 503 | 258 | 105 | 32 |
| WORCESTER | 3,364 | 45 | 196 | 478 | 236 | 271 | 471 | 339 | 414 | 437 | 278 | 157 | 42 |

TABLE 5H2. ESTIMATED MARYLAND POPULATION BY SEX, RACE, HISPANIC ORIGIN, REGION AND POLITICAL SUBDIVISION, MARYLAND, JULY 1, 2016.

| REGION AND POLITICAL SUBDIVISION | BLACK MALE POPULATION | | | | | | | | | | | | |
|----------------------------------|-----------------------|---------|--------|---------|--------|--------|---------|---------|---------|---------|--------|--------|-------|
| | TOTAL | UNDER 1 | 1-4 | 5-14 | 15-19 | 20-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ |
| MARYLAND | 892,263 | 12,991 | 52,346 | 133,287 | 67,954 | 69,592 | 132,220 | 113,707 | 124,854 | 101,402 | 55,544 | 22,032 | 6,334 |
| NORTHWEST AREA | 29,776 | 341 | 1,532 | 4,060 | 2,556 | 2,980 | 5,518 | 4,928 | 4,262 | 2,254 | 948 | 317 | 80 |
| GARRETT | 248 | 3 | 11 | 29 | 104 | 11 | 33 | 22 | 13 | 13 | 7 | 2 | 0 |
| ALLEGANY | 4,821 | 34 | 95 | 175 | 339 | 659 | 1,451 | 1,063 | 612 | 265 | 92 | 26 | 10 |
| WASHINGTON | 11,531 | 126 | 620 | 1,441 | 829 | 1,302 | 2,371 | 2,014 | 1,618 | 793 | 297 | 105 | 15 |
| FREDERICK | 13,176 | 178 | 806 | 2,415 | 1,284 | 1,008 | 1,663 | 1,829 | 2,019 | 1,183 | 552 | 184 | 55 |
| BALTIMORE METRO AREA | 393,374 | 5,940 | 23,724 | 61,280 | 30,795 | 31,434 | 59,513 | 48,054 | 52,155 | 44,075 | 23,702 | 9,691 | 3,011 |
| BALTIMORE CITY | 180,533 | 2,623 | 10,780 | 26,391 | 12,916 | 14,683 | 28,260 | 19,858 | 23,285 | 22,775 | 12,022 | 5,242 | 1,698 |
| BALTIMORE COUNTY | 111,717 | 1,793 | 6,928 | 18,244 | 9,441 | 8,797 | 16,700 | 14,171 | 14,691 | 11,274 | 6,570 | 2,412 | 696 |
| ANNE ARUNDEL | 50,206 | 781 | 3,035 | 7,640 | 3,826 | 4,129 | 8,066 | 7,379 | 6,691 | 4,904 | 2,470 | 978 | 307 |
| CARROLL | 3,587 | 41 | 164 | 430 | 342 | 292 | 523 | 526 | 557 | 392 | 216 | 89 | 15 |
| HOWARD | 29,862 | 447 | 1,757 | 5,488 | 2,714 | 2,152 | 3,646 | 4,026 | 4,439 | 2,813 | 1,515 | 651 | 214 |
| HARFORD | 17,469 | 255 | 1,060 | 3,087 | 1,556 | 1,381 | 2,318 | 2,094 | 2,492 | 1,917 | 909 | 319 | 81 |
| NATIONAL CAPITAL AREA | 379,070 | 5,469 | 21,875 | 53,646 | 26,786 | 27,561 | 55,076 | 50,115 | 55,313 | 45,329 | 25,552 | 9,784 | 2,564 |
| MONTGOMERY | 98,806 | 1,658 | 6,760 | 16,018 | 7,609 | 7,022 | 14,127 | 14,232 | 13,609 | 9,947 | 5,108 | 2,037 | 679 |
| PRINCE GEORGE'S | 280,264 | 3,811 | 15,115 | 37,628 | 19,177 | 20,539 | 40,949 | 35,883 | 41,704 | 35,382 | 20,444 | 7,747 | 1,885 |
| SOUTHERN AREA | 50,512 | 698 | 2,867 | 8,346 | 4,357 | 3,807 | 6,576 | 6,307 | 8,223 | 5,315 | 2,696 | 1,013 | 307 |
| CALVERT | 6,124 | 75 | 292 | 882 | 526 | 437 | 717 | 695 | 980 | 800 | 465 | 208 | 47 |
| CHARLES | 35,856 | 479 | 2,027 | 6,051 | 3,173 | 2,723 | 4,585 | 4,704 | 6,046 | 3,589 | 1,731 | 588 | 160 |
| ST MARY'S | 8,532 | 144 | 548 | 1,413 | 658 | 647 | 1,274 | 908 | 1,197 | 926 | 500 | 217 | 100 |
| EASTERN SHORE AREA | 39,531 | 543 | 2,348 | 5,955 | 3,460 | 3,810 | 5,537 | 4,303 | 4,901 | 4,429 | 2,646 | 1,227 | 372 |
| CECIL | 4,004 | 66 | 257 | 685 | 378 | 313 | 508 | 463 | 595 | 428 | 193 | 90 | 28 |
| KENT | 1,475 | 17 | 86 | 188 | 110 | 97 | 205 | 132 | 194 | 189 | 141 | 94 | 22 |
| QUEEN ANNE'S | 1,756 | 20 | 83 | 218 | 119 | 120 | 237 | 183 | 232 | 248 | 184 | 90 | 22 |
| CAROLINE | 2,333 | 34 | 146 | 375 | 176 | 150 | 296 | 246 | 273 | 327 | 191 | 96 | 23 |
| TALBOT | 2,373 | 30 | 104 | 348 | 160 | 164 | 306 | 240 | 325 | 298 | 225 | 128 | 45 |
| DORCHESTER | 4,457 | 68 | 293 | 809 | 329 | 306 | 550 | 417 | 533 | 590 | 364 | 142 | 56 |
| WICOMICO | 13,286 | 195 | 950 | 2,294 | 1,322 | 1,131 | 1,803 | 1,394 | 1,572 | 1,392 | 807 | 324 | 102 |
| SOMERSET | 6,412 | 67 | 225 | 547 | 628 | 1,254 | 1,152 | 879 | 754 | 510 | 259 | 105 | 32 |
| WORCESTER | 3,435 | 46 | 204 | 491 | 238 | 275 | 480 | 349 | 423 | 447 | 282 | 158 | 42 |

TABLE 511. ESTIMATED MARYLAND POPULATION BY SEX, RACE, HISPANIC ORIGIN, REGION AND POLITICAL SUBDIVISION, MARYLAND, JULY 1, 2016.

| REGION AND POLITICAL SUBDIVISION | NON-HISPANIC BLACK FEMALE POPULATION | | | | | | | | | | | | |
|----------------------------------|--------------------------------------|---------|--------|---------|--------|--------|---------|---------|---------|---------|--------|--------|--------|
| | TOTAL | UNDER 1 | 1-4 | 5-14 | 15-19 | 20-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ |
| MARYLAND | 979,565 | 11,492 | 46,623 | 122,469 | 64,107 | 67,477 | 140,450 | 128,334 | 144,372 | 126,368 | 77,957 | 34,809 | 15,107 |
| NORTHWEST AREA | 20,300 | 290 | 1,311 | 3,468 | 1,989 | 1,617 | 2,686 | 2,686 | 2,667 | 1,865 | 1,110 | 432 | 179 |
| GARRETT | 137 | 3 | 12 | 20 | 11 | 22 | 25 | 13 | 9 | 9 | 9 | 4 | 0 |
| ALLEGANY | 1,476 | 30 | 84 | 157 | 340 | 271 | 195 | 88 | 80 | 86 | 91 | 37 | 17 |
| WASHINGTON | 6,670 | 107 | 490 | 1,276 | 616 | 512 | 968 | 848 | 796 | 536 | 371 | 109 | 41 |
| FREDERICK | 12,017 | 150 | 725 | 2,015 | 1,022 | 812 | 1,498 | 1,737 | 1,782 | 1,234 | 639 | 282 | 121 |
| BALTIMORE METRO AREA | 447,742 | 5,408 | 21,802 | 57,752 | 29,606 | 31,185 | 67,458 | 57,618 | 61,923 | 56,579 | 34,609 | 16,449 | 7,353 |
| BALTIMORE CITY | 212,613 | 2,439 | 10,085 | 25,291 | 13,223 | 15,443 | 33,080 | 24,153 | 27,833 | 29,720 | 17,810 | 9,295 | 4,241 |
| BALTIMORE COUNTY | 130,942 | 1,634 | 6,444 | 17,399 | 9,090 | 8,953 | 19,816 | 17,966 | 18,383 | 15,520 | 9,812 | 4,039 | 1,886 |
| ANNE ARUNDEL | 50,262 | 674 | 2,597 | 7,007 | 3,252 | 3,257 | 7,618 | 7,486 | 7,392 | 5,543 | 3,347 | 1,496 | 593 |
| CARROLL | 2,870 | 34 | 138 | 415 | 249 | 198 | 345 | 316 | 468 | 328 | 233 | 102 | 44 |
| HOWARD | 32,790 | 396 | 1,545 | 4,834 | 2,394 | 2,019 | 4,152 | 5,183 | 5,121 | 3,386 | 2,311 | 1,040 | 409 |
| HARFORD | 18,265 | 231 | 993 | 2,806 | 1,398 | 1,315 | 2,447 | 2,514 | 2,726 | 2,082 | 1,096 | 477 | 180 |
| NATIONAL CAPITAL AREA | 417,278 | 4,668 | 18,824 | 48,090 | 25,110 | 27,348 | 58,405 | 56,096 | 65,490 | 56,838 | 35,684 | 14,630 | 6,095 |
| MONTGOMERY | 105,027 | 1,362 | 5,485 | 13,911 | 6,891 | 6,575 | 15,528 | 15,540 | 15,412 | 12,290 | 7,027 | 3,299 | 1,707 |
| PRINCE GEORGE'S | 312,251 | 3,306 | 13,339 | 34,179 | 18,219 | 20,773 | 42,877 | 40,556 | 50,078 | 44,548 | 28,657 | 11,331 | 4,388 |
| SOUTHERN AREA | 54,129 | 645 | 2,540 | 7,577 | 4,184 | 3,686 | 6,870 | 7,629 | 9,294 | 6,042 | 3,420 | 1,576 | 666 |
| CALVERT | 6,325 | 70 | 266 | 790 | 463 | 390 | 711 | 720 | 1,040 | 935 | 544 | 271 | 125 |
| CHARLES | 39,115 | 443 | 1,785 | 5,449 | 3,069 | 2,651 | 4,882 | 5,959 | 7,036 | 4,150 | 2,279 | 1,017 | 395 |
| ST MARY'S | 8,689 | 132 | 489 | 1,338 | 652 | 645 | 1,277 | 950 | 1,218 | 957 | 597 | 288 | 146 |
| EASTERN SHORE AREA | 40,116 | 481 | 2,146 | 5,582 | 3,218 | 3,641 | 5,031 | 4,305 | 4,998 | 5,044 | 3,134 | 1,722 | 814 |
| CECIL | 3,655 | 54 | 218 | 595 | 292 | 290 | 445 | 498 | 535 | 370 | 213 | 111 | 34 |
| KENT | 1,637 | 15 | 83 | 186 | 84 | 105 | 189 | 133 | 220 | 246 | 208 | 116 | 52 |
| QUEEN ANNE'S | 1,648 | 17 | 68 | 206 | 86 | 94 | 182 | 133 | 233 | 267 | 204 | 115 | 43 |
| CAROLINE | 2,505 | 30 | 125 | 356 | 181 | 142 | 285 | 287 | 347 | 368 | 214 | 112 | 58 |
| TALBOT | 2,590 | 24 | 124 | 336 | 123 | 154 | 311 | 240 | 345 | 405 | 284 | 172 | 72 |
| DORCHESTER | 4,985 | 61 | 293 | 708 | 282 | 313 | 669 | 502 | 690 | 668 | 428 | 235 | 136 |
| WICOMICO | 14,598 | 178 | 846 | 2,176 | 1,264 | 1,305 | 1,956 | 1,757 | 1,718 | 1,747 | 976 | 440 | 235 |
| SOMERSET | 4,801 | 60 | 213 | 509 | 648 | 1,021 | 579 | 362 | 447 | 439 | 256 | 185 | 82 |
| WORCESTER | 3,697 | 42 | 176 | 510 | 258 | 217 | 415 | 393 | 463 | 534 | 351 | 236 | 102 |

TABLE 5I2. ESTIMATED MARYLAND POPULATION BY SEX, RACE, HISPANIC ORIGIN, REGION AND POLITICAL SUBDIVISION, MARYLAND, JULY 1, 2016.

| REGION AND POLITICAL SUBDIVISION | BLACK FEMALE POPULATION | | | | | | | | | | | | |
|----------------------------------|-------------------------|---------|--------|---------|--------|--------|---------|---------|---------|---------|--------|--------|--------|
| | TOTAL | UNDER 1 | 1-4 | 5-14 | 15-19 | 20-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ |
| MARYLAND | 1,015,426 | 12,421 | 50,160 | 129,304 | 66,864 | 70,189 | 146,273 | 133,805 | 148,060 | 128,699 | 79,127 | 35,277 | 15,247 |
| NORTHWEST AREA | 21,575 | 321 | 1,446 | 3,826 | 2,104 | 1,712 | 2,865 | 2,868 | 2,765 | 1,901 | 1,140 | 443 | 184 |
| GARRETT | 137 | 3 | 12 | 20 | 11 | 22 | 25 | 13 | 9 | 9 | 9 | 4 | 0 |
| ALLEGANY | 1,511 | 31 | 86 | 160 | 344 | 279 | 205 | 89 | 83 | 87 | 92 | 38 | 17 |
| WASHINGTON | 7,061 | 117 | 541 | 1,378 | 654 | 540 | 1,021 | 902 | 830 | 543 | 380 | 114 | 41 |
| FREDERICK | 12,866 | 170 | 807 | 2,268 | 1,095 | 871 | 1,614 | 1,864 | 1,843 | 1,262 | 659 | 287 | 126 |
| BALTIMORE METRO AREA | 458,514 | 5,713 | 22,748 | 59,829 | 30,486 | 32,041 | 69,351 | 59,327 | 62,978 | 57,159 | 34,889 | 16,601 | 7,392 |
| BALTIMORE CITY | 215,683 | 2,544 | 10,400 | 25,815 | 13,459 | 15,674 | 33,681 | 24,584 | 28,093 | 29,938 | 17,905 | 9,341 | 4,249 |
| BALTIMORE COUNTY | 134,311 | 1,730 | 6,747 | 18,016 | 9,381 | 9,234 | 20,437 | 18,471 | 18,743 | 15,679 | 9,886 | 4,090 | 1,897 |
| ANNE ARUNDEL | 52,409 | 730 | 2,781 | 7,488 | 3,410 | 3,415 | 7,960 | 7,881 | 7,586 | 5,629 | 3,412 | 1,518 | 599 |
| CARROLL | 3,011 | 38 | 152 | 443 | 267 | 210 | 368 | 335 | 480 | 333 | 239 | 102 | 44 |
| HOWARD | 34,081 | 428 | 1,632 | 5,068 | 2,533 | 2,118 | 4,334 | 5,416 | 5,283 | 3,458 | 2,330 | 1,062 | 419 |
| HARFORD | 19,019 | 243 | 1,036 | 2,999 | 1,436 | 1,390 | 2,571 | 2,640 | 2,793 | 2,122 | 1,117 | 488 | 184 |
| NATIONAL CAPITAL AREA | 438,439 | 5,197 | 21,003 | 51,899 | 26,636 | 28,862 | 61,762 | 59,311 | 67,798 | 58,409 | 36,490 | 14,894 | 6,178 |
| MONTGOMERY | 113,213 | 1,549 | 6,360 | 15,402 | 7,507 | 7,167 | 16,833 | 16,711 | 16,286 | 12,921 | 7,328 | 3,417 | 1,732 |
| PRINCE GEORGE'S | 325,226 | 3,648 | 14,643 | 36,497 | 19,129 | 21,695 | 44,929 | 42,600 | 51,512 | 45,488 | 29,162 | 11,477 | 4,446 |
| SOUTHERN AREA | 55,560 | 671 | 2,679 | 7,875 | 4,309 | 3,804 | 7,096 | 7,851 | 9,434 | 6,119 | 3,454 | 1,598 | 670 |
| CALVERT | 6,483 | 71 | 277 | 832 | 478 | 397 | 730 | 744 | 1,058 | 947 | 549 | 274 | 126 |
| CHARLES | 40,117 | 460 | 1,882 | 5,653 | 3,149 | 2,747 | 5,039 | 6,118 | 7,128 | 4,204 | 2,306 | 1,033 | 398 |
| ST MARY'S | 8,960 | 140 | 520 | 1,390 | 682 | 660 | 1,327 | 989 | 1,248 | 968 | 599 | 291 | 146 |
| EASTERN SHORE AREA | 41,338 | 519 | 2,284 | 5,875 | 3,329 | 3,770 | 5,199 | 4,448 | 5,085 | 5,111 | 3,154 | 1,741 | 823 |
| CECIL | 3,859 | 57 | 238 | 643 | 306 | 307 | 476 | 531 | 555 | 383 | 214 | 113 | 36 |
| KENT | 1,692 | 17 | 87 | 192 | 88 | 116 | 201 | 141 | 226 | 248 | 208 | 116 | 52 |
| QUEEN ANNE'S | 1,697 | 19 | 68 | 218 | 90 | 99 | 187 | 141 | 240 | 273 | 204 | 115 | 43 |
| CAROLINE | 2,602 | 33 | 146 | 380 | 188 | 147 | 296 | 296 | 353 | 378 | 214 | 113 | 58 |
| TALBOT | 2,702 | 30 | 138 | 363 | 147 | 158 | 319 | 248 | 357 | 409 | 285 | 176 | 72 |
| DORCHESTER | 5,142 | 66 | 311 | 753 | 287 | 318 | 702 | 518 | 698 | 677 | 435 | 239 | 138 |
| WICOMICO | 14,986 | 190 | 884 | 2,279 | 1,292 | 1,358 | 2,012 | 1,805 | 1,739 | 1,761 | 983 | 444 | 239 |
| SOMERSET | 4,900 | 64 | 223 | 528 | 666 | 1,043 | 587 | 370 | 450 | 443 | 257 | 187 | 82 |
| WORCESTER | 3,758 | 43 | 189 | 519 | 265 | 224 | 419 | 398 | 467 | 539 | 354 | 238 | 103 |

**TABLE 5J. ESTIMATED MARYLAND POPULATION BY HISPANIC ORIGIN, REGION AND POLITICAL SUBDIVISION,
MARYLAND, JULY 1, 2016.**

| REGION AND POLITICAL SUBDIVISION | HISPANIC POPULATION* | | | | | | | | | | | | |
|-------------------------------------|----------------------|---------|--------|---------|--------|--------|--------|--------|--------|--------|--------|-------|-------|
| | TOTAL | UNDER 1 | 1-4 | 5-14 | 15-19 | 20-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ |
| MARYLAND | 586,801 | 12,642 | 50,843 | 106,612 | 43,144 | 44,105 | 96,944 | 98,813 | 67,120 | 38,404 | 17,528 | 7,658 | 2,988 |
| NORTHWEST AREA | 31,253 | 605 | 2,572 | 6,134 | 2,741 | 2,365 | 5,027 | 5,262 | 3,504 | 1,688 | 825 | 358 | 172 |
| GARRETT | 354 | 2 | 28 | 58 | 16 | 18 | 52 | 86 | 42 | 15 | 18 | 13 | 6 |
| ALLEGANY | 1,250 | 10 | 63 | 137 | 99 | 139 | 319 | 210 | 129 | 60 | 44 | 26 | 14 |
| WASHINGTON | 7,053 | 138 | 627 | 1,491 | 572 | 555 | 1,175 | 1,106 | 758 | 354 | 172 | 74 | 31 |
| FREDERICK | 22,596 | 455 | 1,854 | 4,448 | 2,054 | 1,653 | 3,481 | 3,860 | 2,575 | 1,259 | 591 | 245 | 121 |
| BALTIMORE METRO AREA | 155,559 | 3,717 | 14,331 | 29,274 | 11,534 | 12,252 | 27,250 | 25,586 | 16,050 | 8,761 | 4,107 | 1,878 | 819 |
| BALTIMORE CITY | 31,144 | 918 | 3,414 | 5,544 | 1,813 | 2,372 | 6,581 | 4,880 | 2,886 | 1,593 | 729 | 290 | 124 |
| BALTIMORE COUNTY | 43,994 | 1,047 | 4,109 | 8,460 | 3,432 | 3,424 | 7,421 | 7,146 | 4,298 | 2,521 | 1,270 | 603 | 263 |
| ANNE ARUNDEL | 42,802 | 1,002 | 3,963 | 8,171 | 3,137 | 3,627 | 7,443 | 7,272 | 4,316 | 2,282 | 990 | 429 | 170 |
| CARROLL | 5,663 | 117 | 455 | 1,059 | 512 | 466 | 856 | 823 | 728 | 357 | 160 | 86 | 44 |
| HOWARD | 20,951 | 464 | 1,625 | 3,910 | 1,705 | 1,541 | 3,097 | 3,639 | 2,663 | 1,291 | 577 | 299 | 140 |
| HARFORD | 11,005 | 169 | 765 | 2,130 | 935 | 822 | 1,852 | 1,826 | 1,159 | 717 | 381 | 171 | 78 |
| NATIONAL CAPITAL AREA | 360,684 | 7,502 | 30,352 | 63,348 | 25,609 | 26,256 | 58,216 | 61,964 | 43,482 | 25,674 | 11,583 | 4,905 | 1,793 |
| MONTGOMERY | 199,402 | 4,012 | 15,835 | 33,110 | 14,310 | 14,732 | 30,797 | 32,709 | 25,286 | 16,170 | 7,638 | 3,464 | 1,339 |
| PRINCE GEORGE'S | 161,282 | 3,490 | 14,517 | 30,238 | 11,299 | 11,524 | 27,419 | 29,255 | 18,196 | 9,504 | 3,945 | 1,441 | 454 |
| SOUTHERN AREA | 17,757 | 310 | 1,403 | 3,401 | 1,416 | 1,529 | 2,980 | 2,822 | 1,994 | 1,136 | 439 | 247 | 80 |
| CALVERT | 3,414 | 35 | 220 | 685 | 323 | 292 | 508 | 493 | 467 | 224 | 87 | 57 | 23 |
| CHARLES | 8,711 | 151 | 729 | 1,695 | 639 | 747 | 1,470 | 1,381 | 975 | 561 | 223 | 104 | 36 |
| ST MARY'S | 5,632 | 124 | 454 | 1,021 | 454 | 490 | 1,002 | 948 | 552 | 351 | 129 | 86 | 21 |
| EASTERN SHORE AREA | 21,548 | 508 | 2,185 | 4,455 | 1,844 | 1,703 | 3,471 | 3,179 | 2,090 | 1,145 | 574 | 270 | 124 |
| CECIL | 4,423 | 61 | 322 | 937 | 438 | 365 | 677 | 680 | 465 | 252 | 139 | 56 | 31 |
| KENT | 894 | 13 | 69 | 147 | 77 | 73 | 164 | 147 | 96 | 61 | 27 | 12 | 8 |
| QUEEN ANNE'S | 1,767 | 43 | 183 | 398 | 130 | 105 | 254 | 284 | 183 | 106 | 47 | 25 | 9 |
| CAROLINE | 2,354 | 74 | 275 | 537 | 167 | 180 | 403 | 355 | 199 | 112 | 32 | 15 | 5 |
| TALBOT | 2,450 | 91 | 324 | 500 | 147 | 118 | 397 | 392 | 253 | 110 | 69 | 42 | 7 |
| DORCHESTER | 1,701 | 42 | 188 | 348 | 121 | 118 | 280 | 289 | 149 | 83 | 50 | 18 | 15 |
| WICOMICO | 5,273 | 132 | 548 | 1,088 | 539 | 480 | 882 | 651 | 478 | 276 | 115 | 57 | 27 |
| SOMERSET | 927 | 28 | 110 | 184 | 102 | 114 | 126 | 120 | 66 | 45 | 17 | 9 | 6 |
| WORCESTER | 1,759 | 24 | 166 | 316 | 123 | 150 | 288 | 261 | 201 | 100 | 78 | 36 | 16 |

*Persons of Hispanic origin may be any race.

**TABLE 5K. ESTIMATED MARYLAND POPULATION BY SEX, HISPANIC ORIGIN, REGION AND POLITICAL SUBDIVISION,
MARYLAND, JULY 1, 2016.**

| REGION AND POLITICAL SUBDIVISION | HISPANIC MALE POPULATION* | | | | | | | | | | | | |
|----------------------------------|---------------------------|---------|--------|--------|--------|--------|--------|--------|--------|--------|-------|-------|-------|
| | TOTAL | UNDER 1 | 1-4 | 5-14 | 15-19 | 20-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ |
| MARYLAND | 304,433 | 6,532 | 25,716 | 54,494 | 22,409 | 23,343 | 52,290 | 53,852 | 35,232 | 18,849 | 7,820 | 2,875 | 1,021 |
| NORTHWEST AREA | 16,499 | 313 | 1,275 | 3,195 | 1,449 | 1,332 | 2,798 | 2,916 | 1,806 | 829 | 375 | 143 | 68 |
| GARRETT | 167 | 1 | 19 | 36 | 12 | 4 | 30 | 29 | 15 | 7 | 5 | 6 | 3 |
| ALLEGANY | 805 | 5 | 23 | 59 | 54 | 85 | 246 | 155 | 95 | 35 | 26 | 13 | 9 |
| WASHINGTON | 3,751 | 70 | 297 | 764 | 293 | 322 | 685 | 597 | 406 | 192 | 92 | 25 | 8 |
| FREDERICK | 11,776 | 237 | 936 | 2,336 | 1,090 | 921 | 1,837 | 2,135 | 1,290 | 595 | 252 | 99 | 48 |
| BALTIMORE METRO AREA | 80,422 | 1,910 | 7,259 | 14,896 | 5,962 | 6,434 | 14,407 | 13,786 | 8,452 | 4,398 | 1,898 | 721 | 299 |
| BALTIMORE CITY | 16,405 | 473 | 1,642 | 2,847 | 891 | 1,207 | 3,640 | 2,709 | 1,659 | 809 | 349 | 124 | 55 |
| BALTIMORE COUNTY | 22,683 | 538 | 2,103 | 4,259 | 1,767 | 1,763 | 3,833 | 3,919 | 2,285 | 1,279 | 622 | 236 | 79 |
| ANNE ARUNDEL | 22,081 | 515 | 2,007 | 4,153 | 1,672 | 1,974 | 3,866 | 3,919 | 2,176 | 1,136 | 426 | 175 | 62 |
| CARROLL | 2,949 | 60 | 235 | 522 | 272 | 250 | 469 | 446 | 387 | 192 | 73 | 28 | 15 |
| HOWARD | 10,592 | 236 | 856 | 2,035 | 888 | 804 | 1,574 | 1,839 | 1,347 | 630 | 243 | 87 | 53 |
| HARFORD | 5,712 | 88 | 416 | 1,080 | 472 | 436 | 1,025 | 954 | 598 | 352 | 185 | 71 | 35 |
| NATIONAL CAPITAL AREA | 187,338 | 3,889 | 15,406 | 32,484 | 13,320 | 13,867 | 31,627 | 34,000 | 22,854 | 12,471 | 5,070 | 1,784 | 566 |
| MONTGOMERY | 100,659 | 2,084 | 8,010 | 17,101 | 7,425 | 7,646 | 16,281 | 17,090 | 12,666 | 7,530 | 3,251 | 1,162 | 413 |
| PRINCE GEORGE'S | 86,679 | 1,805 | 7,396 | 15,383 | 5,895 | 6,221 | 15,346 | 16,910 | 10,188 | 4,941 | 1,819 | 622 | 153 |
| SOUTHERN AREA | 8,881 | 160 | 689 | 1,716 | 695 | 811 | 1,525 | 1,452 | 941 | 570 | 181 | 105 | 36 |
| CALVERT | 1,693 | 18 | 103 | 354 | 145 | 150 | 265 | 239 | 231 | 112 | 36 | 28 | 12 |
| CHARLES | 4,255 | 78 | 359 | 865 | 323 | 361 | 720 | 674 | 442 | 280 | 92 | 47 | 14 |
| ST MARY'S | 2,933 | 64 | 227 | 497 | 227 | 300 | 540 | 539 | 268 | 178 | 53 | 30 | 10 |
| EASTERN SHORE AREA | 11,293 | 260 | 1,087 | 2,203 | 983 | 899 | 1,933 | 1,698 | 1,179 | 581 | 296 | 122 | 52 |
| CECIL | 2,349 | 31 | 147 | 492 | 251 | 189 | 385 | 357 | 259 | 137 | 60 | 28 | 13 |
| KENT | 512 | 6 | 33 | 71 | 44 | 39 | 99 | 90 | 67 | 36 | 16 | 8 | 3 |
| QUEEN ANNE'S | 936 | 22 | 104 | 201 | 54 | 59 | 146 | 159 | 107 | 47 | 21 | 12 | 4 |
| CAROLINE | 1,329 | 39 | 140 | 259 | 89 | 102 | 259 | 220 | 132 | 59 | 20 | 9 | 1 |
| TALBOT | 1,216 | 46 | 160 | 225 | 64 | 55 | 221 | 197 | 132 | 58 | 39 | 15 | 4 |
| DORCHESTER | 807 | 22 | 99 | 185 | 63 | 49 | 114 | 129 | 77 | 36 | 24 | 6 | 3 |
| WICOMICO | 2,764 | 68 | 262 | 536 | 317 | 270 | 478 | 340 | 263 | 132 | 62 | 24 | 12 |
| SOMERSET | 463 | 14 | 64 | 76 | 43 | 59 | 61 | 71 | 39 | 20 | 9 | 3 | 4 |
| WORCESTER | 917 | 12 | 78 | 158 | 58 | 77 | 170 | 135 | 103 | 56 | 45 | 17 | 8 |

*Persons of Hispanic origin may be any race.

**TABLE 5L. ESTIMATED MARYLAND POPULATION BY SEX, HISPANIC ORIGIN, REGION AND POLITICAL SUBDIVISION,
MARYLAND, JULY 1, 2016.**

| REGION AND POLITICAL SUBDIVISION | HISPANIC FEMALE POPULATION* | | | | | | | | | | | | |
|-------------------------------------|-----------------------------|---------|--------|--------|--------|--------|--------|--------|--------|--------|-------|-------|-------|
| | TOTAL | UNDER 1 | 1-4 | 5-14 | 15-19 | 20-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85+ |
| MARYLAND | 282,368 | 6,110 | 25,127 | 52,118 | 20,735 | 20,762 | 44,654 | 44,961 | 31,888 | 19,555 | 9,708 | 4,783 | 1,967 |
| NORTHWEST AREA | 14,754 | 292 | 1,297 | 2,939 | 1,292 | 1,033 | 2,229 | 2,346 | 1,698 | 859 | 450 | 215 | 104 |
| GARRETT | 187 | 1 | 9 | 22 | 4 | 14 | 22 | 57 | 27 | 8 | 13 | 7 | 3 |
| ALLEGANY | 445 | 5 | 40 | 78 | 45 | 54 | 73 | 55 | 34 | 25 | 18 | 13 | 5 |
| WASHINGTON | 3,302 | 68 | 330 | 727 | 279 | 233 | 490 | 509 | 352 | 162 | 80 | 49 | 23 |
| FREDERICK | 10,820 | 218 | 918 | 2,112 | 964 | 732 | 1,644 | 1,725 | 1,285 | 664 | 339 | 146 | 73 |
| BALTIMORE METRO AREA | 75,137 | 1,807 | 7,072 | 14,378 | 5,572 | 5,818 | 12,843 | 11,800 | 7,598 | 4,363 | 2,209 | 1,157 | 520 |
| BALTIMORE CITY | 14,739 | 445 | 1,772 | 2,697 | 922 | 1,165 | 2,941 | 2,171 | 1,227 | 784 | 380 | 166 | 69 |
| BALTIMORE COUNTY | 21,311 | 509 | 2,006 | 4,201 | 1,665 | 1,661 | 3,588 | 3,227 | 2,013 | 1,242 | 648 | 367 | 184 |
| ANNE ARUNDEL | 20,721 | 487 | 1,956 | 4,018 | 1,465 | 1,653 | 3,577 | 3,353 | 2,140 | 1,146 | 564 | 254 | 108 |
| CARROLL | 2,714 | 57 | 220 | 537 | 240 | 216 | 387 | 377 | 341 | 165 | 87 | 58 | 29 |
| HOWARD | 10,359 | 228 | 769 | 1,875 | 817 | 737 | 1,523 | 1,800 | 1,316 | 661 | 334 | 212 | 87 |
| HARFORD | 5,293 | 81 | 349 | 1,050 | 463 | 386 | 827 | 872 | 561 | 365 | 196 | 100 | 43 |
| NATIONAL CAPITAL AREA | 173,346 | 3,613 | 14,946 | 30,864 | 12,289 | 12,389 | 26,589 | 27,964 | 20,628 | 13,203 | 6,513 | 3,121 | 1,227 |
| MONTGOMERY | 98,743 | 1,928 | 7,825 | 16,009 | 6,885 | 7,086 | 14,516 | 15,619 | 12,620 | 8,640 | 4,387 | 2,302 | 926 |
| PRINCE GEORGE'S | 74,603 | 1,685 | 7,121 | 14,855 | 5,404 | 5,303 | 12,073 | 12,345 | 8,008 | 4,563 | 2,126 | 819 | 301 |
| SOUTHERN AREA | 8,876 | 150 | 714 | 1,685 | 721 | 718 | 1,455 | 1,370 | 1,053 | 566 | 258 | 142 | 44 |
| CALVERT | 1,721 | 17 | 117 | 331 | 178 | 142 | 243 | 254 | 236 | 112 | 51 | 29 | 11 |
| CHARLES | 4,456 | 73 | 370 | 830 | 316 | 386 | 750 | 707 | 533 | 281 | 131 | 57 | 22 |
| ST MARY'S | 2,699 | 60 | 227 | 524 | 227 | 190 | 462 | 409 | 284 | 173 | 76 | 56 | 11 |
| EASTERN SHORE AREA | 10,255 | 248 | 1,098 | 2,252 | 861 | 804 | 1,538 | 1,481 | 911 | 564 | 278 | 148 | 72 |
| CECIL | 2,074 | 30 | 175 | 445 | 187 | 176 | 292 | 323 | 206 | 115 | 79 | 28 | 18 |
| KENT | 382 | 7 | 36 | 76 | 33 | 34 | 65 | 57 | 29 | 25 | 11 | 4 | 5 |
| QUEEN ANNE'S | 831 | 21 | 79 | 197 | 76 | 46 | 108 | 125 | 76 | 59 | 26 | 13 | 5 |
| CAROLINE | 1,025 | 35 | 135 | 278 | 78 | 78 | 144 | 135 | 67 | 53 | 12 | 6 | 4 |
| TALBOT | 1,234 | 45 | 164 | 275 | 83 | 63 | 176 | 195 | 121 | 52 | 30 | 27 | 3 |
| DORCHESTER | 894 | 20 | 89 | 163 | 58 | 69 | 166 | 160 | 72 | 47 | 26 | 12 | 12 |
| WICOMICO | 2,509 | 64 | 286 | 552 | 222 | 210 | 404 | 311 | 215 | 144 | 53 | 33 | 15 |
| SOMERSET | 464 | 14 | 46 | 108 | 59 | 55 | 65 | 49 | 27 | 25 | 8 | 6 | 2 |
| WORCESTER | 842 | 12 | 88 | 158 | 65 | 73 | 118 | 126 | 98 | 44 | 33 | 19 | 8 |

*Persons of Hispanic origin may be any race.



***LIFE
EXPECTANCY***

TABLE 6. LIFE EXPECTANCY* BY AGE, RACE AND SEX, MARYLAND, 2016.

| AGE GROUP | ALL RACES | | | WHITE | | | BLACK | | |
|-------------|------------|------|--------|------------|------|--------|------------|------|--------|
| | BOTH SEXES | MALE | FEMALE | BOTH SEXES | MALE | FEMALE | BOTH SEXES | MALE | FEMALE |
| <1 | 79.1 | 76.3 | 81.8 | 79.8 | 77.4 | 82.2 | 76.8 | 72.7 | 80.5 |
| 1-4 | 78.6 | 75.8 | 81.3 | 79.2 | 76.8 | 81.5 | 76.6 | 72.5 | 80.3 |
| 5-9 | 74.7 | 71.9 | 77.4 | 75.2 | 72.9 | 77.5 | 72.7 | 68.6 | 76.4 |
| 10-14 | 69.7 | 66.9 | 72.4 | 70.2 | 67.9 | 72.6 | 67.7 | 63.6 | 71.4 |
| 15-19 | 64.8 | 62.0 | 67.5 | 65.3 | 62.9 | 67.6 | 62.8 | 58.7 | 66.5 |
| 20-24 | 60.0 | 57.2 | 62.6 | 60.4 | 58.1 | 62.7 | 58.0 | 54.0 | 61.6 |
| 25-29 | 55.3 | 52.7 | 57.7 | 55.7 | 53.5 | 57.9 | 53.5 | 49.7 | 56.7 |
| 30-34 | 50.7 | 48.3 | 52.9 | 51.1 | 49.0 | 53.1 | 48.9 | 45.4 | 51.9 |
| 35-39 | 46.1 | 43.8 | 48.2 | 46.5 | 44.5 | 48.4 | 44.3 | 41.0 | 47.1 |
| 40-44 | 41.5 | 39.3 | 43.4 | 41.8 | 40.0 | 43.6 | 39.7 | 36.6 | 42.4 |
| 45-49 | 36.9 | 34.8 | 38.8 | 37.2 | 35.4 | 38.9 | 35.3 | 32.3 | 37.9 |
| 50-54 | 32.5 | 30.5 | 34.2 | 32.8 | 31.0 | 34.3 | 31.0 | 28.1 | 33.4 |
| 55-59 | 28.2 | 26.4 | 29.8 | 28.4 | 26.8 | 29.9 | 26.9 | 24.2 | 29.1 |
| 60-64 | 24.1 | 22.4 | 25.5 | 24.2 | 22.8 | 25.5 | 23.1 | 20.5 | 25.1 |
| 65-69 | 20.2 | 18.7 | 21.5 | 20.2 | 18.9 | 21.4 | 19.6 | 17.2 | 21.4 |
| 70-74 | 16.5 | 15.2 | 17.6 | 16.4 | 15.3 | 17.4 | 16.2 | 14.1 | 17.8 |
| 75-79 | 13.2 | 12.0 | 14.0 | 13.0 | 11.9 | 13.7 | 13.2 | 11.5 | 14.4 |
| 80-84 | 10.2 | 9.3 | 10.8 | 9.9 | 9.1 | 10.4 | 10.6 | 9.2 | 11.5 |
| 85+ | 7.8 | 7.2 | 8.2 | 7.5 | 6.9 | 7.8 | 8.6 | 7.6 | 9.2 |

*Average number of years of life remaining at beginning of age interval.

TABLE 7. LIFE EXPECTANCY AT BIRTH BY RACE, REGION AND POLITICAL SUBDIVISION, MARYLAND, 2014-2016.

| REGION AND POLITICAL SUBDIVISION | LIFE EXPECTANCY | | |
|----------------------------------|-----------------|-------|-------|
| | ALL RACES | WHITE | BLACK |
| MARYLAND | 79.5 | 80.1 | 77.2 |
| NORTHWEST AREA | | | |
| GARRETT | 78.9 | 78.9 | * |
| ALLEGANY | 76.4 | 76.0 | 80.4 |
| WASHINGTON | 77.5 | 77.5 | 76.3 |
| FREDERICK | 80.2 | 80.2 | 77.8 |
| BALTIMORE METRO AREA | | | |
| BALTIMORE CITY | 73.4 | 76.6 | 71.6 |
| BALTIMORE COUNTY | 78.7 | 78.8 | 77.4 |
| ANNE ARUNDEL | 79.6 | 79.7 | 77.8 |
| CARROLL | 79.1 | 79.1 | 78.0 |
| HOWARD | 83.3 | 82.8 | 82.1 |
| HARFORD | 79.4 | 79.5 | 77.5 |
| NATIONAL CAPITAL AREA | | | |
| MONTGOMERY | 84.9 | 84.7 | 82.9 |
| PRINCE GEORGE'S | 79.6 | 80.2 | 79.1 |
| SOUTHERN AREA | | | |
| CALVERT | 79.7 | 80.0 | 77.4 |
| CHARLES | 79.2 | 78.9 | 79.3 |
| ST MARY'S | 79.5 | 79.8 | 77.3 |
| EASTERN SHORE AREA | | | |
| CECIL | 76.8 | 77.1 | 72.4 |
| KENT | 79.6 | 80.4 | 75.1 |
| QUEEN ANNE'S | 79.4 | 79.6 | 76.4 |
| CAROLINE | 76.1 | 76.4 | 74.2 |
| TALBOT | 81.1 | 81.7 | 77.8 |
| DORCHESTER | 76.8 | 77.7 | 74.6 |
| WICOMICO | 76.9 | 77.6 | 74.7 |
| SOMERSET | 76.3 | 76.5 | 75.9 |
| WORCESTER | 78.5 | 79.7 | 72.5 |

*Did not meet minimum threshold for calculation.

NATALITY

TABLE 8. BIRTHS AND BIRTH RATES BY RACE*, MARYLAND, SELECTED YEARS, 1940-2016.

| YEAR | NUMBER OF BIRTHS | | | BIRTH RATES** | | |
|------------|------------------|--------|--------|---------------|-------|-------|
| | ALL RACES | WHITE | BLACK | ALL RACES | WHITE | BLACK |
| 1940 | 32,368 | 25,438 | - | 17.6 | 16.6 | - |
| 1950 | 55,992 | 43,599 | - | 23.7 | 22.1 | - |
| 1960 | 77,496 | 60,093 | - | 24.8 | 23.2 | - |
| 1970 | 69,336 | 53,049 | 15,556 | 17.6 | 16.4 | 22.2 |
| 1980 | 59,833 | 41,005 | 17,436 | 14.2 | 12.8 | 18.1 |
| 1990 | 80,199 | 52,679 | 24,868 | 16.7 | 15.3 | 20.7 |
| 2000 | 74,226 | 45,273 | 24,572 | 14.0 | 12.8 | 16.3 |
| 2007 | 78,057 | 46,281 | 26,331 | 13.9 | 12.8 | 15.6 |
| 2008 | 77,268 | 45,621 | 26,102 | 13.7 | 12.6 | 15.4 |
| 2009 | 74,999 | 43,251 | 25,220 | 13.2 | 11.9 | 14.6 |
| 2010 | 73,783 | 43,246 | 24,962 | 12.8 | 12.0 | 14.0 |
| 2011 | 73,052 | 42,983 | 24,403 | 12.5 | 11.9 | 13.5 |
| 2012 | 72,751 | 42,791 | 24,306 | 12.4 | 11.7 | 13.3 |
| 2013 | 71,806 | 42,230 | 23,896 | 12.1 | 11.6 | 13.0 |
| 2014 | 73,588 | 43,114 | 24,529 | 12.3 | 11.8 | 13.1 |
| 2015 | 73,544 | 43,382 | 24,238 | 12.2 | 11.9 | 12.8 |
| 2016 | 73,073 | 42,781 | 24,131 | 12.1 | 11.8 | 12.6 |

- Data are not available.

* Births have been classified by race of mother since 1970

** Per 1,000 population

TABLE 9A. NUMBER OF BIRTHS BY RACE AND HISPANIC ORIGIN OF MOTHER, REGION AND POLITICAL SUBDIVISION, MARYLAND, 2016.

| REGION AND POLITICAL SUBDIVISION | ALL BIRTHS* | NON-HISPANIC WHITE | NON-HISPANIC BLACK | NON-HISPANIC AMERICAN INDIAN | NON-HISPANIC ASIAN OR PACIFIC ISLANDER | HISPANIC** |
|----------------------------------|-------------|--------------------|--------------------|------------------------------|--|------------|
| MARYLAND | 73,073 | 31,832 | 23,449 | 134 | 5,450 | 11,866 |
| NORTHWEST AREA | 5,449 | 4,149 | 554 | 13 | 208 | 513 |
| GARRETT | 311 | 307 | 1 | 0 | 1 | 2 |
| ALLEGANY | 619 | 580 | 19 | 2 | 11 | 7 |
| WASHINGTON | 1,688 | 1,275 | 241 | 6 | 49 | 109 |
| FREDERICK | 2,831 | 1,987 | 293 | 5 | 147 | 395 |
| BALTIMORE METRO AREA | 33,311 | 16,385 | 10,868 | 61 | 2,469 | 3,341 |
| BALTIMORE CITY | 8,526 | 2,205 | 5,152 | 16 | 259 | 826 |
| BALTIMORE COUNTY | 9,797 | 4,700 | 3,163 | 22 | 844 | 1,005 |
| ANNE ARUNDEL | 6,994 | 4,357 | 1,291 | 13 | 408 | 896 |
| CARROLL | 1,730 | 1,527 | 57 | 3 | 46 | 96 |
| HOWARD | 3,563 | 1,646 | 719 | 2 | 806 | 372 |
| HARFORD | 2,701 | 1,950 | 486 | 5 | 106 | 146 |
| NATIONAL CAPITAL AREA | 25,386 | 5,650 | 9,770 | 39 | 2,539 | 7,265 |
| MONTGOMERY | 13,066 | 4,476 | 2,841 | 13 | 2,030 | 3,643 |
| PRINCE GEORGE'S | 12,320 | 1,174 | 6,929 | 26 | 509 | 3,622 |
| SOUTHERN AREA | 4,149 | 2,475 | 1,211 | 11 | 138 | 299 |
| CALVERT | 907 | 737 | 108 | 1 | 24 | 36 |
| CHARLES | 1,817 | 684 | 872 | 3 | 62 | 184 |
| SAINT MARY'S | 1,425 | 1,054 | 231 | 7 | 52 | 79 |
| EASTERN SHORE AREA | 4,778 | 3,173 | 1,046 | 10 | 96 | 448 |
| CECIL | 1,107 | 926 | 93 | 0 | 24 | 62 |
| KENT | 148 | 102 | 35 | 0 | 2 | 9 |
| QUEEN ANNE'S | 499 | 414 | 23 | 1 | 8 | 53 |
| CAROLINE | 387 | 256 | 62 | 0 | 5 | 64 |
| TALBOT | 331 | 203 | 45 | 1 | 12 | 69 |
| DORCHESTER | 381 | 195 | 145 | 0 | 6 | 35 |
| WICOMICO | 1,240 | 631 | 452 | 6 | 30 | 119 |
| SOMERSET | 265 | 132 | 114 | 1 | 4 | 14 |
| WORCESTER | 420 | 314 | 77 | 1 | 5 | 23 |

*Includes races categorized as 'unknown' or 'other'.

**Includes all persons of Hispanic origin of any race.

TABLE 9B. BIRTH RATES BY RACE, HISPANIC ORIGIN OF MOTHER, REGION AND POLITICAL SUBDIVISION, MARYLAND, 2016.

| REGION AND POLITICAL SUBDIVISION | BIRTH RATES* | | | | | |
|----------------------------------|--------------|--------------------|--------------------|------------------------------|--|-------------|
| | ALL BIRTHS** | NON-HISPANIC WHITE | NON-HISPANIC BLACK | NON-HISPANIC AMERICAN INDIAN | NON-HISPANIC ASIAN OR PACIFIC ISLANDER | HISPANIC*** |
| MARYLAND | 12.1 | 10.1 | 12.8 | 7.5 | 13.1 | 20.2 |
| NORTHWEST AREA | 10.9 | 10.3 | 11.4 | 11.8 | 12.3 | 16.4 |
| GARRETT | 10.6 | 10.8 | **** | **** | **** | **** |
| ALLEGANY | 8.6 | 9.1 | 3.0 | **** | 12.5 | 5.6 |
| WASHINGTON | 11.2 | 10.4 | 13.6 | 20.7 | 15.6 | 15.5 |
| FREDERICK | 11.4 | 10.6 | 12.2 | 7.7 | 11.6 | 17.5 |
| BALTIMORE METRO AREA | 12.1 | 10.3 | 13.1 | 7.4 | 14.6 | 21.5 |
| BALTIMORE CITY | 13.9 | 12.7 | 13.2 | 7.3 | 14.3 | 26.5 |
| BALTIMORE COUNTY | 11.8 | 9.6 | 13.2 | 8.6 | 15.6 | 22.8 |
| ANNE ARUNDEL | 12.3 | 10.9 | 13.1 | 7.4 | 16.2 | 20.9 |
| CARROLL | 10.3 | 10.1 | 9.1 | **** | 12.8 | 17.0 |
| HOWARD | 11.2 | 9.5 | 11.7 | **** | 13.4 | 17.8 |
| HARFORD | 10.8 | 9.9 | 13.9 | 7.6 | 12.4 | 13.3 |
| NATIONAL CAPITAL AREA | 13.0 | 9.4 | 12.6 | 7.2 | 12.1 | 20.1 |
| MONTGOMERY | 12.5 | 9.3 | 14.5 | 5.8 | 12.2 | 18.3 |
| PRINCE GEORGE'S | 13.6 | 9.6 | 12.0 | 8.1 | 12.1 | 22.5 |
| SOUTHERN AREA | 11.5 | 10.9 | 11.7 | 5.5 | 12.0 | 16.8 |
| CALVERT | 9.9 | 10.1 | 8.8 | **** | 11.7 | 10.5 |
| CHARLES | 11.5 | 10.1 | 11.8 | **** | 10.4 | 21.1 |
| ST MARY'S | 12.7 | 12.2 | 13.6 | 17.4 | 14.8 | 14.0 |
| EASTERN SHORE AREA | 10.5 | 9.2 | 13.3 | 8.0 | 11.6 | 20.8 |
| CECIL | 10.8 | 10.4 | 12.5 | **** | 15.1 | 14.0 |
| KENT | 7.5 | 6.6 | 11.5 | **** | **** | 10.1 |
| QUEEN ANNE'S | 10.2 | 9.6 | 6.9 | **** | 11.1 | 30.0 |
| CAROLINE | 11.8 | 10.1 | 13.0 | **** | 16.7 | 27.2 |
| TALBOT | 8.9 | 6.9 | 9.3 | **** | 22.3 | 28.2 |
| DORCHESTER | 11.8 | 9.4 | 15.6 | **** | 14.4 | 20.6 |
| WICOMICO | 12.1 | 9.5 | 16.4 | 23.3 | 8.7 | 22.6 |
| SOMERSET | 10.2 | 9.8 | 10.3 | **** | **** | 15.1 |
| WORCESTER | 8.2 | 7.5 | 10.9 | **** | 6.3 | 13.1 |

*Per 1,000 population.

**Includes races categorized as 'unknown' or 'other'.

***Includes all persons of Hispanic origin of any race.

****Rates based on <5 events in the numerator are not presented since such rates are subject to instability.

TABLE 10. SELECTED NATALITY CHARACTERISTICS** BY MATERNAL RACE AND HISPANIC ORIGIN, MARYLAND, 2016.**

| CHARACTERISTIC | ALL BIRTHS* | NON-HISPANIC WHITE | NON-HISPANIC BLACK | NON-HISPANIC AMERICAN INDIAN | NON-HISPANIC ASIAN OR PACIFIC ISLANDER | HISPANIC** |
|---|-------------|--------------------|--------------------|------------------------------|--|------------|
| NUMBER OF BIRTHS..... | 73,073 | 31,832 | 23,449 | 134 | 5,450 | 11,866 |
| MATERNAL CHARACTERISTICS | | | | | | |
| PERCENTAGE OF BIRTHS TO MOTHERS <18 YEARS OF AGE..... | 1.2 | 0.6 | 1.6 | *** | *** | 2.2 |
| PERCENTAGE OF BIRTHS TO MOTHERS <20 YEARS OF AGE..... | 4.2 | 2.5 | 5.9 | 6.0 | 0.5 | 6.9 |
| PERCENTAGE OF BIRTHS TO WOMEN WITH <12 YEARS EDUCATION..... | 12.8 | 5.2 | 9.2 | 11.9 | 5.8 | 43.0 |
| PERCENTAGE OF BIRTHS TO UNMARRIED WOMEN..... | 39.5 | 24.2 | 60.8 | 53.0 | 6.8 | 53.5 |
| PERCENTAGE OF 4TH AND HIGHER ORDER BIRTHS..... | 10.8 | 8.6 | 12.8 | 15.7 | 4.6 | 15.6 |
| PERCENTAGE OF BIRTHS TO WOMEN WITH PRIOR LIVEBORN LOSS..... | 1.2 | 0.8 | 1.8 | *** | 0.8 | 1.4 |
| PREGNANCY CHARACTERISTICS | | | | | | |
| PERCENTAGE OF BIRTHS TO WOMEN WITH PRENATAL CARE | | | | | | |
| BEGINNING IN THE FIRST TRIMESTER***..... | 67.8 | 78.4 | 60.5 | 58.7 | 72.0 | 50.8 |
| PERCENTAGE OF BIRTHS TO WOMEN WITH LATE OR NO PRENATAL CARE***..... | 8.5 | 5.3 | 12.0 | 9.5 | 7.2 | 11.3 |
| PERCENTAGE OF PLURAL BIRTHS..... | 3.5 | 3.6 | 4.1 | 6.7 | 2.6 | 2.3 |
| PERCENTAGE OF DELIVERIES BY CESAREAN SECTION..... | 33.6 | 31.3 | 38.9 | 32.1 | 34.4 | 29.4 |
| BIRTH OUTCOMES | | | | | | |
| PERCENTAGE OF LOW BIRTH WEIGHT INFANTS (<2500 GRAMS)..... | 8.6 | 6.6 | 12.1 | 11.2 | 8.2 | 7.0 |
| PERCENTAGE OF VERY LOW BIRTH WEIGHT INFANTS (<1500 GRAMS)..... | 1.7 | 1.1 | 2.8 | *** | 1.2 | 1.2 |
| PERCENTAGE OF BIRTHS WITH GESTATIONAL AGE <37 WEEKS..... | 10.1 | 8.8 | 12.7 | 13.4 | 8.9 | 9.2 |
| INFANT MORTALITY RATE****..... | 6.5 | 4.3 | 10.6 | *** | 4.2 | 5.4 |
| NEONATAL MORTALITY RATE****..... | 4.7 | 2.9 | 7.5 | *** | 3.5 | 3.8 |
| POSTNEONATAL MORTALITY RATE****..... | 1.9 | 1.4 | 3.1 | *** | *** | 1.6 |

*Includes races categorized as 'unknown' or 'other'.

**Includes all persons of Hispanic origin of any race.

***Percentages exclude births for which information pertaining to this variable are unknown.

****Per 1,000 live births.

TABLE 11A. BIRTHS BY AGE, RACE AND HISPANIC ORIGIN OF MOTHER, REGION AND POLITICAL SUBDIVISION, MARYLAND, 2016.

| REGION AND POLITICAL SUBDIVISION | AGE OF MOTHER - ALL RACES | | | | | | | | | | | |
|----------------------------------|---------------------------|----------|-------|-------|--------|--------|--------|--------|-------|-------|-----------|------------|
| | ALL AGES | UNDER 15 | 15-17 | 18-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50 & OVER | NOT STATED |
| MARYLAND | 73,073 | 37 | 817 | 2,194 | 11,525 | 19,999 | 22,923 | 12,646 | 2,685 | 205 | 38 | 4 |
| NORTHWEST AREA | 5,449 | 2 | 78 | 191 | 1,033 | 1,624 | 1,617 | 758 | 137 | 8 | 1 | 0 |
| GARRETT | 311 | 0 | 7 | 12 | 106 | 91 | 71 | 21 | 3 | 0 | 0 | 0 |
| ALLEGANY | 619 | 0 | 14 | 37 | 189 | 193 | 125 | 52 | 9 | 0 | 0 | 0 |
| WASHINGTON | 1,688 | 1 | 37 | 75 | 402 | 512 | 413 | 211 | 33 | 3 | 1 | 0 |
| FREDERICK | 2,831 | 1 | 20 | 67 | 336 | 828 | 1,008 | 474 | 92 | 5 | 0 | 0 |
| BALTIMORE METRO AREA | 33,311 | 16 | 373 | 992 | 5,221 | 9,342 | 10,828 | 5,412 | 1,042 | 68 | 13 | 4 |
| BALTIMORE CITY | 8,526 | 10 | 204 | 404 | 2,015 | 2,411 | 2,192 | 1,084 | 192 | 11 | 2 | 1 |
| BALTIMORE COUNTY | 9,797 | 4 | 77 | 259 | 1,457 | 2,817 | 3,234 | 1,584 | 339 | 24 | 1 | 1 |
| ANNE ARUNDEL | 6,994 | 2 | 46 | 172 | 883 | 1,981 | 2,409 | 1,242 | 241 | 14 | 3 | 1 |
| CARROLL | 1,730 | 0 | 8 | 34 | 203 | 537 | 653 | 250 | 43 | 1 | 1 | 0 |
| HOWARD | 3,563 | 0 | 20 | 47 | 279 | 804 | 1,430 | 811 | 157 | 10 | 4 | 1 |
| HARFORD | 2,701 | 0 | 18 | 76 | 384 | 792 | 910 | 441 | 70 | 8 | 2 | 0 |
| NATIONAL CAPITAL AREA | 25,386 | 13 | 276 | 677 | 3,458 | 6,180 | 8,054 | 5,329 | 1,268 | 114 | 17 | 0 |
| MONTGOMERY | 13,066 | 6 | 89 | 261 | 1,240 | 2,743 | 4,673 | 3,214 | 755 | 69 | 16 | 0 |
| PRINCE GEORGE'S | 12,320 | 7 | 187 | 416 | 2,218 | 3,437 | 3,381 | 2,115 | 513 | 45 | 1 | 0 |
| SOUTHERN AREA | 4,149 | 3 | 32 | 114 | 734 | 1,324 | 1,233 | 582 | 113 | 9 | 5 | 0 |
| CALVERT | 907 | 1 | 6 | 18 | 135 | 290 | 289 | 140 | 26 | 2 | 0 | 0 |
| CHARLES | 1,817 | 1 | 13 | 51 | 349 | 542 | 517 | 280 | 55 | 5 | 4 | 0 |
| SAINT MARY'S | 1,425 | 1 | 13 | 45 | 250 | 492 | 427 | 162 | 32 | 2 | 1 | 0 |
| EASTERN SHORE AREA | 4,778 | 3 | 58 | 220 | 1,079 | 1,529 | 1,191 | 565 | 125 | 6 | 2 | 0 |
| CECIL | 1,107 | 0 | 11 | 56 | 253 | 360 | 274 | 124 | 28 | 0 | 1 | 0 |
| KENT | 148 | 0 | 0 | 5 | 33 | 49 | 41 | 15 | 5 | 0 | 0 | 0 |
| QUEEN ANNE'S | 499 | 0 | 1 | 21 | 62 | 172 | 150 | 82 | 11 | 0 | 0 | 0 |
| CAROLINE | 387 | 0 | 7 | 14 | 92 | 130 | 90 | 44 | 8 | 2 | 0 | 0 |
| TALBOT | 331 | 0 | 7 | 14 | 56 | 102 | 94 | 45 | 12 | 1 | 0 | 0 |
| DORCHESTER | 381 | 1 | 0 | 22 | 107 | 143 | 73 | 29 | 6 | 0 | 0 | 0 |
| WICOMICO | 1,240 | 2 | 22 | 59 | 312 | 381 | 290 | 139 | 33 | 2 | 0 | 0 |
| SOMERSET | 265 | 0 | 6 | 14 | 71 | 75 | 63 | 25 | 10 | 0 | 1 | 0 |
| WORCESTER | 420 | 0 | 4 | 15 | 93 | 117 | 116 | 62 | 12 | 1 | 0 | 0 |

TABLE 11B. BIRTHS BY AGE, RACE AND HISPANIC ORIGIN OF MOTHER, REGION AND POLITICAL SUBDIVISION, MARYLAND, 2016.

| REGION AND POLITICAL SUBDIVISION | AGE OF MOTHER - WHITE | | | | | | | | | | | |
|----------------------------------|-----------------------|----------|-------|-------|-------|--------|--------|-------|-------|-------|-----------|------------|
| | ALL AGES | UNDER 15 | 15-17 | 18-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50 & OVER | NOT STATED |
| MARYLAND | 42,781 | 20 | 420 | 1,114 | 5,914 | 11,757 | 14,437 | 7,545 | 1,447 | 103 | 23 | 1 |
| NORTHWEST AREA | 4,619 | 2 | 57 | 147 | 895 | 1,393 | 1,389 | 628 | 100 | 7 | 1 | 0 |
| GARRETT | 309 | 0 | 7 | 12 | 104 | 91 | 71 | 21 | 3 | 0 | 0 | 0 |
| ALLEGANY | 587 | 0 | 11 | 36 | 181 | 184 | 116 | 50 | 9 | 0 | 0 | 0 |
| WASHINGTON | 1,370 | 1 | 23 | 49 | 332 | 425 | 337 | 174 | 25 | 3 | 1 | 0 |
| FREDERICK | 2,353 | 1 | 16 | 50 | 278 | 693 | 865 | 383 | 63 | 4 | 0 | 0 |
| BALTIMORE METRO AREA | 19,408 | 6 | 148 | 417 | 2,279 | 5,399 | 7,094 | 3,412 | 607 | 38 | 7 | 1 |
| BALTIMORE CITY | 2,916 | 2 | 42 | 64 | 385 | 726 | 1,063 | 521 | 107 | 5 | 0 | 1 |
| BALTIMORE COUNTY | 5,614 | 2 | 44 | 132 | 721 | 1,580 | 1,991 | 956 | 172 | 15 | 1 | 0 |
| ANNE ARUNDEL | 5,207 | 2 | 31 | 115 | 590 | 1,512 | 1,853 | 929 | 164 | 9 | 2 | 0 |
| CARROLL | 1,616 | 0 | 8 | 30 | 187 | 514 | 610 | 228 | 38 | 1 | 0 | 0 |
| HOWARD | 1,981 | 0 | 10 | 31 | 136 | 456 | 828 | 436 | 78 | 3 | 3 | 0 |
| HARFORD | 2,074 | 0 | 13 | 45 | 260 | 611 | 749 | 342 | 48 | 5 | 1 | 0 |
| NATIONAL CAPITAL AREA | 12,426 | 6 | 158 | 354 | 1,612 | 2,862 | 4,100 | 2,690 | 585 | 48 | 11 | 0 |
| MONTGOMERY | 7,966 | 5 | 69 | 175 | 804 | 1,618 | 2,868 | 1,950 | 429 | 37 | 11 | 0 |
| PRINCE GEORGE'S | 4,460 | 1 | 89 | 179 | 808 | 1,244 | 1,232 | 740 | 156 | 11 | 0 | 0 |
| SOUTHERN AREA | 2,744 | 3 | 18 | 62 | 421 | 925 | 874 | 369 | 63 | 6 | 3 | 0 |
| CALVERT | 771 | 1 | 5 | 12 | 105 | 257 | 250 | 117 | 22 | 2 | 0 | 0 |
| CHARLES | 845 | 1 | 5 | 17 | 133 | 275 | 268 | 125 | 16 | 3 | 2 | 0 |
| SAINT MARY'S | 1,128 | 1 | 8 | 33 | 183 | 393 | 356 | 127 | 25 | 1 | 1 | 0 |
| EASTERN SHORE AREA | 3,584 | 3 | 39 | 134 | 707 | 1,178 | 980 | 446 | 92 | 4 | 1 | 0 |
| CECIL | 981 | 0 | 10 | 47 | 219 | 331 | 249 | 104 | 20 | 0 | 1 | 0 |
| KENT | 111 | 0 | 0 | 4 | 20 | 32 | 37 | 14 | 4 | 0 | 0 | 0 |
| QUEEN ANNE'S | 466 | 0 | 1 | 17 | 58 | 163 | 142 | 74 | 11 | 0 | 0 | 0 |
| CAROLINE | 315 | 0 | 6 | 9 | 68 | 111 | 74 | 39 | 6 | 2 | 0 | 0 |
| TALBOT | 268 | 0 | 6 | 10 | 43 | 81 | 79 | 38 | 11 | 0 | 0 | 0 |
| DORCHESTER | 225 | 1 | 0 | 7 | 58 | 84 | 50 | 21 | 4 | 0 | 0 | 0 |
| WICOMICO | 738 | 2 | 9 | 28 | 139 | 243 | 206 | 89 | 20 | 2 | 0 | 0 |
| SOMERSET | 144 | 0 | 5 | 6 | 35 | 40 | 38 | 13 | 7 | 0 | 0 | 0 |
| WORCESTER | 336 | 0 | 2 | 6 | 67 | 93 | 105 | 54 | 9 | 0 | 0 | 0 |

TABLE 11C. BIRTHS BY AGE, RACE AND HISPANIC ORIGIN OF MOTHER, REGION AND POLITICAL SUBDIVISION, MARYLAND, 2016.

| REGION AND POLITICAL SUBDIVISION | AGE OF MOTHER - NON-HISPANIC WHITE | | | | | | | | | | | |
|----------------------------------|------------------------------------|----------|-------|-------|-------|-------|--------|-------|-------|-------|-----------|------------|
| | ALL AGES | UNDER 15 | 15-17 | 18-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50 & OVER | NOT STATED |
| MARYLAND | 31,832 | 7 | 189 | 595 | 3,771 | 8,849 | 11,547 | 5,745 | 1,025 | 81 | 22 | 1 |
| NORTHWEST AREA | 4,149 | 2 | 46 | 130 | 796 | 1,276 | 1,259 | 544 | 89 | 6 | 1 | 0 |
| GARRETT | 307 | 0 | 7 | 12 | 104 | 90 | 70 | 21 | 3 | 0 | 0 | 0 |
| ALLEGANY | 580 | 0 | 11 | 36 | 177 | 182 | 115 | 50 | 9 | 0 | 0 | 0 |
| WASHINGTON | 1,275 | 1 | 20 | 44 | 304 | 402 | 320 | 157 | 23 | 3 | 1 | 0 |
| FREDERICK | 1,987 | 1 | 8 | 38 | 211 | 602 | 754 | 316 | 54 | 3 | 0 | 0 |
| BALTIMORE METRO AREA | 16,385 | 1 | 87 | 262 | 1,709 | 4,548 | 6,280 | 2,959 | 498 | 34 | 6 | 1 |
| BALTIMORE CITY | 2,205 | 1 | 16 | 28 | 225 | 556 | 873 | 411 | 90 | 4 | 0 | 1 |
| BALTIMORE COUNTY | 4,700 | 0 | 26 | 88 | 532 | 1,299 | 1,759 | 842 | 141 | 12 | 1 | 0 |
| ANNE ARUNDEL | 4,357 | 0 | 21 | 68 | 446 | 1,263 | 1,613 | 806 | 130 | 9 | 1 | 0 |
| CARROLL | 1,527 | 0 | 8 | 27 | 172 | 489 | 585 | 212 | 33 | 1 | 0 | 0 |
| HOWARD | 1,646 | 0 | 5 | 12 | 93 | 368 | 739 | 365 | 58 | 3 | 3 | 0 |
| HARFORD | 1,950 | 0 | 11 | 39 | 241 | 573 | 711 | 323 | 46 | 5 | 1 | 0 |
| NATIONAL CAPITAL AREA | 5,650 | 0 | 7 | 35 | 272 | 1,103 | 2,344 | 1,545 | 300 | 33 | 11 | 0 |
| MONTGOMERY | 4,476 | 0 | 2 | 22 | 156 | 763 | 1,941 | 1,301 | 251 | 29 | 11 | 0 |
| PRINCE GEORGE'S | 1,174 | 0 | 5 | 13 | 116 | 340 | 403 | 244 | 49 | 4 | 0 | 0 |
| SOUTHERN AREA | 2,475 | 1 | 17 | 58 | 370 | 844 | 798 | 319 | 61 | 4 | 3 | 0 |
| CALVERT | 737 | 0 | 5 | 12 | 97 | 248 | 241 | 111 | 21 | 2 | 0 | 0 |
| CHARLES | 684 | 0 | 4 | 14 | 108 | 224 | 221 | 93 | 16 | 2 | 2 | 0 |
| SAINT MARY'S | 1,054 | 1 | 8 | 32 | 165 | 372 | 336 | 115 | 24 | 0 | 1 | 0 |
| EASTERN SHORE AREA | 3,173 | 3 | 32 | 110 | 624 | 1,078 | 866 | 378 | 77 | 4 | 1 | 0 |
| CECIL | 926 | 0 | 10 | 44 | 209 | 317 | 233 | 93 | 19 | 0 | 1 | 0 |
| KENT | 102 | 0 | 0 | 4 | 20 | 29 | 34 | 12 | 3 | 0 | 0 | 0 |
| QUEEN ANNE'S | 414 | 0 | 1 | 15 | 48 | 147 | 128 | 66 | 9 | 0 | 0 | 0 |
| CAROLINE | 256 | 0 | 5 | 7 | 55 | 96 | 59 | 28 | 4 | 2 | 0 | 0 |
| TALBOT | 203 | 0 | 4 | 5 | 26 | 65 | 63 | 31 | 9 | 0 | 0 | 0 |
| DORCHESTER | 195 | 1 | 0 | 6 | 51 | 76 | 43 | 16 | 2 | 0 | 0 | 0 |
| WICOMICO | 631 | 2 | 5 | 18 | 117 | 222 | 174 | 74 | 17 | 2 | 0 | 0 |
| SOMERSET | 132 | 0 | 5 | 6 | 34 | 38 | 33 | 10 | 6 | 0 | 0 | 0 |
| WORCESTER | 314 | 0 | 2 | 5 | 64 | 88 | 99 | 48 | 8 | 0 | 0 | 0 |

TABLE 11D. BIRTHS BY AGE, RACE AND HISPANIC ORIGIN OF MOTHER, REGION AND POLITICAL SUBDIVISION, MARYLAND, 2016.

| REGION AND POLITICAL SUBDIVISION | AGE OF MOTHER - BLACK | | | | | | | | | | | |
|----------------------------------|-----------------------|----------|-------|-------|-------|-------|-------|-------|-------|-------|-----------|------------|
| | ALL AGES | UNDER 15 | 15-17 | 18-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50 & OVER | NOT STATED |
| MARYLAND | 24,131 | 17 | 382 | 1,019 | 5,169 | 6,752 | 6,051 | 3,730 | 920 | 78 | 10 | 3 |
| NORTHWEST AREA | 585 | 0 | 19 | 40 | 126 | 163 | 130 | 83 | 23 | 1 | 0 | 0 |
| GARRETT | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ALLEGANY | 19 | 0 | 3 | 1 | 7 | 7 | 1 | 0 | 0 | 0 | 0 | 0 |
| WASHINGTON | 252 | 0 | 12 | 24 | 68 | 63 | 52 | 27 | 6 | 0 | 0 | 0 |
| FREDERICK | 313 | 0 | 4 | 15 | 50 | 93 | 77 | 56 | 17 | 1 | 0 | 0 |
| BALTIMORE METRO AREA | 11,109 | 10 | 217 | 544 | 2,713 | 3,211 | 2,613 | 1,451 | 320 | 22 | 5 | 3 |
| BALTIMORE CITY | 5,250 | 8 | 160 | 334 | 1,596 | 1,584 | 989 | 499 | 73 | 5 | 2 | 0 |
| BALTIMORE COUNTY | 3,227 | 2 | 30 | 117 | 637 | 953 | 883 | 464 | 132 | 8 | 0 | 1 |
| ANNE ARUNDEL | 1,320 | 0 | 14 | 48 | 252 | 345 | 378 | 222 | 55 | 4 | 1 | 1 |
| CARROLL | 61 | 0 | 0 | 4 | 14 | 11 | 14 | 14 | 4 | 0 | 0 | 0 |
| HOWARD | 744 | 0 | 9 | 12 | 104 | 177 | 229 | 170 | 38 | 3 | 1 | 1 |
| HARFORD | 507 | 0 | 4 | 29 | 110 | 141 | 120 | 82 | 18 | 2 | 1 | 0 |
| NATIONAL CAPITAL AREA | 10,135 | 7 | 114 | 299 | 1,680 | 2,701 | 2,846 | 1,924 | 511 | 50 | 3 | 0 |
| MONTGOMERY | 2,946 | 1 | 20 | 73 | 344 | 704 | 910 | 686 | 187 | 18 | 3 | 0 |
| PRINCE GEORGE'S | 7,189 | 6 | 94 | 226 | 1,336 | 1,997 | 1,936 | 1,238 | 324 | 32 | 0 | 0 |
| SOUTHERN AREA | 1,230 | 0 | 13 | 51 | 296 | 355 | 287 | 180 | 43 | 3 | 2 | 0 |
| CALVERT | 109 | 0 | 1 | 6 | 28 | 29 | 27 | 15 | 3 | 0 | 0 | 0 |
| CHARLES | 889 | 0 | 8 | 33 | 208 | 244 | 215 | 142 | 35 | 2 | 2 | 0 |
| SAINT MARY'S | 232 | 0 | 4 | 12 | 60 | 82 | 45 | 23 | 5 | 1 | 0 | 0 |
| EASTERN SHORE AREA | 1,072 | 0 | 19 | 85 | 354 | 322 | 175 | 92 | 23 | 2 | 0 | 0 |
| CECIL | 98 | 0 | 1 | 9 | 29 | 24 | 19 | 11 | 5 | 0 | 0 | 0 |
| KENT | 35 | 0 | 0 | 1 | 12 | 16 | 4 | 1 | 1 | 0 | 0 | 0 |
| QUEEN ANNE'S | 24 | 0 | 0 | 4 | 4 | 7 | 4 | 5 | 0 | 0 | 0 | 0 |
| CAROLINE | 64 | 0 | 1 | 5 | 22 | 18 | 11 | 5 | 2 | 0 | 0 | 0 |
| TALBOT | 47 | 0 | 1 | 4 | 11 | 16 | 9 | 4 | 1 | 1 | 0 | 0 |
| DORCHESTER | 150 | 0 | 0 | 15 | 48 | 58 | 22 | 6 | 1 | 0 | 0 | 0 |
| WICOMICO | 460 | 0 | 13 | 30 | 168 | 126 | 72 | 43 | 8 | 0 | 0 | 0 |
| SOMERSET | 116 | 0 | 1 | 8 | 36 | 34 | 24 | 10 | 3 | 0 | 0 | 0 |
| WORCESTER | 78 | 0 | 2 | 9 | 24 | 23 | 10 | 7 | 2 | 1 | 0 | 0 |

TABLE 11E. BIRTHS BY AGE, RACE AND HISPANIC ORIGIN OF MOTHER, REGION AND POLITICAL SUBDIVISION, MARYLAND, 2016.

| REGION AND POLITICAL SUBDIVISION | AGE OF MOTHER - NON-HISPANIC BLACK | | | | | | | | | | | |
|----------------------------------|------------------------------------|----------|-------|-------|-------|-------|-------|-------|-------|-------|-----------|------------|
| | ALL AGES | UNDER 15 | 15-17 | 18-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50 & OVER | NOT STATED |
| MARYLAND | 23,449 | 16 | 369 | 995 | 4,981 | 6,542 | 5,906 | 3,653 | 896 | 78 | 10 | 3 |
| NORTHWEST AREA | 554 | 0 | 19 | 38 | 116 | 150 | 126 | 83 | 21 | 1 | 0 | 0 |
| GARRETT | 1 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ALLEGANY | 19 | 0 | 3 | 1 | 7 | 7 | 1 | 0 | 0 | 0 | 0 | 0 |
| WASHINGTON | 241 | 0 | 12 | 24 | 65 | 58 | 49 | 27 | 6 | 0 | 0 | 0 |
| FREDERICK | 293 | 0 | 4 | 13 | 43 | 85 | 76 | 56 | 15 | 1 | 0 | 0 |
| BALTIMORE METRO AREA | 10,868 | 10 | 215 | 537 | 2,642 | 3,142 | 2,561 | 1,417 | 314 | 22 | 5 | 3 |
| BALTIMORE CITY | 5,152 | 8 | 158 | 333 | 1,562 | 1,558 | 971 | 485 | 70 | 5 | 2 | 0 |
| BALTIMORE COUNTY | 3,163 | 2 | 30 | 115 | 619 | 934 | 868 | 455 | 131 | 8 | 0 | 1 |
| ANNE ARUNDEL | 1,291 | 0 | 14 | 47 | 244 | 334 | 372 | 219 | 55 | 4 | 1 | 1 |
| CARROLL | 57 | 0 | 0 | 4 | 12 | 11 | 14 | 13 | 3 | 0 | 0 | 0 |
| HOWARD | 719 | 0 | 9 | 10 | 99 | 174 | 219 | 166 | 37 | 3 | 1 | 1 |
| HARFORD | 486 | 0 | 4 | 28 | 106 | 131 | 117 | 79 | 18 | 2 | 1 | 0 |
| NATIONAL CAPITAL AREA | 9,770 | 6 | 103 | 286 | 1,590 | 2,592 | 2,762 | 1,883 | 495 | 50 | 3 | 0 |
| MONTGOMERY | 2,841 | 1 | 19 | 72 | 314 | 667 | 889 | 677 | 181 | 18 | 3 | 0 |
| PRINCE GEORGE'S | 6,929 | 5 | 84 | 214 | 1,276 | 1,925 | 1,873 | 1,206 | 314 | 32 | 0 | 0 |
| SOUTHERN AREA | 1,211 | 0 | 13 | 50 | 289 | 348 | 285 | 178 | 43 | 3 | 2 | 0 |
| CALVERT | 108 | 0 | 1 | 6 | 28 | 29 | 26 | 15 | 3 | 0 | 0 | 0 |
| CHARLES | 872 | 0 | 8 | 32 | 201 | 238 | 214 | 140 | 35 | 2 | 2 | 0 |
| SAINT MARY'S | 231 | 0 | 4 | 12 | 60 | 81 | 45 | 23 | 5 | 1 | 0 | 0 |
| EASTERN SHORE AREA | 1,046 | 0 | 19 | 84 | 344 | 310 | 172 | 92 | 23 | 2 | 0 | 0 |
| CECIL | 93 | 0 | 1 | 9 | 28 | 20 | 19 | 11 | 5 | 0 | 0 | 0 |
| KENT | 35 | 0 | 0 | 1 | 12 | 16 | 4 | 1 | 1 | 0 | 0 | 0 |
| QUEEN ANNE'S | 23 | 0 | 0 | 4 | 4 | 6 | 4 | 5 | 0 | 0 | 0 | 0 |
| CAROLINE | 62 | 0 | 1 | 4 | 22 | 18 | 10 | 5 | 2 | 0 | 0 | 0 |
| TALBOT | 45 | 0 | 1 | 4 | 10 | 15 | 9 | 4 | 1 | 1 | 0 | 0 |
| DORCHESTER | 145 | 0 | 0 | 15 | 47 | 54 | 22 | 6 | 1 | 0 | 0 | 0 |
| WICOMICO | 452 | 0 | 13 | 30 | 163 | 124 | 71 | 43 | 8 | 0 | 0 | 0 |
| SOMERSET | 114 | 0 | 1 | 8 | 35 | 34 | 23 | 10 | 3 | 0 | 0 | 0 |
| WORCESTER | 77 | 0 | 2 | 9 | 23 | 23 | 10 | 7 | 2 | 1 | 0 | 0 |

TABLE 11F. BIRTHS BY AGE, RACE AND HISPANIC ORIGIN OF MOTHER, REGION AND POLITICAL SUBDIVISION, MARYLAND, 2016.

| REGION AND POLITICAL SUBDIVISION | HISPANIC* | | | | | | | | | | | |
|----------------------------------|-----------|----------|-------|-------|-------|-------|-------|-------|-------|-------|-----------|------------|
| | ALL AGES | UNDER 15 | 15-17 | 18-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 | 50 & OVER | NOT STATED |
| MARYLAND | 11,866 | 14 | 248 | 559 | 2,376 | 3,187 | 3,095 | 1,911 | 453 | 22 | 1 | 0 |
| NORTHWEST AREA | 513 | 0 | 11 | 21 | 111 | 135 | 137 | 84 | 13 | 1 | 0 | 0 |
| GARRETT | 2 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 |
| ALLEGANY | 7 | 0 | 0 | 0 | 4 | 2 | 1 | 0 | 0 | 0 | 0 | 0 |
| WASHINGTON | 109 | 0 | 3 | 5 | 31 | 31 | 20 | 17 | 2 | 0 | 0 | 0 |
| FREDERICK | 395 | 0 | 8 | 16 | 76 | 101 | 115 | 67 | 11 | 1 | 0 | 0 |
| BALTIMORE METRO AREA | 3,341 | 5 | 65 | 165 | 652 | 943 | 889 | 499 | 118 | 4 | 1 | 0 |
| BALTIMORE CITY | 826 | 1 | 28 | 38 | 195 | 200 | 217 | 126 | 20 | 1 | 0 | 0 |
| BALTIMORE COUNTY | 1,005 | 2 | 19 | 46 | 211 | 312 | 253 | 126 | 33 | 3 | 0 | 0 |
| ANNE ARUNDEL | 896 | 2 | 11 | 49 | 155 | 264 | 249 | 131 | 34 | 0 | 1 | 0 |
| CARROLL | 96 | 0 | 0 | 3 | 17 | 26 | 27 | 17 | 6 | 0 | 0 | 0 |
| HOWARD | 372 | 0 | 5 | 22 | 51 | 93 | 102 | 76 | 23 | 0 | 0 | 0 |
| HARFORD | 146 | 0 | 2 | 7 | 23 | 48 | 41 | 23 | 2 | 0 | 0 | 0 |
| NATIONAL CAPITAL AREA | 7,265 | 7 | 163 | 343 | 1,457 | 1,899 | 1,870 | 1,206 | 305 | 15 | 0 | 0 |
| MONTGOMERY | 3,643 | 5 | 68 | 159 | 687 | 905 | 962 | 664 | 185 | 8 | 0 | 0 |
| PRINCE GEORGE'S | 3,622 | 2 | 95 | 184 | 770 | 994 | 908 | 542 | 120 | 7 | 0 | 0 |
| SOUTHERN AREA | 299 | 2 | 2 | 5 | 59 | 94 | 80 | 53 | 2 | 2 | 0 | 0 |
| CALVERT | 36 | 1 | 0 | 0 | 8 | 9 | 10 | 7 | 1 | 0 | 0 | 0 |
| CHARLES | 184 | 1 | 1 | 4 | 33 | 60 | 50 | 34 | 0 | 1 | 0 | 0 |
| SAINT MARY'S | 79 | 0 | 1 | 1 | 18 | 25 | 20 | 12 | 1 | 1 | 0 | 0 |
| EASTERN SHORE AREA | 448 | 0 | 7 | 25 | 97 | 116 | 119 | 69 | 15 | 0 | 0 | 0 |
| CECIL | 62 | 0 | 0 | 3 | 12 | 18 | 16 | 12 | 1 | 0 | 0 | 0 |
| KENT | 9 | 0 | 0 | 0 | 0 | 3 | 3 | 2 | 1 | 0 | 0 | 0 |
| QUEEN ANNE'S | 53 | 0 | 0 | 2 | 10 | 17 | 14 | 8 | 2 | 0 | 0 | 0 |
| CAROLINE | 64 | 0 | 1 | 3 | 15 | 15 | 17 | 11 | 2 | 0 | 0 | 0 |
| TALBOT | 69 | 0 | 2 | 5 | 18 | 19 | 16 | 7 | 2 | 0 | 0 | 0 |
| DORCHESTER | 35 | 0 | 0 | 1 | 8 | 12 | 7 | 5 | 2 | 0 | 0 | 0 |
| WICOMICO | 119 | 0 | 4 | 10 | 28 | 25 | 34 | 15 | 3 | 0 | 0 | 0 |
| SOMERSET | 14 | 0 | 0 | 0 | 2 | 2 | 6 | 3 | 1 | 0 | 0 | 0 |
| WORCESTER | 23 | 0 | 0 | 1 | 4 | 5 | 6 | 6 | 1 | 0 | 0 | 0 |

*Includes all births to mothers of Hispanic origin of any race.

TABLE 11G. GENERAL FERTILITY RATES*AND BIRTH RATESBY AGE OF MOTHER, RACE OF MOTHER, REGION AND POLITICAL SUBDIVISION, MARYLAND, 2016.**

| REGION AND POLITICAL SUBDIVISION | GENERAL FERTILITY RATE | AGE OF MOTHER - ALL RACES*** | | | | | | | | | |
|----------------------------------|------------------------|------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | UNDER 15 | 15-19 | | | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 |
| | | | TOTAL | 15-17 | 18-19 | | | | | | |
| MARYLAND | 61.2 | 0.1 | 15.9 | 7.2 | 29.0 | 59.7 | 95.1 | 109.0 | 63.2 | 14.1 | 1.0 |
| NORTHWEST AREA | 60.1 | **** | 16.8 | 7.9 | 30.9 | 67.9 | 111.7 | 108.5 | 51.1 | 9.0 | 0.5 |
| GARRETT | 63.5 | **** | 25.2 | 14.2 | 45.8 | 121.0 | 110.8 | 97.1 | 25.7 | **** | **** |
| ALLEGANY | 49.0 | **** | 21.0 | 13.0 | 27.3 | 63.7 | 102.9 | 71.3 | 29.7 | 5 | **** |
| WASHINGTON | 65.3 | **** | 25.8 | 12.6 | 53.1 | 102.8 | 111.1 | 95.9 | 48.8 | 8 | **** |
| FREDERICK | 59.9 | **** | 10.2 | 3.7 | 21.3 | 45.1 | 114.5 | 124.3 | 59.7 | 11.4 | 0.5 |
| BALTIMORE METRO AREA | 60.0 | 0.1 | 16.1 | 7.3 | 29.2 | 59.2 | 89.5 | 106.6 | 59.1 | 12.3 | 0.7 |
| BALTIMORE CITY | 59.9 | 0.2 | 32.6 | 20.6 | 46.4 | 85.6 | 72.5 | 78.1 | 50.5 | 11.0 | 0.6 |
| BALTIMORE COUNTY | 59.2 | **** | 12.7 | 5.1 | 22.7 | 55.4 | 92.0 | 108.9 | 58.8 | 13.2 | 0.9 |
| ANNE ARUNDEL | 63.5 | **** | 13.4 | 4.4 | 30.1 | 52.5 | 101.6 | 117.1 | 64.6 | 13.6 | 0.7 |
| CARROLL | 59.5 | **** | 7.5 | 2.3 | 16.5 | 40.6 | 121.6 | 140.3 | 54.5 | 8.9 | **** |
| HOWARD | 57.3 | **** | 6.5 | 2.9 | 13.6 | 30.9 | 88.9 | 134.7 | 69.8 | 13.7 | 0.8 |
| HARFORD | 58.3 | **** | 12.1 | 3.5 | 28.4 | 51.7 | 104.7 | 113.6 | 56.8 | 9.0 | 0.9 |
| NATIONAL CAPITAL AREA | 64.4 | 0.1 | 15.8 | 7.6 | 28.1 | 55.8 | 93.0 | 115.7 | 76.4 | 19.1 | 1.6 |
| MONTGOMERY | 64.0 | 0.1 | 11.2 | 4.4 | 24.2 | 41.1 | 84.7 | 128.4 | 85.5 | 20.8 | 1.8 |
| PRINCE GEORGE'S | 64.7 | 0.1 | 20.7 | 11.7 | 31.4 | 69.7 | 100.9 | 101.8 | 65.8 | 17.1 | 1.4 |
| SOUTHERN AREA | 58.8 | **** | 11.6 | 4.0 | 25.4 | 64.5 | 115.2 | 104.5 | 50.7 | 9.5 | 0.6 |
| CALVERT | 55.5 | **** | 7.6 | 2.8 | 17.0 | 52.4 | 116.0 | 109.6 | 52.0 | 9.4 | **** |
| CHARLES | 56.9 | **** | 11.8 | 3.7 | 27.1 | 68.5 | 105.1 | 99.5 | 52.4 | 9.6 | 0.7 |
| ST MARY'S | 63.9 | **** | 14.7 | 5.4 | 29.1 | 67.2 | 128.1 | 107.6 | 47.0 | 9.5 | **** |
| EASTERN SHORE AREA | 58.1 | **** | 18.2 | 6.9 | 31.9 | 66.7 | 113.3 | 95.7 | 45.8 | 10.0 | 0.4 |
| CECIL | 58.5 | **** | 20.5 | 5.0 | 52.1 | 82.0 | 110.7 | 91.1 | 39.3 | 8.8 | **** |
| KENT | 43.7 | **** | 6.9 | **** | 10.8 | 41.9 | 90.4 | 84.9 | 35.5 | 11.7 | **** |
| QUEEN ANNE'S | 62.9 | **** | 14.8 | **** | 44.6 | 50.4 | 136.6 | 119.5 | 65.1 | 7.6 | **** |
| CAROLINE | 65.3 | **** | 21.2 | 10.6 | 42.7 | 102.3 | 124.9 | 90.2 | 43.0 | 8.2 | **** |
| TALBOT | 60.3 | **** | 22.9 | 11.3 | 46.4 | 61.5 | 109.6 | 103.9 | 52.2 | 12.5 | **** |
| DORCHESTER | 69.2 | **** | 27.4 | **** | 77.5 | 118.2 | 133.5 | 73.7 | 33.6 | 6.9 | **** |
| WICOMICO | 55.0 | **** | 16.9 | 11.4 | 20.5 | 55.7 | 114.0 | 97.7 | 46.1 | 11.7 | **** |
| SOMERSET | 53.9 | **** | 19.4 | 16.3 | 21.2 | 47.9 | 108.5 | 101.6 | 44.9 | 18.7 | **** |
| WORCESTER | 55.6 | **** | 14.9 | **** | 35.0 | 73.3 | 85.7 | 95.4 | 52.8 | 9.6 | **** |

*Total births per 1,000 women ages 15-44.

**Live births per 1,000 women in specified age group.

***Includes races categorized as 'unknown' or 'other'.

****Rates based on <5 events in the numerator are not presented since such rates are subject to instability.

TABLE 11H. GENERAL FERTILITY RATES* AND BIRTH RATES BY AGE OF MOTHER, RACE OF MOTHER, REGION AND POLITICAL SUBDIVISION, MARYLAND, 2016.**

| REGION AND POLITICAL SUBDIVISION | GENERAL FERTILITY RATE | AGE OF MOTHER - WHITE | | | | | | | | | |
|----------------------------------|------------------------|-----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | UNDER 15 | 15-19 | | | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 |
| | | | TOTAL | 15-17 | 18-19 | | | | | | |
| MARYLAND | 64.0 | 0.1 | 14.2 | 6.5 | 25.6 | 54.6 | 100.4 | 121.5 | 68.1 | 13.7 | 0.8 |
| NORTHWEST AREA | 60.4 | *** | 15.5 | 7.0 | 29.5 | 69.6 | 113.0 | 109.4 | 50.3 | 7.8 | 0.5 |
| GARRETT | 64.8 | *** | 26.1 | 14.7 | 47.4 | 123.7 | 115.6 | 99.0 | 26.2 | *** | *** |
| ALLEGANY | 51.6 | *** | 22.9 | 10.8 | 34.9 | 69.5 | 111.1 | 69.8 | 30.5 | 5.1 | *** |
| WASHINGTON | 62.5 | *** | 20.1 | 9.5 | 42.0 | 101.6 | 109.3 | 90.8 | 47.0 | 6.6 | *** |
| FREDERICK | 61.4 | *** | 9.7 | 3.7 | 19.8 | 45.2 | 115.5 | 130.9 | 60.5 | 9.8 | *** |
| BALTIMORE METRO AREA | 60.8 | 0.0 | 11.6 | 5.1 | 21.2 | 45.4 | 89.6 | 119.1 | 65.5 | 12.5 | 0.7 |
| BALTIMORE CITY | 60.6 | *** | 24.0 | 24.7 | 23.5 | 57.1 | 55.5 | 94.6 | 71.5 | 19.9 | 1.0 |
| BALTIMORE COUNTY | 59.8 | *** | 11.7 | 5.3 | 19.4 | 47.3 | 89.8 | 117.8 | 63.8 | 12.2 | 0.9 |
| ANNE ARUNDEL | 64.8 | *** | 12.2 | 4.0 | 27.6 | 47.6 | 105.3 | 123.4 | 67.5 | 12.7 | 0.6 |
| CARROLL | 59.9 | *** | 7.4 | 2.4 | 16.0 | 40.2 | 124.5 | 141.9 | 53.8 | 8.5 | *** |
| HOWARD | 58.9 | *** | 6.9 | 2.5 | 15.4 | 25.2 | 89.0 | 144.1 | 75.9 | 13.7 | *** |
| HARFORD | 57.3 | *** | 9.7 | 3.4 | 21.4 | 45.0 | 102.7 | 117.8 | 56.0 | 8.0 | 0.7 |
| NATIONAL CAPITAL AREA | 74.7 | 0.1 | 19.0 | 9.9 | 31.9 | 61.1 | 106.4 | 140.3 | 91.1 | 21.4 | 1.6 |
| MONTGOMERY | 67.8 | 0.1 | 12.9 | 5.6 | 26.8 | 43.9 | 89.5 | 139.4 | 92.2 | 21.0 | 1.6 |
| PRINCE GEORGE'S | 91.2 | *** | 33.2 | 25.4 | 39.3 | 100.2 | 141.0 | 142.5 | 88.4 | 22.4 | 1.7 |
| SOUTHERN AREA | 62.1 | *** | 10.3 | 3.6 | 22.1 | 59.5 | 123.9 | 113.4 | 51.6 | 8.9 | 0.7 |
| CALVERT | 57.3 | *** | 6.5 | 2.9 | 14.1 | 49.7 | 126.1 | 113.4 | 52.4 | 9.7 | *** |
| CHARLES | 64.4 | *** | 10.9 | 3.8 | 23.6 | 63.6 | 112.3 | 115.5 | 58.2 | 7.7 | *** |
| ST MARY'S | 63.9 | *** | 13.1 | 4.2 | 26.7 | 63.7 | 131.9 | 111.8 | 45.9 | 9.3 | *** |
| EASTERN SHORE AREA | 57.1 | *** | 15.0 | 6.0 | 26.6 | 59.8 | 115.2 | 101.2 | 46.8 | 9.2 | *** |
| CECIL | 58.4 | *** | 19.9 | 5.1 | 51.5 | 80.9 | 112.2 | 93.8 | 37.3 | 7.0 | *** |
| KENT | 40.2 | *** | *** | *** | *** | 31.0 | 78.0 | 94.6 | 42.6 | *** | *** |
| QUEEN ANNE'S | 64.8 | *** | 13.4 | *** | 40.5 | 52.5 | 146.2 | 123.7 | 64.3 | 8.2 | *** |
| CAROLINE | 65.1 | *** | 19.4 | 11.4 | 36.6 | 92.5 | 127.4 | 91.4 | 46.5 | 7.4 | *** |
| TALBOT | 60.5 | *** | 21.7 | 11.9 | 42.9 | 60.1 | 110.7 | 108.4 | 53.5 | 13.7 | *** |
| DORCHESTER | 63.3 | *** | 13.8 | *** | 43.2 | 101.6 | 126.1 | 77.3 | 36.7 | *** | *** |
| WICOMICO | 49.4 | *** | 11.1 | 7.8 | 12.8 | 35.4 | 120.3 | 105.6 | 47.3 | 10.9 | *** |
| SOMERSET | 66.6 | *** | 31.3 | 23.7 | 42.6 | 83.5 | 117.0 | 105.0 | 38.8 | 19.9 | *** |
| WORCESTER | 55.6 | *** | 8.3 | 0 | 18.5 | 66.8 | 82.9 | 106.2 | 57.9 | 8.8 | *** |

*Total births per 1,000 women ages 15-44.

**Live births per 1,000 women in specified age group.

***Rates based on <5 events in the numerator are not presented since such rates are subject to instability.

TABLE 11I. GENERAL FERTILITY RATES*AND BIRTH RATESBY AGE OF MOTHER, RACE OF MOTHER, REGION AND POLITICAL SUBDIVISION, MARYLAND, 2016.**

| REGION AND POLITICAL SUBDIVISION | GENERAL FERTILITY RATE | AGE OF MOTHER - NON-HISPANIC WHITE | | | | | | | | | |
|----------------------------------|------------------------|------------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | UNDER 15 | 15-19 | | | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 |
| | | | TOTAL | 15-17 | 18-19 | | | | | | |
| MARYLAND | 56.6 | 0.0 | 8.6 | 3.5 | 16.1 | 41.2 | 88.4 | 115.7 | 63.0 | 11.6 | 0.7 |
| NORTHWEST AREA | 58.9 | *** | 14.6 | 6.1 | 28.8 | 66.6 | 111.4 | 108.2 | 47.4 | 7.5 | 0.4 |
| GARRETT | 65.7 | *** | 26.2 | 14.8 | 47.8 | 125.8 | 115.7 | 99.4 | 26.5 | *** | *** |
| ALLEGANY | 51.9 | *** | 23.4 | 11.0 | 35.8 | 69.2 | 111.5 | 70.6 | 30.9 | 5.2 | *** |
| WASHINGTON | 61.7 | *** | 19.1 | 8.8 | 40.4 | 99.0 | 108.9 | 91.7 | 45.1 | 6.5 | *** |
| FREDERICK | 58.6 | *** | 7.7 | 2.1 | 17.5 | 38.4 | 112.5 | 129.7 | 56.7 | 9.4 | *** |
| BALTIMORE METRO AREA | 56.4 | *** | 7.9 | 3.3 | 14.6 | 37.5 | 82.0 | 116.0 | 63.0 | 11.3 | 0.6 |
| BALTIMORE CITY | 51.4 | *** | 11.6 | 11.6 | 11.6 | 38.4 | 46.5 | 85.6 | 64.8 | 19.2 | *** |
| BALTIMORE COUNTY | 54.6 | *** | 8.2 | 3.4 | 14.0 | 38.2 | 79.5 | 114.1 | 61.8 | 10.9 | 0.8 |
| ANNE ARUNDEL | 60.6 | *** | 8.3 | 3.0 | 18.3 | 40.6 | 97.4 | 120.9 | 65.9 | 11.2 | 0.6 |
| CARROLL | 59.0 | *** | 7.1 | 2.5 | 15.0 | 38.6 | 122.8 | 142.6 | 52.2 | 7.6 | *** |
| HOWARD | 55.3 | *** | 3.2 | 1.4 | 6.7 | 19.4 | 80.7 | 145.6 | 73.7 | 11.5 | *** |
| HARFORD | 57.1 | *** | 9.0 | 3.0 | 20.1 | 43.8 | 100.7 | 118.9 | 56.3 | 8.1 | 0.7 |
| NATIONAL CAPITAL AREA | 55.6 | *** | 2.5 | 0.7 | 4.9 | 16.7 | 66.6 | 131.1 | 88.8 | 18.2 | 1.6 |
| MONTGOMERY | 56.5 | *** | 1.8 | *** | 5.2 | 12.8 | 62.7 | 138.8 | 91.8 | 18.3 | 1.7 |
| PRINCE GEORGE'S | 52.7 | *** | 4.5 | 4.8 | 4.4 | 28.6 | 77.4 | 103.4 | 75.5 | 17.9 | *** |
| SOUTHERN AREA | 60.5 | *** | 10.4 | 3.7 | 22.5 | 56.7 | 122.1 | 111.9 | 48.8 | 9.2 | *** |
| CALVERT | 57.8 | *** | 7.0 | 3.0 | 15.2 | 48.8 | 128.2 | 114.9 | 52.3 | 9.7 | *** |
| CHARLES | 58.9 | *** | 10.0 | *** | 22.2 | 59.1 | 102.8 | 108.2 | 50.3 | 8.5 | *** |
| ST MARY'S | 63.5 | *** | 13.5 | 4.4 | 27.7 | 61.0 | 132.8 | 112.4 | 44.9 | 9.4 | *** |
| EASTERN SHORE AREA | 53.9 | *** | 13.1 | 5.3 | 23.1 | 55.7 | 112.0 | 96.0 | 42.6 | 8.2 | *** |
| CECIL | 58.0 | *** | 20.0 | 5.4 | 51.8 | 81.8 | 112.2 | 92.0 | 35.1 | 7.0 | *** |
| KENT | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** |
| QUEEN ANNE'S | 60.1 | *** | 12.5 | *** | 38.1 | 44.9 | 136.6 | 117.3 | 59.8 | 7.1 | *** |
| CAROLINE | 57.0 | *** | 16.9 | 10.3 | 31.1 | 82.3 | 118.8 | 77.1 | 35.7 | *** | *** |
| TALBOT | 50.8 | *** | 13.2 | *** | 23.1 | 39.3 | 98.6 | 97.4 | 51.4 | 12.2 | *** |
| DORCHESTER | 61.4 | *** | 13.2 | *** | 40.8 | 100.0 | 125.6 | 74.1 | 31.7 | *** | *** |
| WICOMICO | 44.9 | *** | 7.3 | *** | 8.6 | 31.0 | 119.3 | 97.4 | 42.2 | 9.8 | *** |
| SOMERSET | 66.1 | *** | 35.3 | 26.5 | 48.8 | 87.6 | 122.6 | 97.1 | 32.4 | 17.8 | *** |
| WORCESTER | 54.8 | *** | 7.6 | *** | 16.3 | 66.9 | 81.6 | 106.7 | 55.1 | 8.2 | *** |

*Total births per 1,000 women ages 15-44.

**Live births per 1,000 women in specified age group.

***Rates based on <5 events in the numerator are not presented since such rates are subject to instability.

TABLE 11J. GENERAL FERTILITY RATES*AND BIRTH RATESBY AGE OF MOTHER, RACE OF MOTHER, REGION AND POLITICAL SUBDIVISION, MARYLAND, 2016.**

| REGION AND POLITICAL SUBDIVISION | GENERAL FERTILITY RATE | AGE OF MOTHER - BLACK | | | | | | | | | |
|----------------------------------|------------------------|-----------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | UNDER 15 | 15-19 | | | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 |
| | | | TOTAL | 15-17 | 18-19 | | | | | | |
| MARYLAND | 57.8 | 0.1 | 21.0 | 9.4 | 38.8 | 73.6 | 90.2 | 84.8 | 54.1 | 14.2 | 1.1 |
| NORTHWEST AREA | 61.3 | *** | 28.0 | 16.5 | 42.0 | 73.6 | 106.0 | 98.0 | 56.7 | 16.4 | *** |
| GARRETT | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** |
| ALLEGANY | 20.7 | *** | *** | *** | *** | 25.1 | 40.5 | *** | *** | *** | *** |
| WASHINGTON | 80.8 | *** | 55.0 | 27.0 | 114.3 | 125.9 | 109.2 | 117.1 | 59.0 | 13.5 | *** |
| FREDERICK | 57.5 | *** | 17.4 | *** | 34.2 | 57.4 | 120.8 | 91.2 | 59.0 | 18.6 | *** |
| BALTIMORE METRO AREA | 58.1 | 0.1 | 25.0 | 11.7 | 45.5 | 84.7 | 89.0 | 78.5 | 46.7 | 11.3 | 0.7 |
| BALTIMORE CITY | 60.1 | 0.2 | 36.7 | 20.1 | 60.8 | 101.8 | 86.2 | 64.7 | 37.7 | 6.4 | 0.4 |
| BALTIMORE COUNTY | 56.1 | *** | 15.7 | 5.3 | 31.0 | 69.0 | 92.0 | 87.7 | 48.7 | 14.8 | 0.8 |
| ANNE ARUNDEL | 58.2 | *** | 18.2 | 6.4 | 39.8 | 73.8 | 91.1 | 90.6 | 53.5 | 14.7 | *** |
| CARROLL | 51.7 | *** | 0 | 0 | *** | 66.7 | 61.5 | 74.1 | 85.9 | *** | *** |
| HOWARD | 51.7 | *** | 8.3 | 5.4 | 13.7 | 49.1 | 86.8 | 99.8 | 63.1 | 14.0 | *** |
| HARFORD | 63.1 | *** | 23.0 | *** | 60.9 | 79.1 | 107.8 | 95.0 | 64.5 | 13.2 | *** |
| NATIONAL CAPITAL AREA | 57.4 | 0.1 | 15.5 | 7.0 | 29.2 | 58.2 | 87.4 | 92.3 | 63.6 | 17.6 | 1.5 |
| MONTGOMERY | 61.1 | *** | 12.4 | 4.1 | 27.3 | 48.0 | 86.6 | 104.5 | 79.1 | 23.3 | 2.1 |
| PRINCE GEORGE'S | 56.0 | 0.1 | 16.7 | 8.1 | 29.9 | 61.6 | 87.6 | 87.4 | 57.4 | 15.4 | 1.3 |
| SOUTHERN AREA | 53.3 | *** | 14.9 | 4.6 | 34.0 | 77.8 | 100.1 | 80.8 | 48.4 | 10.4 | *** |
| CALVERT | 46.4 | *** | 14.6 | *** | 33.9 | 70.5 | 74.9 | 78.7 | 42.1 | *** | *** |
| CHARLES | 52.1 | *** | 13.0 | 3.8 | 30.9 | 75.7 | 99.6 | 83.1 | 49.8 | 10.7 | *** |
| ST MARY'S | 63.4 | *** | 23.5 | *** | 47.2 | 90.9 | 116.0 | 72.6 | 44.8 | 10.5 | *** |
| EASTERN SHORE AREA | 64.0 | *** | 31.2 | 11.1 | 52.4 | 93.9 | 113.6 | 74.0 | 38.3 | 11.2 | *** |
| CECIL | 60.5 | *** | 32.7 | *** | 73.2 | 94.5 | 108.1 | 74.8 | 38.2 | 20.6 | *** |
| KENT | 64.1 | *** | *** | *** | *** | 103.4 | 132.2 | *** | *** | *** | *** |
| QUEEN ANNE'S | 46.4 | *** | *** | *** | *** | *** | 64.8 | *** | 63.3 | *** | *** |
| CAROLINE | 69.0 | *** | 31.9 | *** | 71.4 | 149.7 | 124.1 | 72.8 | 31.4 | *** | *** |
| TALBOT | 53.9 | *** | 34.0 | *** | *** | 69.6 | 92.5 | 61.6 | *** | *** | *** |
| DORCHESTER | 82.2 | *** | 52.3 | *** | 127.1 | 150.9 | 151.4 | 69.0 | 22.5 | *** | *** |
| WICOMICO | 71.1 | *** | 33.3 | 18.2 | 51.9 | 123.7 | 112.0 | 81.2 | 43.8 | 9.7 | *** |
| SOMERSET | 43.5 | *** | 13.5 | *** | 15.6 | 34.5 | 100.6 | 96.4 | 48.8 | *** | *** |
| WORCESTER | 59.7 | *** | 41.5 | *** | 103.4 | 107.1 | 105.0 | 50.0 | 32.4 | *** | *** |

*Total births per 1,000 women ages 15-44.

**Live births per 1,000 women in specified age group.

***Rates based on <5 events in the numerator are not presented since such rates are subject to instability.

TABLE 11K. GENERAL FERTILITY RATES*AND BIRTH RATESBY AGE OF MOTHER, RACE OF MOTHER, REGION AND POLITICAL SUBDIVISION, MARYLAND, 2016.**

| REGION AND POLITICAL SUBDIVISION | GENERAL FERTILITY RATE | AGE OF MOTHER - NON-HISPANIC BLACK | | | | | | | | | |
|----------------------------------|------------------------|------------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | UNDER 15 | 15-19 | | | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 |
| | | | TOTAL | 15-17 | 18-19 | | | | | | |
| MARYLAND | 58.6 | 0.1 | 21.3 | 9.5 | 39.5 | 73.8 | 90.7 | 86.4 | 55.6 | 14.3 | 1.1 |
| NORTHWEST AREA | 61.7 | *** | 28.7 | 17.7 | 41.5 | 71.7 | 103.3 | 102.1 | 61.6 | 15.7 | *** |
| GARRETT | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** |
| ALLEGANY | 21.3 | *** | *** | *** | *** | 25.8 | 42.2 | *** | *** | *** | *** |
| WASHINGTON | 81.9 | *** | 58.4 | 28.7 | 121.2 | 127.0 | 104.7 | 118.4 | 64.1 | 14.1 | *** |
| FREDERICK | 57.8 | *** | 16.6 | *** | 31.2 | 53.0 | 119.0 | 96.9 | 64.4 | 17.3 | *** |
| BALTIMORE METRO AREA | 58.5 | 0.1 | 25.4 | 11.9 | 46.3 | 84.7 | 89.4 | 79.3 | 47.1 | 11.4 | 0.7 |
| BALTIMORE CITY | 60.0 | 0.2 | 37.1 | 20.2 | 61.7 | 101.1 | 86.3 | 64.6 | 37.3 | 6.3 | 0.4 |
| BALTIMORE COUNTY | 56.7 | *** | 16.0 | 5.5 | 31.5 | 69.1 | 92.6 | 89.2 | 49.1 | 15.1 | 0.9 |
| ANNE ARUNDEL | 59.7 | *** | 18.8 | 6.7 | 41.0 | 74.9 | 92.2 | 93.1 | 55.9 | 15.4 | *** |
| CARROLL | 51.4 | *** | *** | *** | *** | 60.6 | 65.1 | 79.5 | 85.5 | *** | *** |
| HOWARD | 52.3 | *** | 7.9 | 5.7 | 12.1 | 49.0 | 88.8 | 99.9 | 64.6 | 14.2 | *** |
| HARFORD | 63.3 | *** | 22.9 | 0 | 60.6 | 80.6 | 103.8 | 98.7 | 65.5 | 13.8 | *** |
| NATIONAL CAPITAL AREA | 58.5 | 0.1 | 15.5 | 6.7 | 29.5 | 58.1 | 88.4 | 95.0 | 66.4 | 17.9 | 1.6 |
| MONTGOMERY | 63.8 | *** | 13.2 | 4.3 | 29.3 | 47.8 | 88.7 | 111.0 | 84.6 | 24.0 | 2.2 |
| PRINCE GEORGE'S | 56.6 | 0.1 | 16.4 | 7.6 | 29.6 | 61.4 | 88.2 | 88.9 | 59.2 | 15.6 | 1.3 |
| SOUTHERN AREA | 54.1 | *** | 15.1 | 4.8 | 34.1 | 78.4 | 101.3 | 83.0 | 49.5 | 10.7 | *** |
| CALVERT | 47.3 | *** | 15.1 | *** | 34.5 | 71.8 | 76.7 | 78.1 | 43.7 | *** | *** |
| CHARLES | 52.7 | *** | 13.0 | 4.0 | 30.5 | 75.8 | 100.2 | 85.4 | 50.7 | 10.9 | *** |
| ST MARY'S | 65.6 | *** | 24.5 | *** | 49.6 | 93.0 | 118.6 | 75.8 | 46.7 | 10.9 | *** |
| EASTERN SHORE AREA | 64.6 | *** | 32.0 | 11.5 | 53.5 | 94.5 | 112.5 | 75.6 | 39.7 | 11.6 | *** |
| CECIL | 61.0 | *** | 34.2 | *** | 76.3 | 96.6 | 98.0 | 78.8 | 41.0 | 21.7 | *** |
| KENT | 68.5 | *** | *** | *** | *** | 114.3 | 139.1 | *** | *** | *** | *** |
| QUEEN ANNE'S | 46.5 | *** | *** | *** | *** | *** | 57.1 | *** | 67.6 | 0 | *** |
| CAROLINE | 69.3 | *** | 27.6 | *** | *** | 154.9 | 127.7 | 69.4 | 32.7 | 0 | *** |
| TALBOT | 54.3 | *** | 40.7 | *** | *** | 64.9 | 90.4 | 62.1 | *** | 0 | *** |
| DORCHESTER | 82.1 | *** | 53.2 | *** | 127.1 | 150.2 | 145.2 | 74.1 | 23.6 | *** | *** |
| WICOMICO | 72.0 | *** | 34.0 | 18.7 | 52.9 | 124.9 | 112.7 | 82.9 | 45.0 | 10.0 | *** |
| SOMERSET | 43.7 | *** | 13.9 | *** | 16.1 | 34.3 | 101.5 | 94.3 | 49.8 | *** | *** |
| WORCESTER | 60.0 | *** | 42.6 | *** | 104.7 | 106.0 | 105.5 | 50.8 | 32.7 | *** | *** |

*Total births per 1,000 women ages 15-44.

**Live births per 1,000 women in specified age group.

***Rates based on <5 events in the numerator are not presented since such rates are subject to instability.

TABLE 11L. GENERAL FERTILITY RATES*AND BIRTH RATESBY AGE OF MOTHER, HISPANIC ORIGIN OF MOTHER, REGION AND POLITICAL SUBDIVISION, MARYLAND, 2016.**

| REGION AND POLITICAL SUBDIVISION | GENERAL FERTILITY RATE | AGE OF MOTHER - HISPANIC*** | | | | | | | | | |
|----------------------------------|------------------------|-----------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | UNDER 15 | 15-19 | | | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-49 |
| | | | TOTAL | 15-17 | 18-19 | | | | | | |
| MARYLAND | 90.5 | 0.2 | 38.9 | 19.7 | 68.5 | 114.4 | 150.7 | 131.7 | 78.9 | 21.8 | 1.3 |
| NORTHWEST AREA | 74.3 | **** | 24.8 | 14.2 | 40.7 | 107.5 | 133.9 | 112.2 | 69.2 | 11.5 | **** |
| GARRETT | **** | **** | **** | **** | **** | **** | **** | **** | **** | **** | **** |
| ALLEGANY | 30.8 | **** | **** | **** | **** | **** | **** | **** | **** | **** | **** |
| WASHINGTON | 72.1 | **** | 28.7 | **** | 54.9 | 133.0 | 136.0 | 76.3 | 63.0 | **** | **** |
| FREDERICK | 78.0 | **** | 24.9 | 14.0 | 40.7 | 103.8 | 136.9 | 126.9 | 73.5 | 13.5 | **** |
| BALTIMORE METRO AREA | 92.7 | 0.2 | 41.3 | 19.5 | 73.9 | 112.1 | 156.0 | 130.8 | 76.8 | 22.2 | **** |
| BALTIMORE CITY | 114.7 | **** | 71.6 | 57.0 | 88.2 | 167.4 | 128.5 | 156.7 | 101.1 | 21.6 | **** |
| BALTIMORE COUNTY | 99.1 | **** | 39.0 | 19.3 | 67.7 | 127.0 | 188.9 | 130.7 | 72.5 | 22.1 | **** |
| ANNE ARUNDEL | 89.2 | **** | 41.0 | 12.2 | 86.7 | 93.8 | 161.6 | 128.2 | 70.5 | 22.7 | **** |
| CARROLL | 78.7 | **** | **** | **** | **** | 78.7 | 161.5 | 119.5 | 87.2 | 33.0 | **** |
| HOWARD | 76.3 | **** | 33.0 | 9.5 | 75.9 | 69.2 | 133.4 | 123.5 | 77.5 | 28.1 | **** |
| HARFORD | 57.3 | **** | 19.4 | **** | 37.8 | 59.6 | 139.5 | 84.9 | 48.1 | **** | **** |
| NATIONAL CAPITAL AREA | 91.7 | 0.1 | 41.2 | 21.7 | 71.9 | 117.6 | 150.0 | 134.3 | 80.7 | 23.4 | **** |
| MONTGOMERY | 82.6 | 0.2 | 33.0 | 16.0 | 60.3 | 97.0 | 131.5 | 126.0 | 82.2 | 24.5 | 1.2 |
| PRINCE GEORGE'S | 103.1 | **** | 51.6 | 29.1 | 86.2 | 145.2 | 172.1 | 144.2 | 79.0 | 21.9 | 1.6 |
| SOUTHERN AREA | 70.1 | **** | 9.7 | **** | 17.7 | 82.2 | 132.4 | 107.4 | 68.1 | **** | **** |
| CALVERT | 44.1 | **** | **** | **** | **** | 56.3 | 75.6 | 80.6 | 52.6 | **** | **** |
| CHARLES | 85.2 | **** | 15.8 | **** | **** | 85.5 | 158.7 | 134.4 | 82.7 | **** | **** |
| ST MARY'S | 61.3 | **** | **** | **** | **** | 94.7 | 117.4 | 80.3 | 51.3 | **** | **** |
| EASTERN SHORE AREA | 95.6 | **** | 37.2 | 14.0 | 69.1 | 120.6 | 159.3 | 146.9 | 87.6 | 21.6 | **** |
| CECIL | 63.4 | **** | **** | **** | **** | 68.2 | 117.6 | 115.1 | 69.8 | **** | **** |
| KENT | 47.6 | **** | **** | **** | **** | **** | **** | **** | **** | **** | **** |
| QUEEN ANNE'S | 149.3 | **** | **** | **** | **** | 217.4 | 386.4 | 218.8 | 137.9 | **** | **** |
| CAROLINE | 147.1 | **** | **** | **** | **** | 192.3 | 200.0 | 246.4 | 154.9 | **** | **** |
| TALBOT | 133.5 | **** | 84.3 | **** | 156.3 | 285.7 | 220.9 | 177.8 | 59.8 | **** | **** |
| DORCHESTER | 77.3 | **** | **** | **** | **** | 115.9 | 166.7 | 74.5 | 60.2 | **** | **** |
| WICOMICO | 103.7 | **** | 63.1 | **** | 93.5 | 133.3 | 129.5 | 161.1 | 90.9 | **** | **** |
| SOMERSET | 61.4 | **** | **** | **** | **** | **** | **** | 222.2 | **** | **** | **** |
| WORCESTER | 60.2 | **** | **** | **** | **** | **** | 100.0 | 88.2 | 92.3 | **** | **** |

*Total births per 1,000 women ages 15-44.

**Live births per 1,000 women in specified age group.

***Persons of Hispanic origin may be any race.

****Rates based on <5 events in the numerator are not presented since such rates are subject to instability.

TABLE 12. BIRTHS BY BIRTH ORDER, RACE AND HISPANIC ORIGIN OF MOTHER AND AGE OF MOTHER, MARYLAND, 2016

| RACE, HISPANIC ORIGIN, AND BIRTH ORDER*** | AGE OF MOTHER | | | | | | | | | | |
|---|---------------|----------|-------|-------|--------|--------|--------|--------|-------|-----------|------------|
| | ALL AGES | UNDER 15 | 15-17 | 18-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45 & OVER | NOT STATED |
| ALL BIRTHS* | | | | | | | | | | | |
| TOTAL | 73,073 | 37 | 817 | 2,194 | 11,525 | 19,999 | 22,923 | 12,646 | 2,685 | 243 | 4 |
| FIRST CHILD | 28,619 | 37 | 738 | 1,819 | 6,438 | 8,324 | 7,604 | 2,936 | 640 | 81 | 2 |
| SECOND | 24,640 | 0 | 73 | 323 | 3,605 | 6,853 | 8,433 | 4,480 | 797 | 76 | 0 |
| THIRD | 11,936 | 0 | 5 | 48 | 1,129 | 3,119 | 4,178 | 2,873 | 540 | 42 | 2 |
| FOURTH | 4,765 | 0 | 1 | 3 | 268 | 1,166 | 1,657 | 1,312 | 337 | 21 | 0 |
| FIFTH | 1,830 | 0 | 0 | 1 | 64 | 371 | 647 | 570 | 169 | 8 | 0 |
| SIXTH | 705 | 0 | 0 | 0 | 13 | 112 | 242 | 249 | 85 | 4 | 0 |
| SEVENTH | 298 | 0 | 0 | 0 | 4 | 40 | 94 | 115 | 41 | 4 | 0 |
| EIGHT OR MORE | 280 | 0 | 0 | 0 | 4 | 14 | 68 | 111 | 76 | 7 | 0 |
| NOT STATED | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHITE | | | | | | | | | | | |
| TOTAL | 42,781 | 20 | 420 | 1,114 | 5,914 | 11,757 | 14,437 | 7,545 | 1,447 | 126 | 1 |
| FIRST CHILD | 16,672 | 20 | 384 | 928 | 3,278 | 4,980 | 4,941 | 1,757 | 346 | 38 | 0 |
| SECOND | 14,746 | 0 | 33 | 160 | 1,933 | 4,121 | 5,315 | 2,701 | 434 | 49 | 0 |
| THIRD | 6,911 | 0 | 2 | 25 | 561 | 1,760 | 2,555 | 1,709 | 278 | 20 | 1 |
| FOURTH | 2,703 | 0 | 1 | 1 | 111 | 641 | 1,005 | 756 | 179 | 9 | 0 |
| FIFTH | 1,039 | 0 | 0 | 0 | 25 | 183 | 400 | 336 | 91 | 4 | 0 |
| SIXTH | 399 | 0 | 0 | 0 | 3 | 56 | 138 | 158 | 44 | 0 | 0 |
| SEVENTH | 152 | 0 | 0 | 0 | 2 | 12 | 50 | 59 | 28 | 1 | 0 |
| EIGHT OR MORE | 159 | 0 | 0 | 0 | 1 | 4 | 33 | 69 | 47 | 5 | 0 |
| NOT STATED | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-HISPANIC WHITE | | | | | | | | | | | |
| TOTAL | 31,822 | 7 | 189 | 595 | 3,770 | 8,846 | 11,544 | 5,742 | 1,025 | 103 | 1 |
| FIRST CHILD | 13,248 | 7 | 176 | 506 | 2,216 | 4,120 | 4,389 | 1,504 | 296 | 34 | 0 |
| SECOND | 11,203 | 0 | 12 | 76 | 1,137 | 2,988 | 4,368 | 2,239 | 338 | 45 | 0 |
| THIRD | 4,644 | 0 | 0 | 12 | 331 | 1,167 | 1,764 | 1,175 | 182 | 12 | 1 |
| FOURTH | 1,664 | 0 | 1 | 1 | 63 | 408 | 633 | 457 | 94 | 7 | 0 |
| FIFTH | 563 | 0 | 0 | 0 | 19 | 107 | 223 | 172 | 40 | 2 | 0 |
| SIXTH | 265 | 0 | 0 | 0 | 2 | 43 | 100 | 100 | 20 | 0 | 0 |
| SEVENTH | 105 | 0 | 0 | 0 | 1 | 9 | 43 | 38 | 14 | 0 | 0 |
| EIGHT OR MORE | 130 | 0 | 0 | 0 | 1 | 4 | 24 | 57 | 41 | 3 | 0 |
| NOT STATED | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| BLACK | | | | | | | | | | | |
| TOTAL | 24,131 | 17 | 382 | 1,019 | 5,169 | 6,752 | 6,051 | 3,730 | 920 | 88 | 3 |
| FIRST CHILD | 9,205 | 17 | 341 | 841 | 2,883 | 2,438 | 1,651 | 788 | 210 | 34 | 2 |
| SECOND | 7,551 | 0 | 38 | 154 | 1,542 | 2,319 | 2,092 | 1,147 | 239 | 20 | 0 |
| THIRD | 4,283 | 0 | 3 | 21 | 542 | 1,227 | 1,338 | 936 | 202 | 13 | 1 |
| FOURTH | 1,831 | 0 | 0 | 2 | 152 | 496 | 563 | 480 | 129 | 9 | 0 |
| FIFTH | 735 | 0 | 0 | 1 | 36 | 181 | 234 | 211 | 69 | 3 | 0 |
| SIXTH | 277 | 0 | 0 | 0 | 10 | 53 | 99 | 77 | 34 | 4 | 0 |

See footnotes at end of table.

TABLE 12. BIRTHS BY BIRTH ORDER, RACE AND HISPANIC ORIGIN OF MOTHER AND AGE OF MOTHER, MARYLAND, 2016 — Continued

| RACE, HISPANIC ORIGIN, AND BIRTH ORDER*** | AGE OF MOTHER | | | | | | | | | | |
|---|---------------|----------|-------|-------|-------|-------|-------|-------|-------|-----------|------------|
| | ALL AGES | UNDER 15 | 15-17 | 18-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45 & OVER | NOT STATED |
| BLACK | | | | | | | | | | | |
| SEVENTH | 139 | 0 | 0 | 0 | 2 | 28 | 42 | 52 | 12 | 3 | 0 |
| EIGHT OR MORE | 110 | 0 | 0 | 0 | 2 | 10 | 32 | 39 | 25 | 2 | 0 |
| NOT STATED | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-HISPANIC BLACK | | | | | | | | | | | |
| TOTAL | 23,449 | 16 | 369 | 995 | 4,981 | 6,542 | 5,906 | 3,653 | 896 | 88 | 3 |
| FIRST CHILD | 8,960 | 16 | 330 | 820 | 2,794 | 2,368 | 1,616 | 778 | 202 | 34 | 2 |
| SECOND | 7,315 | 0 | 36 | 151 | 1,475 | 2,233 | 2,043 | 1,125 | 232 | 20 | 0 |
| THIRD | 4,177 | 0 | 3 | 21 | 518 | 1,202 | 1,307 | 915 | 197 | 13 | 1 |
| FOURTH | 1,771 | 0 | 0 | 2 | 145 | 478 | 543 | 465 | 129 | 9 | 0 |
| FIFTH | 714 | 0 | 0 | 1 | 35 | 172 | 229 | 206 | 68 | 3 | 0 |
| SIXTH | 269 | 0 | 0 | 0 | 10 | 52 | 96 | 74 | 33 | 4 | 0 |
| SEVENTH | 137 | 0 | 0 | 0 | 2 | 28 | 41 | 52 | 11 | 3 | 0 |
| EIGHT OR MORE | 106 | 0 | 0 | 0 | 2 | 9 | 31 | 38 | 24 | 2 | 0 |
| NOT STATED | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| AMERICAN INDIAN | | | | | | | | | | | |
| TOTAL | 216 | 0 | 2 | 14 | 45 | 58 | 47 | 39 | 10 | 1 | 0 |
| FIRST CHILD | 82 | 0 | 2 | 12 | 25 | 24 | 11 | 5 | 3 | 0 | 0 |
| SECOND | 55 | 0 | 0 | 2 | 14 | 11 | 13 | 13 | 2 | 0 | 0 |
| THIRD | 42 | 0 | 0 | 0 | 5 | 15 | 14 | 6 | 1 | 1 | 0 |
| FOURTH | 18 | 0 | 0 | 0 | 1 | 4 | 7 | 5 | 1 | 0 | 0 |
| FIFTH | 7 | 0 | 0 | 0 | 0 | 3 | 0 | 4 | 0 | 0 | 0 |
| SIXTH | 8 | 0 | 0 | 0 | 0 | 1 | 0 | 6 | 1 | 0 | 0 |
| SEVENTH | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 |
| EIGHT OR MORE | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 |
| NOT STATED | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-HISPANIC AMERICAN INDIAN | | | | | | | | | | | |
| TOTAL | 134 | 0 | 1 | 7 | 33 | 33 | 31 | 20 | 8 | 1 | 0 |
| FIRST CHILD | 49 | 0 | 1 | 7 | 16 | 12 | 8 | 2 | 3 | 0 | 0 |
| SECOND | 39 | 0 | 0 | 0 | 12 | 8 | 8 | 9 | 2 | 0 | 0 |
| THIRD | 25 | 0 | 0 | 0 | 4 | 8 | 8 | 4 | 0 | 1 | 0 |
| FOURTH | 10 | 0 | 0 | 0 | 1 | 3 | 5 | 1 | 0 | 0 | 0 |
| FIFTH | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 | 0 |
| SIXTH | 5 | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 1 | 0 | 0 |
| SEVENTH | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 |
| EIGHT OR MORE | 2 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 |
| NOT STATED | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

See footnotes at end of table.

TABLE 12. BIRTHS BY BIRTH ORDER, RACE AND HISPANIC ORIGIN OF MOTHER AND AGE OF MOTHER, MARYLAND, 2016 — Continued

| RACE, HISPANIC ORIGIN, AND BIRTH ORDER*** | AGE OF MOTHER | | | | | | | | | | |
|---|---------------|----------|-------|-------|-------|-------|-------|-------|-------|-----------|------------|
| | ALL AGES | UNDER 15 | 15-17 | 18-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45 & OVER | NOT STATED |
| ASIAN OR PACIFIC ISLANDER | | | | | | | | | | | |
| TOTAL | 5,603 | 0 | 7 | 32 | 332 | 1,343 | 2,297 | 1,268 | 297 | 27 | 0 |
| FIRST CHILD | 2,501 | 0 | 5 | 25 | 216 | 835 | 970 | 362 | 79 | 9 | 0 |
| SECOND | 2,183 | 0 | 2 | 5 | 94 | 377 | 981 | 601 | 116 | 7 | 0 |
| THIRD | 645 | 0 | 0 | 2 | 16 | 103 | 250 | 210 | 57 | 7 | 0 |
| FOURTH | 200 | 0 | 0 | 0 | 3 | 22 | 80 | 65 | 27 | 3 | 0 |
| FIFTH | 44 | 0 | 0 | 0 | 2 | 4 | 11 | 17 | 9 | 1 | 0 |
| SIXTH | 18 | 0 | 0 | 0 | 0 | 2 | 2 | 8 | 6 | 0 | 0 |
| SEVENTH | 4 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 0 | 0 | 0 |
| EIGHT OR MORE | 8 | 0 | 0 | 0 | 1 | 0 | 2 | 2 | 3 | 0 | 0 |
| NOT STATED | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-HISPANIC ASIAN OR PACIFIC ISLANDER | | | | | | | | | | | |
| TOTAL | 5,450 | 0 | 4 | 23 | 299 | 1,299 | 2,253 | 1,253 | 292 | 27 | 0 |
| FIRST CHILD | 2,450 | 0 | 3 | 19 | 201 | 819 | 962 | 359 | 78 | 9 | 0 |
| SECOND | 2,134 | 0 | 1 | 3 | 82 | 364 | 964 | 597 | 116 | 7 | 0 |
| THIRD | 615 | 0 | 0 | 1 | 13 | 92 | 241 | 207 | 54 | 7 | 0 |
| FOURTH | 185 | 0 | 0 | 0 | 1 | 19 | 73 | 62 | 27 | 3 | 0 |
| FIFTH | 42 | 0 | 0 | 0 | 2 | 4 | 10 | 16 | 9 | 1 | 0 |
| SIXTH | 14 | 0 | 0 | 0 | 0 | 1 | 1 | 7 | 5 | 0 | 0 |
| SEVENTH | 4 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 0 | 0 | 0 |
| EIGHT OR MORE | 6 | 0 | 0 | 0 | 0 | 0 | 1 | 2 | 3 | 0 | 0 |
| NOT STATED | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| HISPANIC** | | | | | | | | | | | |
| TOTAL | 11,866 | 14 | 248 | 559 | 2,376 | 3,187 | 3,095 | 1,911 | 453 | 23 | 0 |
| FIRST CHILD | 3,752 | 14 | 222 | 454 | 1,175 | 958 | 597 | 269 | 59 | 4 | 0 |
| SECOND | 3,841 | 0 | 24 | 91 | 877 | 1,234 | 1,018 | 490 | 103 | 4 | 0 |
| THIRD | 2,419 | 0 | 2 | 14 | 257 | 636 | 837 | 560 | 105 | 8 | 0 |
| FOURTH | 1,120 | 0 | 0 | 0 | 57 | 255 | 400 | 320 | 86 | 2 | 0 |
| FIFTH | 503 | 0 | 0 | 0 | 7 | 86 | 183 | 173 | 52 | 2 | 0 |
| SIXTH | 147 | 0 | 0 | 0 | 1 | 14 | 41 | 65 | 26 | 0 | 0 |
| SEVENTH | 49 | 0 | 0 | 0 | 1 | 3 | 8 | 21 | 15 | 1 | 0 |
| EIGHT OR MORE | 35 | 0 | 0 | 0 | 1 | 1 | 11 | 13 | 7 | 2 | 0 |
| NOT STATED | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

*Includes races categorized as 'unknown' or 'other'.

**Includes all births to mothers of Hispanic origin of any race.

***Based on current live births plus all previous live births by the mother.

TABLE 13. NUMBER AND PERCENT DISTRIBUTION OF BIRTHS BY LIVE BIRTH ORDER, REGION AND POLITICAL SUBDIVISION, MARYLAND, 2016.

| REGION AND POLITICAL SUBDIVISION | LIVE BIRTH ORDER* | | | | | | | | | | | |
|----------------------------------|-------------------|--------|--------|--------|-------|-----------|------------|---------------------|------|------|------|-----------|
| | NUMBER OF BIRTHS | | | | | | | PERCENT OF BIRTHS** | | | | |
| | ALL BIRTHS | 1st | 2nd | 3rd | 4th | 5 or more | Not stated | 1st | 2nd | 3rd | 4th | 5 or more |
| MARYLAND | 73,073 | 28,619 | 24,640 | 11,936 | 4,765 | 3,113 | 0 | 39.2 | 33.7 | 16.3 | 6.5 | 4.3 |
| NORTHWEST AREA | 5,449 | 2,048 | 1,792 | 944 | 402 | 263 | 0 | 37.6 | 32.9 | 17.3 | 7.4 | 4.8 |
| GARRETT | 311 | 122 | 106 | 49 | 18 | 16 | 0 | 39.2 | 34.1 | 15.8 | 5.8 | 5.1 |
| ALLEGANY | 619 | 227 | 205 | 110 | 48 | 29 | 0 | 36.7 | 33.1 | 17.8 | 7.8 | 4.7 |
| WASHINGTON | 1,688 | 612 | 525 | 304 | 134 | 113 | 0 | 36.3 | 31.1 | 18.0 | 7.9 | 6.7 |
| FREDERICK | 2,831 | 1,087 | 956 | 481 | 202 | 105 | 0 | 38.4 | 33.8 | 17.0 | 7.1 | 3.7 |
| BALTIMORE METRO AREA | 33,311 | 13,298 | 11,239 | 5,283 | 2,079 | 1,412 | 0 | 39.9 | 33.7 | 15.9 | 6.2 | 4.2 |
| BALTIMORE CITY | 8,526 | 3,450 | 2,494 | 1,329 | 683 | 570 | 0 | 40.5 | 29.3 | 15.6 | 8.0 | 6.7 |
| BALTIMORE COUNTY | 9,797 | 3,858 | 3,339 | 1,580 | 618 | 402 | 0 | 39.4 | 34.1 | 16.1 | 6.3 | 4.1 |
| ANNE ARUNDEL | 6,994 | 2,784 | 2,514 | 1,077 | 387 | 232 | 0 | 39.8 | 35.9 | 15.4 | 5.5 | 3.3 |
| CARROLL | 1,730 | 673 | 652 | 279 | 83 | 43 | 0 | 38.9 | 37.7 | 16.1 | 4.8 | 2.5 |
| HOWARD | 3,563 | 1,495 | 1,286 | 554 | 157 | 71 | 0 | 42.0 | 36.1 | 15.5 | 4.4 | 2.0 |
| HARFORD | 2,701 | 1,038 | 954 | 464 | 151 | 94 | 0 | 38.4 | 35.3 | 17.2 | 5.6 | 3.5 |
| NATIONAL CAPITAL AREA | 25,386 | 9,925 | 8,642 | 4,178 | 1,644 | 997 | 0 | 39.1 | 34.0 | 16.5 | 6.5 | 3.9 |
| MONTGOMERY | 13,066 | 5,184 | 4,777 | 1,997 | 706 | 402 | 0 | 39.7 | 36.6 | 15.3 | 5.4 | 3.1 |
| PRINCE GEORGE'S | 12,320 | 4,741 | 3,865 | 2,181 | 938 | 595 | 0 | 38.5 | 31.4 | 17.7 | 7.6 | 4.8 |
| SOUTHERN AREA | 4,149 | 1,553 | 1,412 | 709 | 273 | 202 | 0 | 37.4 | 34.0 | 17.1 | 6.6 | 4.9 |
| CALVERT | 907 | 337 | 323 | 167 | 43 | 37 | 0 | 37.2 | 35.6 | 18.4 | 4.7 | 4.1 |
| CHARLES | 1,817 | 684 | 627 | 304 | 127 | 75 | 0 | 37.6 | 34.5 | 16.7 | 7.0 | 4.1 |
| SAINT MARY'S | 1,425 | 532 | 462 | 238 | 103 | 90 | 0 | 37.3 | 32.4 | 16.7 | 7.2 | 6.3 |
| EASTERN SHORE AREA | 4,778 | 1,795 | 1,555 | 822 | 367 | 239 | 0 | 37.6 | 32.5 | 17.2 | 7.7 | 5.0 |
| CECIL | 1,107 | 417 | 370 | 186 | 81 | 53 | 0 | 37.7 | 33.4 | 16.8 | 7.3 | 4.8 |
| KENT | 148 | 48 | 58 | 28 | 8 | 6 | 0 | 32.4 | 39.2 | 18.9 | 5.4 | 4.1 |
| QUEEN ANNE'S | 499 | 190 | 166 | 80 | 45 | 18 | 0 | 38.1 | 33.3 | 16.0 | 9.0 | 3.6 |
| CAROLINE | 387 | 133 | 117 | 72 | 47 | 18 | 0 | 34.4 | 30.2 | 18.6 | 12.1 | 4.7 |
| TALBOT | 331 | 134 | 113 | 49 | 21 | 14 | 0 | 40.5 | 34.1 | 14.8 | 6.3 | 4.2 |
| DORCHESTER | 381 | 149 | 111 | 71 | 26 | 24 | 0 | 39.1 | 29.1 | 18.6 | 6.8 | 6.3 |
| WICOMICO | 1,240 | 454 | 428 | 204 | 90 | 64 | 0 | 36.6 | 34.5 | 16.5 | 7.3 | 5.2 |
| SOMERSET | 265 | 99 | 66 | 59 | 23 | 18 | 0 | 37.4 | 24.9 | 22.3 | 8.7 | 6.8 |
| WORCESTER | 420 | 171 | 126 | 73 | 26 | 24 | 0 | 40.7 | 30.0 | 17.4 | 6.2 | 5.7 |

*Based on current live births plus all previous live births by the mother.

**Percentages based on <5 events in the numerator are not presented since such percentages are subject to instability.

TABLE 14. BIRTHS BY PLURALITY, AGE, RACE AND HISPANIC ORIGIN OF MOTHER, MARYLAND, 2016.

| RACE, HISPANIC ORIGIN AND AGE OF MOTHER | TOTAL BIRTHS | SINGLE BIRTHS | PLURAL BIRTHS | RATIO OF PLURAL BIRTHS PER 1,000 TOTAL BIRTHS |
|---|--------------|---------------|---------------|---|
| ALL BIRTHS* | | | | |
| ALL AGES | 73,073 | 70,532 | 2,541 | 34.8 |
| UNDER 15 | 37 | 37 | 0 | *** |
| 15-17 | 817 | 799 | 18 | 22.0 |
| 18-19 | 2,194 | 2,148 | 46 | 21.0 |
| 20-24 | 11,525 | 11,195 | 330 | 28.6 |
| 25-29 | 19,999 | 19,417 | 582 | 29.1 |
| 30-34 | 22,923 | 22,104 | 819 | 35.7 |
| 35-39 | 12,646 | 12,079 | 567 | 44.8 |
| 40-44 | 2,685 | 2,542 | 143 | 53.3 |
| 45 & OVER | 243 | 207 | 36 | 148.1 |
| NOT STATED | 4 | 4 | 0 | *** |
| WHITE | | | | |
| ALL AGES | 42,781 | 41,398 | 1,383 | 32.3 |
| UNDER 15 | 20 | 20 | 0 | *** |
| 15-17 | 420 | 410 | 10 | *** |
| 18-19 | 1,114 | 1,094 | 20 | 18.0 |
| 20-24 | 5,914 | 5,796 | 118 | 20.0 |
| 25-29 | 11,757 | 11,436 | 321 | 27.3 |
| 30-34 | 14,437 | 13,951 | 486 | 33.7 |
| 35-39 | 7,545 | 7,222 | 323 | 42.8 |
| 40-44 | 1,447 | 1,366 | 81 | 56.0 |
| 45 & OVER | 126 | 102 | 24 | 190.5 |
| NOT STATED | 1 | 1 | 0 | *** |
| NON-HISPANIC WHITE | | | | |
| ALL AGES | 31,822 | 30,673 | 1,149 | 36.1 |
| UNDER 15 | 7 | 7 | 0 | *** |
| 15-17 | 189 | 181 | 8 | *** |
| 18-19 | 595 | 589 | 6 | 10.1 |
| 20-24 | 3,770 | 3,690 | 80 | 21.2 |
| 25-29 | 8,846 | 8,578 | 268 | 30.3 |
| 30-34 | 11,544 | 11,125 | 419 | 36.3 |
| 35-39 | 5,742 | 5,455 | 287 | 50.0 |
| 40-44 | 1,025 | 966 | 59 | 57.6 |
| 45 & OVER | 103 | 81 | 22 | 213.6 |
| NOT STATED | 1 | 1 | 0 | *** |
| BLACK | | | | |
| ALL AGES | 24,131 | 23,141 | 990 | 41.0 |
| UNDER 15 | 17 | 17 | 0 | *** |
| 15-17 | 382 | 374 | 8 | 20.9 |
| 18-19 | 1,019 | 993 | 26 | 25.5 |
| 20-24 | 5,169 | 4,969 | 200 | 38.7 |
| 25-29 | 6,752 | 6,513 | 239 | 35.4 |
| 30-34 | 6,051 | 5,796 | 255 | 42.1 |
| 35-39 | 3,730 | 3,524 | 206 | 55.2 |

TABLE 14. BIRTHS BY PLURALITY, AGE, RACE AND HISPANIC ORIGIN OF MOTHER, MARYLAND, 2016. — Continued

| RACE, HISPANIC ORIGIN AND AGE OF MOTHER | TOTAL BIRTHS | SINGLE BIRTHS | PLURAL BIRTHS | RATIO OF PLURAL BIRTHS PER 1,000 TOTAL BIRTHS |
|---|--------------|---------------|---------------|---|
| BLACK | | | | |
| 40-44 | 920 | 874 | 46 | 50.0 |
| 45 & OVER | 88 | 78 | 10 | 113.6 |
| NOT STATED | 3 | 3 | 0 | *** |
| NON-HISPANIC BLACK | | | | |
| ALL AGES | 23,449 | 22,490 | 959 | 40.9 |
| UNDER 15 | 16 | 16 | 0 | *** |
| 15-17 | 369 | 361 | 8 | 21.7 |
| 18-19 | 995 | 969 | 26 | 26.1 |
| 20-24 | 4,981 | 4,791 | 190 | 38.1 |
| 25-29 | 6,542 | 6,309 | 233 | 35.6 |
| 30-34 | 5,906 | 5,660 | 246 | 41.7 |
| 35-39 | 3,653 | 3,453 | 200 | 54.7 |
| 40-44 | 896 | 850 | 46 | 51.3 |
| 45 & OVER | 88 | 78 | 10 | 113.6 |
| NOT STATED | 3 | 3 | 0 | *** |
| AMERICAN INDIAN | | | | |
| ALL AGES | 216 | 207 | 9 | 41.7 |
| UNDER 15 | 0 | 0 | 0 | *** |
| 15-17 | 2 | 2 | 0 | *** |
| 18-19 | 14 | 14 | 0 | *** |
| 20-24 | 45 | 43 | 2 | *** |
| 25-29 | 58 | 57 | 1 | *** |
| 30-34 | 47 | 43 | 4 | *** |
| 35-39 | 39 | 37 | 2 | *** |
| 40-44 | 10 | 10 | 0 | *** |
| 45 & OVER | 1 | 1 | 0 | *** |
| NOT STATED | 0 | 0 | 0 | *** |
| NON-HISPANIC AMERICAN INDIAN | | | | |
| ALL AGES | 134 | 125 | 9 | 67.2 |
| UNDER 15 | 0 | 0 | 0 | *** |
| 15-17 | 1 | 1 | 0 | *** |
| 18-19 | 7 | 7 | 0 | *** |
| 20-24 | 33 | 31 | 2 | *** |
| 25-29 | 33 | 32 | 1 | *** |
| 30-34 | 31 | 27 | 4 | *** |
| 35-39 | 20 | 18 | 2 | *** |
| 40-44 | 8 | 8 | 0 | *** |
| 45 & OVER | 1 | 1 | 0 | *** |
| NOT STATED | 0 | 0 | 0 | *** |
| ASIAN OR PACIFIC ISLANDER | | | | |
| ALL AGES | 5,603 | 5,458 | 145 | 25.9 |

TABLE 14. BIRTHS BY PLURALITY, AGE, RACE AND HISPANIC ORIGIN OF MOTHER, MARYLAND, 2016. — Continued

| RACE, HISPANIC ORIGIN AND AGE OF MOTHER | TOTAL BIRTHS | SINGLE BIRTHS | PLURAL BIRTHS | RATIO OF PLURAL BIRTHS PER 1,000 TOTAL BIRTHS |
|---|--------------|---------------|---------------|---|
| ASIAN OR PACIFIC ISLANDER | | | | |
| UNDER 15 | 0 | 0 | 0 | *** |
| 15-17 | 7 | 7 | 0 | *** |
| 18-19 | 32 | 32 | 0 | *** |
| 20-24 | 332 | 326 | 6 | *** |
| 25-29 | 1,343 | 1,325 | 18 | 13.4 |
| 30-34 | 2,297 | 2,227 | 70 | 30.5 |
| 35-39 | 1,268 | 1,235 | 33 | 26.0 |
| 40-44 | 297 | 281 | 16 | 53.9 |
| 45 & OVER | 27 | 25 | 2 | *** |
| NOT STATED | 0 | 0 | 0 | *** |
| NON-HISPANIC ASIAN OR PACIFIC ISLANDER | | | | |
| ALL AGES | 5,450 | 5,309 | 141 | 25.9 |
| UNDER 15 | 0 | 0 | 0 | *** |
| 15-17 | 4 | 4 | 0 | *** |
| 18-19 | 23 | 23 | 0 | *** |
| 20-24 | 299 | 293 | 6 | *** |
| 25-29 | 1,299 | 1,283 | 16 | 12.3 |
| 30-34 | 2,253 | 2,185 | 68 | 30.2 |
| 35-39 | 1,253 | 1,220 | 33 | 26.3 |
| 40-44 | 292 | 276 | 16 | 54.8 |
| 45 & OVER | 27 | 25 | 2 | *** |
| NOT STATED | 0 | 0 | 0 | *** |
| HISPANIC** | | | | |
| ALL AGES | 11,866 | 11,597 | 269 | 22.7 |
| UNDER 15 | 14 | 14 | 0 | *** |
| 15-17 | 248 | 246 | 2 | *** |
| 18-19 | 559 | 545 | 14 | 25.0 |
| 20-24 | 2,376 | 2,328 | 48 | 20.2 |
| 25-29 | 3,187 | 3,126 | 61 | 19.1 |
| 30-34 | 3,095 | 3,017 | 78 | 25.2 |
| 35-39 | 1,911 | 1,869 | 42 | 22.0 |
| 40-44 | 453 | 431 | 22 | 48.6 |
| 45 & OVER | 23 | 21 | 2 | *** |
| NOT STATED | 0 | 0 | 0 | *** |

*Includes races categorized as 'unknown' or 'other'.

**Includes all births to mothers of Hispanic origin of any race.

***Ratios based on <5 events in the numerator are not presented since such ratios are subject to instability.

TABLE 15. BIRTHS TO UNMARRIED WOMEN BY RACE AND HISPANIC ORIGIN OF MOTHER, REGION AND POLITICAL SUBDIVISION, MARYLAND, 2016.

| REGION AND POLITICAL SUBDIVISION | ALL BIRTHS* | NON-HISPANIC WHITE | NON-HISPANIC BLACK | NON-HISPANIC AMERICAN INDIAN | NON-HISPANIC ASIAN OR PACIFIC ISLANDER | HISPANIC** |
|----------------------------------|-------------|--------------------|--------------------|------------------------------|--|------------|
| MARYLAND | 28,881 | 7,691 | 14,247 | 71 | 372 | 6,345 |
| NORTHWEST AREA | 2,054 | 1,452 | 334 | 7 | 18 | 238 |
| GARRETT | 131 | 130 | 1 | 0 | 0 | 0 |
| ALLEGANY | 329 | 312 | 12 | 1 | 1 | 3 |
| WASHINGTON | 798 | 564 | 169 | 5 | 2 | 54 |
| FREDERICK | 796 | 446 | 152 | 1 | 15 | 181 |
| BALTIMORE METRO AREA | 13,280 | 3,750 | 7,464 | 35 | 147 | 1,783 |
| BALTIMORE CITY | 5,441 | 506 | 4,306 | 8 | 29 | 556 |
| BALTIMORE COUNTY | 3,792 | 1,265 | 1,871 | 18 | 46 | 552 |
| ANNE ARUNDEL | 2,089 | 950 | 661 | 7 | 39 | 422 |
| CARROLL | 434 | 361 | 32 | 0 | 5 | 36 |
| HOWARD | 697 | 186 | 320 | 0 | 20 | 161 |
| HARFORD | 827 | 482 | 274 | 2 | 8 | 56 |
| NATIONAL CAPITAL AREA | 9,722 | 614 | 4,932 | 20 | 179 | 3,938 |
| MONTGOMERY | 3,560 | 410 | 1,162 | 5 | 119 | 1,847 |
| PRINCE GEORGE'S | 6,162 | 204 | 3,770 | 15 | 60 | 2,091 |
| SOUTHERN AREA | 1,522 | 673 | 703 | 6 | 12 | 121 |
| CALVERT | 288 | 206 | 67 | 0 | 3 | 12 |
| CHARLES | 764 | 196 | 474 | 2 | 6 | 80 |
| SAINT MARY'S | 470 | 271 | 162 | 4 | 3 | 29 |
| EASTERN SHORE AREA | 2,303 | 1,202 | 814 | 3 | 16 | 265 |
| CECIL | 472 | 368 | 71 | 0 | 3 | 30 |
| KENT | 72 | 37 | 30 | 0 | 1 | 4 |
| QUEEN ANNE'S | 171 | 121 | 18 | 0 | 3 | 29 |
| CAROLINE | 207 | 111 | 54 | 0 | 0 | 42 |
| TALBOT | 153 | 69 | 37 | 0 | 2 | 44 |
| DORCHESTER | 236 | 89 | 122 | 0 | 1 | 24 |
| WICOMICO | 652 | 233 | 339 | 2 | 5 | 71 |
| SOMERSET | 150 | 62 | 80 | 0 | 0 | 8 |
| WORCESTER | 190 | 112 | 63 | 1 | 1 | 13 |

*Includes races categorized as 'unknown' or 'other'.

**Includes all births to mothers of Hispanic origin of any race.

TABLE 16. BIRTHS TO UNMARRIED WOMEN BY AGE, RACE AND HISPANIC ORIGIN OF MOTHER, MARYLAND, 2016.

| AGE OF MOTHER | ALL RACES* | NON-HISPANIC WHITE | NON-HISPANIC BLACK | NON-HISPANIC AMERICAN INDIAN | NON-HISPANIC ASIAN OR PACIFIC ISLANDER | HISPANIC** |
|------------------|------------|--------------------|--------------------|------------------------------|--|------------|
| ALL AGES | 28,881 | 7,691 | 14,247 | 71 | 372 | 6,345 |
| UNDER 15 | 37 | 7 | 16 | 0 | 0 | 14 |
| 15 - 17 | 790 | 180 | 363 | 1 | 2 | 238 |
| 18 - 19 | 2,035 | 539 | 968 | 7 | 10 | 497 |
| 20 - 24 | 8,633 | 2,356 | 4,437 | 22 | 71 | 1,698 |
| 25 - 29 | 8,585 | 2,411 | 4,337 | 19 | 91 | 1,692 |
| 30 - 34 | 5,303 | 1,340 | 2,506 | 10 | 110 | 1,306 |
| 35 - 39 | 2,779 | 681 | 1,284 | 7 | 68 | 720 |
| 40 - 44 | 665 | 164 | 305 | 5 | 18 | 172 |
| 45 & OVER | 50 | 12 | 28 | 0 | 2 | 8 |
| NOT STATED | 4 | 1 | 3 | 0 | 0 | 0 |

*Includes races categorized as 'unknown' or 'other'.

**Includes births to mothers of Hispanic origin of any race.

TABLE 17. BIRTHS TO UNMARRIED WOMEN BY BIRTH ORDER, RACE AND HISPANIC ORIGIN OF MOTHER, MARYLAND, 2016.

| BIRTH ORDER | ALL RACES* | NON-HISPANIC WHITE | NON-HISPANIC BLACK | NON-HISPANIC AMERICAN INDIAN | NON-HISPANIC ASIAN OR PACIFIC ISLANDER | HISPANIC** |
|---------------------|------------|--------------------|--------------------|------------------------------|--|------------|
| TOTAL | 28,881 | 7,691 | 14,247 | 71 | 372 | 6,345 |
| FIRST CHILD | 12,505 | 3,735 | 6,220 | 31 | 189 | 2,260 |
| SECOND | 8,536 | 2,249 | 4,141 | 17 | 112 | 1,971 |
| THIRD | 4,478 | 1,042 | 2,204 | 13 | 40 | 1,156 |
| FOURTH | 1,926 | 404 | 941 | 5 | 22 | 546 |
| FIFTH | 865 | 162 | 411 | 1 | 6 | 281 |
| SIXTH | 341 | 67 | 181 | 3 | 1 | 87 |
| SEVENTH | 126 | 17 | 82 | 1 | 1 | 24 |
| EIGHT OR MORE | 104 | 15 | 67 | 0 | 1 | 20 |
| NOT STATED | 0 | 0 | 0 | 0 | 0 | 0 |

*Includes races categorized as 'unknown' or 'other'.

**Includes births to mothers of Hispanic origin of any race.

TABLE 18. NUMBER OF BIRTHS BY AGE, EDUCATIONAL ATTAINMENT, RACE AND HISPANIC ORIGIN OF MOTHER, MARYLAND, 2016.

| RACE, HISPANIC ORIGIN AND AGE OF MOTHER | YEARS OF SCHOOL COMPLETED BY MOTHER | | | | | | |
|---|-------------------------------------|-----------|------------|----------|-------------|------------------|------------|
| | TOTAL | 0-8 YEARS | 9-11 YEARS | 12 YEARS | 13-15 YEARS | 16 YEARS OR MORE | NOT STATED |
| ALL BIRTHS* | | | | | | | |
| ALL AGES | 73,073 | 3,115 | 6,216 | 14,635 | 19,091 | 29,617 | 399 |
| UNDER 15 | 37 | 29 | 8 | 0 | 0 | 0 | 0 |
| 15 - 19 | 3,011 | 150 | 1,336 | 1,146 | 358 | 1 | 20 |
| 15 - 17 | 817 | 58 | 634 | 111 | 9 | 1 | 4 |
| 18 - 19 | 2,194 | 92 | 702 | 1,035 | 349 | 0 | 16 |
| 20 - 24 | 11,525 | 505 | 1,550 | 4,727 | 3,969 | 710 | 64 |
| 25 - 29 | 19,999 | 785 | 1,543 | 4,334 | 6,453 | 6,783 | 101 |
| 30 - 34 | 22,923 | 927 | 1,050 | 2,716 | 5,208 | 12,915 | 107 |
| 35 - 39 | 12,646 | 565 | 585 | 1,367 | 2,533 | 7,523 | 73 |
| 40 & OVER | 2,928 | 154 | 143 | 344 | 568 | 1,685 | 34 |
| NOT STATED | 4 | 0 | 1 | 1 | 2 | 0 | 0 |
| WHITE | | | | | | | |
| ALL AGES | 42,781 | 2,671 | 3,858 | 7,247 | 10,038 | 18,723 | 244 |
| UNDER 15 | 20 | 16 | 4 | 0 | 0 | 0 | 0 |
| 15 - 19 | 1,534 | 122 | 728 | 498 | 172 | 0 | 14 |
| 15 - 17 | 420 | 39 | 322 | 52 | 4 | 0 | 3 |
| 18 - 19 | 1,114 | 83 | 406 | 446 | 168 | 0 | 11 |
| 20 - 24 | 5,914 | 447 | 956 | 2,201 | 1,934 | 340 | 36 |
| 25 - 29 | 11,757 | 681 | 945 | 2,226 | 3,585 | 4,258 | 62 |
| 30 - 34 | 14,437 | 790 | 716 | 1,429 | 2,833 | 8,604 | 65 |
| 35 - 39 | 7,545 | 490 | 407 | 729 | 1,257 | 4,617 | 45 |
| 40 & OVER | 1,573 | 125 | 102 | 164 | 256 | 904 | 22 |
| NOT STATED | 1 | 0 | 0 | 0 | 1 | 0 | 0 |
| NON-HISPANIC WHITE | | | | | | | |
| ALL AGES | 31,822 | 308 | 1,347 | 4,697 | 8,104 | 17,257 | 109 |
| UNDER 15 | 7 | 6 | 1 | 0 | 0 | 0 | 0 |
| 15 - 19 | 784 | 16 | 299 | 337 | 128 | 0 | 4 |
| 15 - 17 | 189 | 9 | 137 | 39 | 3 | 0 | 1 |
| 18 - 19 | 595 | 7 | 162 | 298 | 125 | 0 | 3 |
| 20 - 24 | 3,770 | 88 | 401 | 1,479 | 1,479 | 311 | 12 |
| 25 - 29 | 8,846 | 95 | 362 | 1,493 | 2,948 | 3,920 | 28 |
| 30 - 34 | 11,544 | 55 | 181 | 896 | 2,355 | 8,029 | 28 |
| 35 - 39 | 5,742 | 36 | 81 | 404 | 997 | 4,196 | 28 |
| 40 & OVER | 1,128 | 12 | 22 | 88 | 196 | 801 | 9 |
| NOT STATED | 1 | 0 | 0 | 0 | 1 | 0 | 0 |
| BLACK | | | | | | | |
| ALL AGES | 24,131 | 212 | 2,079 | 6,776 | 8,039 | 6,889 | 136 |
| UNDER 15 | 17 | 13 | 4 | 0 | 0 | 0 | 0 |
| 15 - 19 | 1,401 | 25 | 572 | 627 | 171 | 0 | 6 |
| 15 - 17 | 382 | 18 | 301 | 58 | 4 | 0 | 1 |
| 18 - 19 | 1,019 | 7 | 271 | 569 | 167 | 0 | 5 |
| 20 - 24 | 5,169 | 24 | 540 | 2,395 | 1,898 | 287 | 25 |
| 25 - 29 | 6,752 | 46 | 525 | 1,930 | 2,576 | 1,645 | 30 |
| 30 - 34 | 6,051 | 57 | 257 | 1,122 | 2,021 | 2,557 | 37 |

See footnotes at end of table.

TABLE 18. NUMBER OF BIRTHS BY AGE, EDUCATIONAL ATTAINMENT, RACE AND HISPANIC ORIGIN OF MOTHER, MARYLAND, 2016. — Continued

| RACE, HISPANIC ORIGIN AND AGE OF MOTHER | YEARS OF SCHOOL COMPLETED BY MOTHER | | | | | | |
|---|-------------------------------------|-----------|------------|----------|-------------|------------------|------------|
| | TOTAL | 0-8 YEARS | 9-11 YEARS | 12 YEARS | 13-15 YEARS | 16 YEARS OR MORE | NOT STATED |
| BLACK | | | | | | | |
| 35 - 39 | 3,730 | 36 | 143 | 553 | 1,093 | 1,878 | 27 |
| 40 & OVER | 1,008 | 11 | 37 | 148 | 279 | 522 | 11 |
| NOT STATED | 3 | 0 | 1 | 1 | 1 | 0 | 0 |
| NON-HISPANIC BLACK | | | | | | | |
| ALL AGES | 23,449 | 165 | 2,000 | 6,604 | 7,799 | 6,760 | 121 |
| UNDER 15 | 16 | 12 | 4 | 0 | 0 | 0 | 0 |
| 15 - 19 | 1,364 | 23 | 557 | 611 | 167 | 0 | 6 |
| 15 - 17 | 369 | 16 | 292 | 56 | 4 | 0 | 1 |
| 18 - 19 | 995 | 7 | 265 | 555 | 163 | 0 | 5 |
| 20 - 24 | 4,981 | 19 | 516 | 2,326 | 1,819 | 279 | 22 |
| 25 - 29 | 6,542 | 37 | 504 | 1,881 | 2,487 | 1,606 | 27 |
| 30 - 34 | 5,906 | 42 | 243 | 1,097 | 1,976 | 2,515 | 33 |
| 35 - 39 | 3,653 | 22 | 139 | 543 | 1,074 | 1,849 | 26 |
| 40 & OVER | 984 | 10 | 36 | 145 | 275 | 511 | 7 |
| NOT STATED | 3 | 0 | 1 | 1 | 1 | 0 | 0 |
| AMERICAN INDIAN | | | | | | | |
| ALL AGES | 216 | 23 | 32 | 57 | 63 | 41 | 0 |
| UNDER 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15 - 19 | 16 | 0 | 8 | 8 | 0 | 0 | 0 |
| 15 - 17 | 2 | 0 | 2 | 0 | 0 | 0 | 0 |
| 18 - 19 | 14 | 0 | 6 | 8 | 0 | 0 | 0 |
| 20 - 24 | 45 | 4 | 7 | 20 | 10 | 4 | 0 |
| 25 - 29 | 58 | 4 | 7 | 17 | 20 | 10 | 0 |
| 30 - 34 | 47 | 6 | 6 | 6 | 19 | 10 | 0 |
| 35 - 39 | 39 | 7 | 4 | 3 | 12 | 13 | 0 |
| 40 & OVER | 11 | 2 | 0 | 3 | 2 | 4 | 0 |
| NOT STATED | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-HISPANIC AMERICAN INDIAN | | | | | | | |
| ALL AGES | 134 | 2 | 14 | 38 | 46 | 34 | 0 |
| UNDER 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15 - 19 | 8 | 0 | 3 | 5 | 0 | 0 | 0 |
| 15 - 17 | 1 | 0 | 1 | 0 | 0 | 0 | 0 |
| 18 - 19 | 7 | 0 | 2 | 5 | 0 | 0 | 0 |
| 20 - 24 | 33 | 1 | 4 | 16 | 8 | 4 | 0 |
| 25 - 29 | 33 | 0 | 3 | 7 | 15 | 8 | 0 |
| 30 - 34 | 31 | 0 | 3 | 5 | 16 | 7 | 0 |
| 35 - 39 | 20 | 0 | 1 | 2 | 5 | 12 | 0 |
| 40 & OVER | 9 | 1 | 0 | 3 | 2 | 3 | 0 |
| NOT STATED | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ASIAN OR PACIFIC ISLANDER | | | | | | | |
| ALL AGES | 5,603 | 181 | 198 | 496 | 866 | 3,847 | 15 |

See footnotes at end of table.

TABLE 18. NUMBER OF BIRTHS BY AGE, EDUCATIONAL ATTAINMENT, RACE AND HISPANIC ORIGIN OF MOTHER, MARYLAND, 2016. — Continued

| RACE, HISPANIC ORIGIN AND AGE OF MOTHER | YEARS OF SCHOOL COMPLETED BY MOTHER | | | | | | |
|---|-------------------------------------|-----------|------------|----------|-------------|------------------|------------|
| | TOTAL | 0-8 YEARS | 9-11 YEARS | 12 YEARS | 13-15 YEARS | 16 YEARS OR MORE | NOT STATED |
| ASIAN OR PACIFIC ISLANDER | | | | | | | |
| UNDER 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15 - 19 | 39 | 1 | 16 | 10 | 11 | 1 | 0 |
| 15 - 17 | 7 | 1 | 4 | 0 | 1 | 1 | 0 |
| 18 - 19 | 32 | 0 | 12 | 10 | 10 | 0 | 0 |
| 20 - 24 | 332 | 26 | 30 | 94 | 103 | 78 | 1 |
| 25 - 29 | 1,343 | 48 | 56 | 142 | 249 | 840 | 8 |
| 30 - 34 | 2,297 | 63 | 64 | 150 | 316 | 1,700 | 4 |
| 35 - 39 | 1,268 | 28 | 29 | 74 | 157 | 979 | 1 |
| 40 & OVER | 324 | 15 | 3 | 26 | 30 | 249 | 1 |
| NOT STATED | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NON-HISPANIC ASIAN OR PACIFIC ISLANDER | | | | | | | |
| ALL AGES | 5,450 | 152 | 165 | 471 | 843 | 3,810 | 9 |
| UNDER 15 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 15 - 19 | 27 | 0 | 8 | 8 | 10 | 1 | 0 |
| 15 - 17 | 4 | 0 | 2 | 0 | 1 | 1 | 0 |
| 18 - 19 | 23 | 0 | 6 | 8 | 9 | 0 | 0 |
| 20 - 24 | 299 | 20 | 20 | 87 | 96 | 76 | 0 |
| 25 - 29 | 1,299 | 42 | 49 | 133 | 241 | 828 | 6 |
| 30 - 34 | 2,253 | 53 | 56 | 145 | 312 | 1,686 | 1 |
| 35 - 39 | 1,253 | 24 | 29 | 72 | 155 | 972 | 1 |
| 40 & OVER | 319 | 13 | 3 | 26 | 29 | 247 | 1 |
| NOT STATED | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| HISPANIC** | | | | | | | |
| ALL AGES | 11,866 | 2,457 | 2,641 | 2,765 | 2,211 | 1,637 | 155 |
| UNDER 15 | 14 | 11 | 3 | 0 | 0 | 0 | 0 |
| 15 - 19 | 807 | 109 | 457 | 182 | 49 | 0 | 10 |
| 15 - 17 | 248 | 33 | 197 | 15 | 1 | 0 | 2 |
| 18 - 19 | 559 | 76 | 260 | 167 | 48 | 0 | 8 |
| 20 - 24 | 2,376 | 373 | 592 | 801 | 543 | 39 | 28 |
| 25 - 29 | 3,187 | 604 | 615 | 801 | 737 | 391 | 39 |
| 30 - 34 | 3,095 | 764 | 560 | 564 | 530 | 634 | 43 |
| 35 - 39 | 1,911 | 479 | 333 | 338 | 287 | 456 | 18 |
| 40 & OVER | 476 | 117 | 81 | 79 | 65 | 117 | 17 |
| NOT STATED | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

*Includes races categorized as 'unknown' or 'other'.

**Includes all births to mothers of Hispanic origin of any race.

TABLE 19A. NUMBER OF BIRTHS TO WOMEN RECEIVING FIRST TRIMESTER PRENATAL CARE BY RACE AND HISPANIC ORIGIN OF MOTHER, REGION AND POLITICAL SUBDIVISION, MARYLAND, 2016.****

| REGION AND POLITICAL SUBDIVISION | ALL RACES* | NON-HISPANIC WHITE | NON-HISPANIC BLACK | NON-HISPANIC AMERICAN INDIAN | NON-HISPANIC ASIAN OR PACIFIC ISLANDER | HISPANIC** |
|----------------------------------|------------|--------------------|--------------------|------------------------------|--|------------|
| MARYLAND | 46,068 | 23,775 | 12,780 | 74 | 3,641 | 5,604 |
| NORTHWEST AREA | 4,058 | 3,223 | 336 | 8 | 152 | 329 |
| GARRETT | 253 | 251 | 0 | 0 | 1 | 1 |
| ALLEGANY | 463 | 436 | 11 | 0 | 10 | 6 |
| WASHINGTON | 1,175 | 927 | 137 | 5 | 37 | 63 |
| FREDERICK | 2,167 | 1,609 | 188 | 3 | 104 | 259 |
| BALTIMORE METRO AREA | 20,591 | 11,789 | 5,605 | 27 | 1,616 | 1,465 |
| BALTIMORE CITY | 4,340 | 1,419 | 2,447 | 8 | 158 | 281 |
| BALTIMORE COUNTY | 5,968 | 3,300 | 1,649 | 10 | 533 | 449 |
| ANNE ARUNDEL | 4,626 | 3,197 | 745 | 6 | 249 | 412 |
| CARROLL | 1,289 | 1,174 | 37 | 0 | 34 | 44 |
| HOWARD | 2,451 | 1,241 | 437 | 0 | 571 | 191 |
| HARFORD | 1,917 | 1,458 | 290 | 3 | 71 | 88 |
| NATIONAL CAPITAL AREA | 14,870 | 4,361 | 5,283 | 22 | 1,717 | 3,407 |
| MONTGOMERY | 8,325 | 3,551 | 1,506 | 8 | 1,411 | 1,802 |
| PRINCE GEORGE'S | 6,545 | 810 | 3,777 | 14 | 306 | 1,605 |
| SOUTHERN AREA | 2,955 | 1,882 | 791 | 9 | 88 | 174 |
| CALVERT | 676 | 563 | 79 | 1 | 12 | 20 |
| CHARLES | 1,182 | 482 | 553 | 2 | 35 | 102 |
| SAINT MARY'S | 1,097 | 837 | 159 | 6 | 41 | 52 |
| EASTERN SHORE AREA | 3,594 | 2,520 | 765 | 8 | 68 | 229 |
| CECIL | 834 | 714 | 65 | 0 | 18 | 36 |
| KENT | 105 | 75 | 24 | 0 | 2 | 4 |
| QUEEN ANNE'S | 360 | 320 | 14 | 0 | 4 | 22 |
| CAROLINE | 276 | 204 | 40 | 0 | 4 | 28 |
| TALBOT | 244 | 167 | 40 | 1 | 6 | 29 |
| DORCHESTER | 290 | 162 | 104 | 0 | 5 | 19 |
| WICOMICO | 949 | 517 | 334 | 5 | 24 | 67 |
| SOMERSET | 210 | 113 | 85 | 1 | 2 | 9 |
| WORCESTER | 326 | 248 | 59 | 1 | 3 | 15 |

*Includes races categorized as 'unknown' or 'other'.

**Includes all births to mothers of Hispanic origin of any race.

****The methodology for collecting information on the time during pregnancy that prenatal care began was changed in the 2010 revision of the Maryland birth certificate. As a result, prenatal care data collected after 2009 are not comparable to data collected in earlier years.

TABLE 19B. NUMBER OF BIRTHS TO WOMEN RECEIVING LATE* OR NO PRENATAL CARE BY RACE, HISPANIC ORIGIN, REGION AND POLITICAL SUBDIVISION, MARYLAND, 2016.***,******

| REGION AND POLITICAL SUBDIVISION | ALL RACES* | NON-HISPANIC WHITE | NON-HISPANIC BLACK | NON-HISPANIC AMERICAN INDIAN | NON-HISPANIC ASIAN OR PACIFIC ISLANDER | HISPANIC** |
|----------------------------------|------------|--------------------|--------------------|------------------------------|--|------------|
| MARYLAND | 5,805 | 1,619 | 2,530 | 12 | 364 | 1,251 |
| NORTHWEST AREA | 330 | 203 | 60 | 2 | 19 | 45 |
| GARRETT | 5 | 5 | 0 | 0 | 0 | 0 |
| ALLEGANY | 39 | 35 | 3 | 0 | 1 | 0 |
| WASHINGTON | 107 | 67 | 23 | 1 | 2 | 13 |
| FREDERICK | 179 | 96 | 34 | 1 | 16 | 32 |
| BALTIMORE METRO AREA | 2,554 | 853 | 1,116 | 6 | 160 | 404 |
| BALTIMORE CITY | 866 | 172 | 540 | 2 | 25 | 116 |
| BALTIMORE COUNTY | 780 | 262 | 335 | 2 | 57 | 122 |
| ANNE ARUNDEL | 475 | 220 | 128 | 1 | 31 | 94 |
| CARROLL | 80 | 52 | 8 | 0 | 3 | 17 |
| HOWARD | 218 | 68 | 67 | 1 | 36 | 45 |
| HARFORD | 135 | 79 | 38 | 0 | 8 | 10 |
| NATIONAL CAPITAL AREA | 2,332 | 273 | 1,156 | 3 | 171 | 717 |
| MONTGOMERY | 1,000 | 191 | 352 | 1 | 123 | 329 |
| PRINCE GEORGE'S | 1,332 | 82 | 804 | 2 | 48 | 388 |
| SOUTHERN AREA | 312 | 148 | 120 | 1 | 10 | 32 |
| CALVERT | 48 | 35 | 8 | 0 | 2 | 3 |
| CHARLES | 167 | 50 | 90 | 0 | 5 | 21 |
| SAINT MARY'S | 97 | 63 | 22 | 1 | 3 | 8 |
| EASTERN SHORE AREA | 277 | 142 | 78 | 0 | 4 | 53 |
| CECIL | 44 | 38 | 3 | 0 | 1 | 2 |
| KENT | 11 | 5 | 5 | 0 | 0 | 1 |
| QUEEN ANNE'S | 23 | 13 | 1 | 0 | 0 | 9 |
| CAROLINE | 32 | 16 | 6 | 0 | 0 | 10 |
| TALBOT | 21 | 7 | 1 | 0 | 1 | 12 |
| DORCHESTER | 26 | 11 | 12 | 0 | 0 | 3 |
| WICOMICO | 82 | 32 | 36 | 0 | 2 | 12 |
| SOMERSET | 11 | 2 | 8 | 0 | 0 | 1 |
| WORCESTER | 27 | 18 | 6 | 0 | 0 | 3 |

*Includes races categorized as 'unknown' or 'other'.

**Includes all births to mothers of Hispanic origin of any race.

***Late care refers to care beginning in the third trimester.

****The methodology for collecting information on the time during pregnancy that prenatal care began was changed in the 2010 revision of the Maryland birth certificate. As a result, prenatal care data collected after 2009 are not comparable to data collected in earlier years.

TABLE 20. BIRTHS BY BIRTH WEIGHT, RACE AND HISPANIC ORIGIN OF MOTHER AND TRIMESTER OF ONSET OF PRENATAL CARE, MARYLAND, 2016.

| RACE AND TRIMESTER OF FIRST PRENATAL VISIT | BIRTH WEIGHT | | | | | | | | | |
|--|--------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|--------------------|------------|
| | TOTAL | UNDER 1,000 GRAMS | 1,000-1,499 GRAMS | 1,500-1,999 GRAMS | 2,000-2,499 GRAMS | 2,500-2,999 GRAMS | 3,000-3,499 GRAMS | 3,500-3,999 GRAMS | 4,000 GRAMS & OVER | NOT STATED |
| ALL BIRTHS* | | | | | | | | | | |
| ALL BIRTHS | 73,073 | 597 | 631 | 1,182 | 3,854 | 13,620 | 27,937 | 19,340 | 5,891 | 21 |
| FIRST TRIMESTER | 46,068 | 321 | 332 | 661 | 2,273 | 8,098 | 17,463 | 12,833 | 4,079 | 8 |
| SECOND TRIMESTER | 16,102 | 116 | 146 | 262 | 856 | 3,191 | 6,262 | 4,088 | 1,177 | 4 |
| THIRD TRIMESTER | 4,755 | 3 | 23 | 61 | 269 | 998 | 1,937 | 1,152 | 311 | 1 |
| NO CARE | 1,050 | 56 | 31 | 40 | 90 | 249 | 330 | 197 | 52 | 5 |
| NOT STATED | 5,098 | 101 | 99 | 158 | 366 | 1,084 | 1,945 | 1,070 | 272 | 3 |
| WHITE | | | | | | | | | | |
| ALL BIRTHS | 42,781 | 220 | 254 | 544 | 1,814 | 6,770 | 16,186 | 12,756 | 4,222 | 15 |
| FIRST TRIMESTER | 28,926 | 122 | 150 | 320 | 1,134 | 4,313 | 10,802 | 8,983 | 3,095 | 7 |
| SECOND TRIMESTER | 8,852 | 43 | 57 | 116 | 387 | 1,505 | 3,449 | 2,536 | 757 | 2 |
| THIRD TRIMESTER | 2,252 | 1 | 7 | 28 | 116 | 427 | 906 | 600 | 166 | 1 |
| NO CARE | 513 | 23 | 10 | 17 | 39 | 125 | 158 | 106 | 31 | 4 |
| NOT STATED | 2,238 | 31 | 30 | 63 | 138 | 400 | 871 | 531 | 173 | 1 |
| NON-HISPANIC WHITE | | | | | | | | | | |
| ALL BIRTHS | 31,822 | 157 | 186 | 411 | 1,332 | 4,758 | 11,683 | 9,878 | 3,403 | 14 |
| FIRST TRIMESTER | 23,775 | 93 | 116 | 267 | 921 | 3,395 | 8,702 | 7,604 | 2,670 | 7 |
| SECOND TRIMESTER | 4,948 | 28 | 39 | 68 | 218 | 799 | 1,828 | 1,489 | 478 | 1 |
| THIRD TRIMESTER | 1,291 | 1 | 5 | 19 | 75 | 231 | 485 | 358 | 116 | 1 |
| NO CARE | 328 | 16 | 8 | 15 | 28 | 75 | 93 | 67 | 22 | 4 |
| NOT STATED | 1,480 | 19 | 18 | 42 | 90 | 258 | 575 | 360 | 117 | 1 |
| BLACK | | | | | | | | | | |
| ALL BIRTHS | 24,131 | 342 | 333 | 545 | 1,701 | 5,514 | 9,171 | 5,175 | 1,345 | 5 |
| FIRST TRIMESTER | 13,130 | 180 | 155 | 286 | 906 | 2,921 | 5,010 | 2,907 | 764 | 1 |
| SECOND TRIMESTER | 6,010 | 67 | 82 | 126 | 410 | 1,416 | 2,272 | 1,279 | 356 | 2 |
| THIRD TRIMESTER | 2,117 | 2 | 15 | 27 | 135 | 493 | 855 | 466 | 124 | 0 |
| NO CARE | 486 | 32 | 20 | 22 | 47 | 109 | 158 | 78 | 19 | 1 |
| NOT STATED | 2,388 | 61 | 61 | 84 | 203 | 575 | 876 | 445 | 82 | 1 |
| NON-HISPANIC BLACK | | | | | | | | | | |
| ALL BIRTHS | 23,449 | 339 | 325 | 529 | 1,653 | 5,372 | 8,909 | 5,008 | 1,309 | 5 |
| FIRST TRIMESTER | 12,780 | 180 | 152 | 278 | 879 | 2,854 | 4,879 | 2,814 | 743 | 1 |
| SECOND TRIMESTER | 5,811 | 65 | 79 | 122 | 399 | 1,365 | 2,194 | 1,237 | 348 | 2 |
| THIRD TRIMESTER | 2,056 | 2 | 15 | 26 | 129 | 479 | 834 | 452 | 119 | 0 |
| NO CARE | 474 | 31 | 20 | 22 | 47 | 107 | 154 | 73 | 19 | 1 |

See footnotes at end of table.

TABLE 20. BIRTHS BY BIRTH WEIGHT, RACE AND HISPANIC ORIGIN OF MOTHER AND TRIMESTER OF ONSET OF PRENATAL CARE, MARYLAND, 2016. — Continued

| RACE AND TRIMESTER OF FIRST PRENATAL VISIT | BIRTH WEIGHT | | | | | | | | | |
|---|--------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|--------------------|------------|
| | TOTAL | UNDER 1,000 GRAMS | 1,000-1,499 GRAMS | 1,500-1,999 GRAMS | 2,000-2,499 GRAMS | 2,500-2,999 GRAMS | 3,000-3,499 GRAMS | 3,500-3,999 GRAMS | 4,000 GRAMS & OVER | NOT STATED |
| NON-HISPANIC BLACK NOT STATED | 2,328 | 61 | 59 | 81 | 199 | 567 | 848 | 432 | 80 | 1 |
| AMERICAN INDIAN ALL BIRTHS | 216 | 2 | 3 | 3 | 11 | 41 | 79 | 61 | 16 | 0 |
| FIRST TRIMESTER | 116 | 2 | 1 | 0 | 7 | 23 | 40 | 32 | 11 | 0 |
| SECOND TRIMESTER | 64 | 0 | 0 | 1 | 3 | 9 | 28 | 20 | 3 | 0 |
| THIRD TRIMESTER | 18 | 0 | 0 | 0 | 1 | 4 | 8 | 3 | 2 | 0 |
| NO CARE | 6 | 0 | 0 | 0 | 0 | 3 | 1 | 2 | 0 | 0 |
| NOT STATED | 12 | 0 | 2 | 2 | 0 | 2 | 2 | 4 | 0 | 0 |
| NON-HISPANIC AMERICAN INDIAN ALL BIRTHS | 134 | 2 | 2 | 2 | 9 | 23 | 45 | 40 | 11 | 0 |
| FIRST TRIMESTER | 74 | 2 | 1 | 0 | 6 | 11 | 27 | 19 | 8 | 0 |
| SECOND TRIMESTER | 40 | 0 | 0 | 0 | 3 | 6 | 15 | 14 | 2 | 0 |
| THIRD TRIMESTER | 10 | 0 | 0 | 0 | 0 | 3 | 3 | 3 | 1 | 0 |
| NO CARE | 2 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 0 |
| NOT STATED | 8 | 0 | 1 | 2 | 0 | 2 | 0 | 3 | 0 | 0 |
| ASIAN OR PACIFIC ISLANDER ALL BIRTHS | 5,603 | 31 | 39 | 82 | 308 | 1,244 | 2,366 | 1,251 | 281 | 1 |
| FIRST TRIMESTER | 3,705 | 16 | 25 | 51 | 215 | 811 | 1,538 | 857 | 192 | 0 |
| SECOND TRIMESTER | 1,105 | 5 | 7 | 19 | 55 | 249 | 478 | 237 | 55 | 0 |
| THIRD TRIMESTER | 344 | 0 | 1 | 4 | 15 | 74 | 157 | 76 | 17 | 0 |
| NO CARE | 40 | 1 | 1 | 1 | 3 | 11 | 13 | 8 | 2 | 0 |
| NOT STATED | 409 | 9 | 5 | 7 | 20 | 99 | 180 | 73 | 15 | 1 |
| NON-HISPANIC ASIAN OR PACIFIC ISLANDER ALL BIRTHS | 5,450 | 29 | 38 | 80 | 302 | 1,218 | 2,290 | 1,220 | 272 | 1 |
| FIRST TRIMESTER | 3,641 | 16 | 25 | 51 | 211 | 800 | 1,506 | 844 | 188 | 0 |
| SECOND TRIMESTER | 1,051 | 4 | 6 | 18 | 54 | 240 | 452 | 226 | 51 | 0 |
| THIRD TRIMESTER | 326 | 0 | 1 | 3 | 15 | 71 | 147 | 73 | 16 | 0 |
| NO CARE | 38 | 1 | 1 | 1 | 2 | 11 | 12 | 8 | 2 | 0 |
| NOT STATED | 394 | 8 | 5 | 7 | 20 | 96 | 173 | 69 | 15 | 1 |

See footnotes at end of table.

TABLE 20. BIRTHS BY BIRTH WEIGHT, RACE AND HISPANIC ORIGIN OF MOTHER AND TRIMESTER OF ONSET OF PRENATAL CARE, MARYLAND, 2016. — Continued

| RACE AND TRIMESTER OF FIRST PRENATAL VISIT | BIRTH WEIGHT | | | | | | | | | |
|--|--------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|-------------------|--------------------|------------|
| | TOTAL | UNDER 1,000 GRAMS | 1,000-1,499 GRAMS | 1,500-1,999 GRAMS | 2,000-2,499 GRAMS | 2,500-2,999 GRAMS | 3,000-3,499 GRAMS | 3,500-3,999 GRAMS | 4,000 GRAMS & OVER | NOT STATED |
| HISPANIC** | | | | | | | | | | |
| ALL BIRTHS | 11,866 | 67 | 78 | 152 | 538 | 2,196 | 4,873 | 3,095 | 866 | 1 |
| FIRST TRIMESTER | 5,604 | 29 | 37 | 61 | 245 | 1,007 | 2,275 | 1,498 | 452 | 0 |
| SECOND TRIMESTER | 4,178 | 18 | 22 | 54 | 181 | 768 | 1,738 | 1,105 | 291 | 1 |
| THIRD TRIMESTER | 1,048 | 0 | 2 | 11 | 48 | 214 | 457 | 259 | 57 | 0 |
| NO CARE | 203 | 8 | 2 | 2 | 12 | 54 | 71 | 45 | 9 | 0 |
| NOT STATED | 833 | 12 | 15 | 24 | 52 | 153 | 332 | 188 | 57 | 0 |

*Includes races categorized as 'unknown' or 'other'.

**Includes all births to mothers of Hispanic origin of any race.

TABLE 21A. NUMBER AND PERCENTAGE OF LOW BIRTH WEIGHT** INFANTS BY RACE AND HISPANIC ORIGIN OF MOTHER, REGION AND POLITICAL SUBDIVISION, MARYLAND, 2016.**

| REGION AND POLITICAL SUBDIVISION | NUMBER | | | | | | PERCENT*** | | | | | |
|----------------------------------|------------|----------------|----------------|--------------------------|------------------------------------|------------|------------|----------------|----------------|--------------------------|------------------------------------|------------|
| | ALL RACES* | NON-HISP WHITE | NON-HISP BLACK | NON-HISP AMERICAN INDIAN | NON-HISP ASIAN OR PACIFIC ISLANDER | HISPANIC** | ALL RACES* | NON-HISP WHITE | NON-HISP BLACK | NON-HISP AMERICAN INDIAN | NON-HISP ASIAN OR PACIFIC ISLANDER | HISPANIC** |
| MARYLAND | 6,264 | 2,086 | 2,846 | 15 | 449 | 835 | 8.6 | 6.6 | 12.1 | 11.2 | 3.8 | 7.0 |
| NORTHWEST AREA | 411 | 294 | 65 | 1 | 17 | 32 | 7.5 | 7.1 | 11.7 | ** | 3.3 | 6.2 |
| GARRETT | 31 | 31 | 0 | 0 | 0 | 0 | 10.0 | 10.1 | ** | ** | ** | ** |
| ALLEGANY | 53 | 48 | 2 | 1 | 0 | 2 | 8.6 | 8.3 | ** | ** | ** | ** |
| WASHINGTON | 159 | 115 | 35 | 0 | 3 | 5 | 9.4 | 9.0 | 14.5 | ** | 0.0 | 4.6 |
| FREDERICK | 168 | 100 | 28 | 0 | 14 | 25 | 5.9 | 5.0 | 9.6 | ** | 3.5 | 6.3 |
| BALTIMORE METRO AREA .. | 2,996 | 1,072 | 1,439 | 7 | 222 | 238 | 9.0 | 6.5 | 13.2 | 11.5 | 6.6 | 7.1 |
| BALTIMORE CITY | 995 | 143 | 770 | 2 | 18 | 55 | 11.7 | 6.5 | 14.9 | ** | 2.2 | 6.7 |
| BALTIMORE COUNTY | 858 | 311 | 388 | 0 | 68 | 85 | 8.8 | 6.6 | 12.3 | ** | 6.8 | 8.5 |
| ANNE ARUNDEL | 518 | 270 | 151 | 4 | 34 | 56 | 7.4 | 6.2 | 11.7 | ** | 3.8 | 6.2 |
| CARROLL | 122 | 110 | 4 | 1 | 4 | 3 | 7.1 | 7.2 | ** | ** | ** | ** |
| HOWARD | 298 | 113 | 67 | 0 | 90 | 28 | 8.4 | 6.9 | 9.3 | ** | 24.2 | 7.5 |
| HARFORD | 205 | 125 | 59 | 0 | 8 | 11 | 7.6 | 6.4 | 12.1 | ** | 5.5 | 7.5 |
| NATIONAL CAPITAL AREA ... | 2,136 | 359 | 1,067 | 2 | 184 | 514 | 8.4 | 6.4 | 10.9 | ** | 2.5 | 7.1 |
| MONTGOMERY | 943 | 275 | 264 | 0 | 141 | 258 | 7.2 | 6.1 | 9.3 | ** | 3.9 | 7.1 |
| PRINCE GEORGE'S | 1,193 | 84 | 803 | 2 | 43 | 256 | 9.7 | 7.2 | 11.6 | ** | 1.2 | 7.1 |
| SOUTHERN AREA | 334 | 147 | 148 | 3 | 20 | 15 | 8.1 | 5.9 | 12.2 | ** | 6.7 | 5.0 |
| CALVERT | 55 | 30 | 17 | 0 | 7 | 1 | 6.1 | 4.1 | 15.7 | ** | 19.4 | ** |
| CHARLES | 186 | 58 | 105 | 2 | 10 | 10 | 10.2 | 8.5 | 12.0 | ** | 5.4 | 5.4 |
| SAINT MARY'S | 93 | 59 | 26 | 1 | 3 | 4 | 6.5 | 5.6 | 11.3 | ** | ** | ** |
| EASTERN SHORE AREA | 387 | 214 | 127 | 2 | 6 | 36 | 8.1 | 6.7 | 12.1 | ** | 1.3 | 8.0 |
| CECIL | 87 | 65 | 12 | 0 | 1 | 8 | 7.9 | 7.0 | 12.9 | ** | ** | 12.9 |
| KENT | 12 | 6 | 5 | 0 | 1 | 0 | 8.1 | 5.9 | 14.3 | ** | ** | ** |
| QUEEN ANNE'S | 38 | 36 | 1 | 0 | 0 | 1 | 7.6 | 8.7 | ** | ** | ** | ** |
| CAROLINE | 24 | 13 | 6 | 0 | 1 | 4 | 6.2 | 5.1 | 9.7 | ** | ** | ** |
| TALBOT | 25 | 10 | 6 | 0 | 2 | 6 | 7.6 | 4.9 | 13.3 | ** | ** | 8.7 |
| DORCHESTER | 37 | 16 | 21 | 0 | 0 | 0 | 9.7 | 8.2 | 14.5 | ** | ** | ** |
| WICOMICO | 112 | 35 | 58 | 2 | 1 | 16 | 9.0 | 5.5 | 12.8 | ** | ** | 13.4 |
| SOMERSET | 27 | 15 | 11 | 0 | 0 | 1 | 10.2 | 11.4 | 9.6 | ** | ** | ** |
| WORCESTER | 25 | 18 | 7 | 0 | 0 | 0 | 6.0 | 5.7 | 9.1 | ** | ** | ** |

*Includes races categorized as 'unknown' or 'other'.

**Includes all births to mothers of Hispanic origin of any race.

**Percentages based on <5 events in the numerator are not presented since such percentages are subject to instability.

***Percent of total births in the specified group.

****Weighing 2,499 grams or less.

TABLE 21B. NUMBER AND PERCENTAGE OF VERY LOW BIRTH WEIGHT** INFANTS BY RACE AND HISPANIC ORIGIN OF MOTHER, REGION, AND POLITICAL SUBDIVISION, MARYLAND, 2015.**

| REGION AND POLITICAL SUBDIVISION | NUMBER | | | | | | PERCENT*** | | | | | |
|----------------------------------|------------|----------------|----------------|--------------------------|------------------------------------|------------|------------|----------------|----------------|--------------------------|------------------------------------|------------|
| | ALL RACES* | NON-HISP WHITE | NON-HISP BLACK | NON-HISP AMERICAN INDIAN | NON-HISP ASIAN OR PACIFIC ISLANDER | HISPANIC** | ALL RACES* | NON-HISP WHITE | NON-HISP BLACK | NON-HISP AMERICAN INDIAN | NON-HISP ASIAN OR PACIFIC ISLANDER | HISPANIC** |
| MARYLAND | 1,228 | 343 | 664 | 4 | 67 | 145 | 1.7 | 1.1 | 2.8 | ***** | 1.2 | 1.2 |
| NORTHWEST AREA | 63 | 46 | 11 | 0 | 2 | 2 | 1.2 | 1.1 | 2.0 | ***** | ***** | 0.0 |
| GARRETT | 5 | 5 | 0 | 0 | 0 | 0 | 1.6 | 1.6 | ***** | ***** | ***** | ***** |
| ALLEGANY | 3 | 3 | 0 | 0 | 0 | 0 | 0.0 | 0.0 | ***** | ***** | ***** | ***** |
| WASHINGTON | 28 | 21 | 5 | 0 | 0 | 1 | 1.7 | 1.6 | 2.1 | ***** | ***** | ***** |
| FREDERICK | 27 | 17 | 6 | 0 | 2 | 1 | 1.0 | 0.9 | 2.0 | ***** | ***** | 0.0 |
| BALTIMORE METRO AREA .. | 590 | 174 | 331 | 1 | 43 | 39 | 1.8 | 1.1 | 3.0 | ***** | 1.7 | 1.2 |
| BALTIMORE CITY | 207 | 28 | 169 | 0 | 5 | 5 | 2.4 | 1.3 | 3.3 | ***** | 1.9 | 0.6 |
| BALTIMORE COUNTY | 181 | 48 | 98 | 0 | 15 | 19 | 1.8 | 1.0 | 3.1 | ***** | 1.8 | 1.9 |
| ANNE ARUNDEL | 104 | 52 | 38 | 1 | 6 | 6 | 1.5 | 1.2 | 2.9 | ***** | 1.5 | 0.7 |
| CARROLL | 16 | 14 | 0 | 0 | 2 | 0 | 0.9 | 0.9 | ***** | ***** | 0.0 | ***** |
| HOWARD | 47 | 17 | 12 | 0 | 12 | 6 | 1.3 | 1.0 | 1.7 | ***** | 1.5 | 1.6 |
| HARFORD | 35 | 15 | 14 | 0 | 3 | 3 | 1.3 | 0.8 | 2.9 | ***** | 0.0 | ***** |
| NATIONAL CAPITAL AREA ... | 415 | 50 | 251 | 2 | 18 | 94 | 1.6 | 0.9 | 2.6 | ***** | 0.7 | 1.3 |
| MONTGOMERY | 169 | 35 | 74 | 0 | 14 | 46 | 1.3 | 0.8 | 2.6 | ***** | 0.7 | 1.3 |
| PRINCE GEORGE'S | 246 | 15 | 177 | 2 | 4 | 48 | 2.0 | 1.3 | 2.6 | ***** | ***** | 1.3 |
| SOUTHERN AREA | 78 | 27 | 43 | 1 | 3 | 4 | 1.9 | 1.1 | 3.6 | ***** | ***** | 0.0 |
| CALVERT | 13 | 7 | 4 | 0 | 2 | 0 | 1.4 | 0.9 | ***** | ***** | ***** | ***** |
| CHARLES | 46 | 9 | 33 | 1 | 0 | 3 | 2.5 | 1.3 | 3.8 | ***** | ***** | ***** |
| SAINT MARY'S | 19 | 11 | 6 | 0 | 1 | 1 | 1.3 | 1.0 | 2.6 | ***** | ***** | ***** |
| EASTERN SHORE AREA | 82 | 46 | 28 | 0 | 1 | 6 | 1.7 | 1.4 | 2.7 | ***** | ***** | 1.3 |
| CECIL | 17 | 13 | 2 | 0 | 0 | 2 | 1.5 | 1.4 | ***** | ***** | ***** | ***** |
| KENT | 2 | 2 | 0 | 0 | 0 | 0 | ***** | 0.0 | ***** | ***** | ***** | ***** |
| QUEEN ANNE'S | 9 | 8 | 0 | 0 | 0 | 1 | 1.8 | 1.9 | ***** | ***** | ***** | ***** |
| CAROLINE | 4 | 3 | 0 | 0 | 0 | 1 | 0.0 | ***** | ***** | ***** | ***** | ***** |
| TALBOT | 7 | 3 | 2 | 0 | 1 | 0 | 2.1 | ***** | ***** | ***** | ***** | ***** |
| DORCHESTER | 1 | 0 | 1 | 0 | 0 | 0 | 0.0 | ***** | 0.0 | ***** | ***** | ***** |
| WICOMICO | 21 | 4 | 15 | 0 | 0 | 2 | 1.7 | 0.0 | 3.3 | ***** | ***** | ***** |
| SOMERSET | 11 | 8 | 3 | 0 | 0 | 0 | 4.2 | 6.1 | ***** | ***** | ***** | ***** |
| WORCESTER | 10 | 5 | 5 | 0 | 0 | 0 | 2.4 | 1.6 | 6.5 | ***** | ***** | ***** |

*Includes races categorized as 'unknown' or 'other'.

**Includes all births to mothers of Hispanic origin of any race.

***Percent of total births in the specified group.

****Weighing 1,499 grams or less.

*****Percentages based on <5 events in the numerator are not presented since such percentages are subject to instability.

TABLE 22. BIRTHS BY PLURALITY, BIRTH WEIGHT OF INFANT AND RACE AND HISPANIC ORIGIN OF MOTHER, MARYLAND, 2016.

| RACE/ETHNICITY | SINGLE BIRTHS | | | | | PLURAL BIRTHS | | | | |
|--|---------------------|-------------------|------------------|------------|---------------------------|---------------------|-------------------|------------------|------------|---------------------------|
| | TOTAL SINGLE BIRTHS | BIRTH WEIGHT | | | | TOTAL PLURAL BIRTHS | BIRTH WEIGHT | | | |
| | | 2499 GMS. & UNDER | 2500 GMS. & OVER | NOT STATED | PERCENT 2499 GMS. & UNDER | | 2499 GMS. & UNDER | 2500 GMS. & OVER | NOT STATED | PERCENT 2499 GMS. & UNDER |
| ALL BIRTHS* | 70,532 | 4,822 | 65,690 | 20 | 6.8 | 2,541 | 1,442 | 1,098 | 1 | 56.7 |
| NON-HISPANIC WHITE | 30,683 | 1,490 | 29,179 | 14 | 4.9 | 1,149 | 597 | 552 | 0 | 52.0 |
| NON-HISPANIC BLACK | 22,490 | 2,240 | 20,246 | 4 | 10.0 | 959 | 606 | 352 | 1 | 63.2 |
| NON-HISPANIC AMERICAN INDIAN | 125 | 8 | 117 | 0 | 6.4 | 9 | 7 | 2 | 0 | 77.8 |
| NON-HISPANIC ASIAN OR PACIFIC ISLANDER | 5,309 | 362 | 4,946 | 1 | 6.8 | 141 | 87 | 54 | 0 | 61.7 |
| HISPANIC** | 11,597 | 699 | 10,897 | 1 | 6.0 | 269 | 136 | 133 | 0 | 50.6 |

*Includes races categorized as 'unknown' or 'other'.

**Includes all persons of Hispanic origin of any race.

TABLE 23. BIRTHS BY MONTH OF BIRTH, RACE AND HISPANIC ORIGIN OF MOTHER AND SEX OF INFANT, MARYLAND, 2016.

| RACE/ETHNICITY OF MOTHER AND SEX OF INFANT | ALL MONTHS | MONTH OF BIRTH | | | | | | | | | | | |
|---|------------|----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | JAN. | FEB. | MAR. | APR. | MAY | JUN. | JUL. | AUG. | SEP. | OCT. | NOV. | DEC. |
| ALL BIRTHS* | | | | | | | | | | | | | |
| BOTH SEXES | 73,073 | 5,895 | 5,572 | 6,004 | 5,876 | 6,233 | 6,222 | 6,516 | 6,550 | 6,290 | 6,139 | 5,856 | 5,920 |
| MALE | 37,353 | 3,028 | 2,896 | 3,049 | 2,990 | 3,142 | 3,148 | 3,362 | 3,368 | 3,188 | 3,096 | 3,055 | 3,031 |
| FEMALE | 35,719 | 2,867 | 2,676 | 2,955 | 2,885 | 3,091 | 3,074 | 3,154 | 3,182 | 3,102 | 3,043 | 2,801 | 2,889 |
| WHITE | | | | | | | | | | | | | |
| BOTH SEXES | 42,781 | 3,428 | 3,271 | 3,464 | 3,543 | 3,752 | 3,646 | 3,856 | 3,892 | 3,635 | 3,612 | 3,331 | 3,351 |
| MALE | 21,949 | 1,770 | 1,723 | 1,778 | 1,800 | 1,875 | 1,834 | 1,989 | 1,993 | 1,832 | 1,825 | 1,777 | 1,753 |
| FEMALE | 20,831 | 1,658 | 1,548 | 1,686 | 1,742 | 1,877 | 1,812 | 1,867 | 1,899 | 1,803 | 1,787 | 1,554 | 1,598 |
| NON-HISPANIC WHITE | | | | | | | | | | | | | |
| BOTH SEXES | 31,822 | 2,519 | 2,464 | 2,581 | 2,657 | 2,856 | 2,696 | 2,829 | 2,908 | 2,706 | 2,663 | 2,470 | 2,473 |
| MALE | 16,392 | 1,305 | 1,296 | 1,317 | 1,341 | 1,445 | 1,373 | 1,472 | 1,506 | 1,372 | 1,346 | 1,322 | 1,297 |
| FEMALE | 15,430 | 1,214 | 1,168 | 1,264 | 1,316 | 1,411 | 1,323 | 1,357 | 1,402 | 1,334 | 1,317 | 1,148 | 1,176 |
| BLACK | | | | | | | | | | | | | |
| BOTH SEXES | 24,131 | 1,998 | 1,830 | 2,006 | 1,867 | 1,961 | 2,056 | 2,131 | 2,084 | 2,154 | 1,965 | 2,012 | 2,067 |
| MALE | 12,225 | 1,019 | 933 | 1,002 | 934 | 984 | 1,044 | 1,087 | 1,083 | 1,103 | 990 | 1,022 | 1,024 |
| FEMALE | 11,906 | 979 | 897 | 1,004 | 933 | 977 | 1,012 | 1,044 | 1,001 | 1,051 | 975 | 990 | 1,043 |
| NON-HISPANIC BLACK | | | | | | | | | | | | | |
| BOTH SEXES | 23,449 | 1,945 | 1,778 | 1,954 | 1,814 | 1,919 | 2,011 | 2,063 | 2,006 | 2,101 | 1,923 | 1,949 | 1,986 |
| MALE | 11,884 | 988 | 909 | 976 | 904 | 969 | 1,022 | 1,055 | 1,039 | 1,081 | 972 | 987 | 982 |
| FEMALE | 11,565 | 957 | 869 | 978 | 910 | 950 | 989 | 1,008 | 967 | 1,020 | 951 | 962 | 1,004 |
| AMERICAN INDIAN | | | | | | | | | | | | | |
| BOTH SEXES | 216 | 23 | 15 | 19 | 15 | 10 | 9 | 27 | 20 | 16 | 19 | 22 | 21 |
| MALE | 101 | 14 | 6 | 6 | 6 | 5 | 5 | 15 | 9 | 10 | 7 | 9 | 9 |
| FEMALE | 115 | 9 | 9 | 13 | 9 | 5 | 4 | 12 | 11 | 6 | 12 | 13 | 12 |
| NON-HISPANIC AMERICAN INDIAN | | | | | | | | | | | | | |
| BOTH SEXES | 134 | 13 | 10 | 14 | 12 | 6 | 6 | 15 | 15 | 9 | 11 | 13 | 10 |
| MALE | 62 | 7 | 4 | 4 | 5 | 3 | 3 | 10 | 6 | 6 | 4 | 6 | 4 |
| FEMALE | 72 | 6 | 6 | 10 | 7 | 3 | 3 | 5 | 9 | 3 | 7 | 7 | 6 |
| ASIAN OR PACIFIC ISLANDER | | | | | | | | | | | | | |
| BOTH SEXES | 5,603 | 424 | 421 | 480 | 423 | 478 | 486 | 474 | 517 | 458 | 513 | 472 | 457 |
| MALE | 2,892 | 213 | 213 | 247 | 234 | 254 | 255 | 256 | 265 | 229 | 256 | 237 | 233 |
| FEMALE | 2,711 | 211 | 208 | 233 | 189 | 224 | 231 | 218 | 252 | 229 | 257 | 235 | 224 |
| NON-HISPANIC ASIAN OR PACIFIC ISLANDER | | | | | | | | | | | | | |
| BOTH SEXES | 5,450 | 414 | 414 | 464 | 419 | 467 | 474 | 456 | 503 | 444 | 496 | 453 | 446 |
| MALE | 2,817 | 208 | 210 | 241 | 231 | 249 | 248 | 245 | 257 | 224 | 249 | 229 | 226 |
| FEMALE | 2,633 | 206 | 204 | 223 | 188 | 218 | 226 | 211 | 246 | 220 | 247 | 224 | 220 |

See footnotes at end of table.

TABLE 23. BIRTHS BY MONTH OF BIRTH, RACE AND HISPANIC ORIGIN OF MOTHER AND SEX OF INFANT, MARYLAND, 2016. — Continued

| RACE/ETHNICITY OF MOTHER AND SEX OF INFANT | ALL MONTHS | MONTH OF BIRTH | | | | | | | | | | | |
|---|---------------|----------------|------|------|------|-----|-------|-------|-------|-------|-------|------|------|
| | | JAN. | FEB. | MAR. | APR. | MAY | JUN. | JUL. | AUG. | SEP. | OCT. | NOV. | DEC. |
| HISPANIC** | | | | | | | | | | | | | |
| BOTH SEXES | 11,866 | 982 | 871 | 956 | 944 | 952 | 1,010 | 1,124 | 1,081 | 1,002 | 1,015 | 952 | 977 |
| MALE | 6,006 | 508 | 456 | 495 | 491 | 452 | 492 | 564 | 542 | 491 | 506 | 501 | 508 |
| FEMALE | 5,859 | 474 | 415 | 461 | 452 | 500 | 518 | 560 | 539 | 511 | 509 | 451 | 469 |

*Includes races categorized as 'unknown' or 'other'.

**Includes all births to mothers of Hispanic origin of any race.

TABLE 24. BIRTHS BY PLURALITY, RACE AND HISPANIC ORIGIN OF MOTHER AND LENGTH OF GESTATION, MARYLAND, 2016.**

| RACE/ETHNICITY AND LENGTH OF GESTATION | TOTAL BIRTHS | SINGLE BIRTHS | PLURAL BIRTHS | RATIO OF PLURAL BIRTHS PER 1,000 TOTAL BIRTHS |
|--|--------------|---------------|---------------|---|
| ALL BIRTHS* | | | | |
| ALL BIRTHS | 73,073 | 70,532 | 2,541 | 34.8 |
| PRETERM - UNDER 37 WEEKS | 7,384 | 5,794 | 1,590 | 215.3 |
| EARLY TERM - 37-38 WEEKS | 18,560 | 17,636 | 924 | 49.8 |
| FULL TERM - 39-40 WEEKS | 41,576 | 41,549 | 27 | 0.6 |
| LATE TERM - 41 WEEKS | 5,283 | 5,283 | 0 | *** |
| POST TERM - 42+ WEEKS | 178 | 178 | 0 | *** |
| NOT STATED | 92 | 92 | 0 | 0.0 |
| WHITE | | | | |
| ALL BIRTHS | 42,781 | 41,398 | 1,383 | 32.3 |
| PRETERM - UNDER 37 WEEKS | 3,772 | 2,913 | 859 | 227.7 |
| EARLY TERM - 37-38 WEEKS | 10,146 | 9,640 | 506 | 49.9 |
| FULL TERM - 39-40 WEEKS | 25,154 | 25,136 | 18 | 0.7 |
| LATE TERM - 41 WEEKS | 3,528 | 3,528 | 0 | *** |
| POST TERM - 42+ WEEKS | 123 | 123 | 0 | *** |
| NOT STATED | 58 | 58 | 0 | *** |
| NON-HISPANIC WHITE | | | | |
| ALL BIRTHS | 31,822 | 30,673 | 1,149 | 36.1 |
| PRETERM - UNDER 37 WEEKS | 2,791 | 2,064 | 727 | 260.5 |
| EARLY TERM - 37-38 WEEKS | 7,209 | 6,798 | 411 | 57.0 |
| FULL TERM - 39-40 WEEKS | 18,891 | 18,880 | 11 | 0.6 |
| LATE TERM - 41 WEEKS | 2,775 | 2,775 | 0 | *** |
| POST TERM - 42+ WEEKS | 103 | 103 | 0 | *** |
| NOT STATED | 53 | 53 | 0 | *** |
| BLACK | | | | |
| ALL BIRTHS | 24,131 | 23,141 | 990 | 41.0 |
| PRETERM - UNDER 37 WEEKS | 3,056 | 2,427 | 629 | 205.8 |
| EARLY TERM - 37-38 WEEKS | 6,727 | 6,373 | 354 | 52.6 |
| FULL TERM - 39-40 WEEKS | 12,849 | 12,842 | 7 | 0.5 |
| LATE TERM - 41 WEEKS | 1,422 | 1,422 | 0 | *** |
| POST TERM - 42+ WEEKS | 45 | 45 | 0 | *** |
| NOT STATED | 32 | 32 | 0 | *** |
| NON-HISPANIC BLACK | | | | |
| ALL BIRTHS | 23,449 | 22,490 | 959 | 40.9 |
| PRETERM - UNDER 37 WEEKS | 2,969 | 2,364 | 605 | 203.8 |
| EARLY TERM - 37-38 WEEKS | 6,541 | 6,193 | 348 | 53.2 |
| FULL TERM - 39-40 WEEKS | 12,483 | 12,477 | 6 | 0.5 |
| LATE TERM - 41 WEEKS | 1,379 | 1,379 | 0 | *** |
| POST TERM - 42+ WEEKS | 45 | 45 | 0 | *** |
| NOT STATED | 32 | 32 | 0 | *** |
| AMERICAN INDIAN | | | | |
| ALL BIRTHS | 216 | 207 | 9 | 41.7 |
| PRETERM - UNDER 37 WEEKS | 24 | 17 | 7 | 291.7 |
| EARLY TERM - 37-38 WEEKS | 64 | 62 | 2 | *** |
| FULL TERM - 39-40 WEEKS | 112 | 112 | 0 | *** |

See footnotes at end of table.

TABLE 24. BIRTHS BY PLURALITY, RACE AND HISPANIC ORIGIN OF MOTHER AND LENGTH OF GESTATION, MARYLAND, 2016. — Continued**

| RACE/ETHNICITY AND LENGTH OF GESTATION | TOTAL BIRTHS | SINGLE BIRTHS | PLURAL BIRTHS | RATIO OF PLURAL BIRTHS PER 1,000 TOTAL BIRTHS |
|--|--------------|---------------|---------------|---|
| AMERICAN INDIAN | | | | |
| LATE TERM - 41 WEEKS | 15 | 15 | 0 | *** |
| POST TERM - 42+ WEEKS | 0 | 0 | 0 | 0.0 |
| NOT STATED | 1 | 1 | 0 | *** |
| NON-HISPANIC AMERICAN INDIAN | | | | |
| ALL BIRTHS | 134 | 125 | 9 | 67.2 |
| PRETERM - UNDER 37 WEEKS | 18 | 11 | 7 | 388.9 |
| EARLY TERM - 37-38 WEEKS | 42 | 40 | 2 | *** |
| FULL TERM - 39-40 WEEKS | 66 | 66 | 0 | *** |
| LATE TERM - 41 WEEKS | 8 | 8 | 0 | *** |
| POST TERM - 42+ WEEKS | 0 | 0 | 0 | 0.0 |
| NOT STATED | 0 | 0 | 0 | 0.0 |
| ASIAN OR PACIFIC ISLANDER | | | | |
| ALL BIRTHS | 5,603 | 5,458 | 145 | 25.9 |
| PRETERM - UNDER 37 WEEKS | 502 | 413 | 89 | 177.3 |
| EARLY TERM - 37-38 WEEKS | 1,541 | 1,487 | 54 | 35.0 |
| FULL TERM - 39-40 WEEKS | 3,271 | 3,269 | 2 | *** |
| LATE TERM - 41 WEEKS | 280 | 280 | 0 | *** |
| POST TERM - 42+ WEEKS | 8 | 8 | 0 | *** |
| NOT STATED | 1 | 1 | 0 | *** |
| NON-HISPANIC ASIAN OR PACIFIC ISLANDER | | | | |
| ALL BIRTHS | 5,450 | 5,309 | 141 | 25.9 |
| PRETERM - UNDER 37 WEEKS | 487 | 400 | 87 | 178.6 |
| EARLY TERM - 37-38 WEEKS | 1,497 | 1,445 | 52 | 34.7 |
| FULL TERM - 39-40 WEEKS | 3,188 | 3,186 | 2 | *** |
| LATE TERM - 41 WEEKS | 270 | 270 | 0 | *** |
| POST TERM - 42+ WEEKS | 7 | 7 | 0 | *** |
| NOT STATED | 1 | 1 | 0 | *** |
| HISPANIC** | | | | |
| ALL BIRTHS | 11,866 | 11,597 | 269 | 22.7 |
| PRETERM - UNDER 37 WEEKS | 1,088 | 930 | 158 | 145.2 |
| EARLY TERM - 37-38 WEEKS | 3,187 | 3,084 | 103 | 32.3 |
| FULL TERM - 39-40 WEEKS | 6,752 | 6,744 | 8 | 1.2 |
| LATE TERM - 41 WEEKS | 812 | 812 | 0 | *** |
| POST TERM - 42+ WEEKS | 21 | 21 | 0 | *** |
| NOT STATED | 6 | 6 | 0 | *** |

*Includes races categorized as 'unknown' or 'other'.

**Includes all births to mothers of Hispanic origin of any race.

***Ratios based on <5 events in the numerator are not presented since such ratios are subject to instability.

***Gestation is a clinical estimate in weeks.

TABLE 25. NUMBER AND PERCENTAGE OF BIRTHS DELIVERED BY CESAREAN SECTION BY RACE AND HISPANIC ORIGIN OF MOTHER, REGION AND POLITICAL SUBDIVISION, MARYLAND, 2016.

| REGION AND POLITICAL SUBDIVISION | ALL RACES* | | NON-HISPANIC WHITE | | NON-HISPANIC BLACK | | NON-HISPANIC AMERICAN INDIAN | | NON-HISPANIC ASIAN OR PACIFIC ISLANDER | | HISPANIC** | |
|----------------------------------|------------|-------------------------|--------------------|-------------------------|--------------------|-------------------------|------------------------------|-------------------------|--|-------------------------|------------|-------------------------|
| | NUMBER | PERCENT OF TOTAL DELIV. | NUMBER | PERCENT OF TOTAL DELIV. | NUMBER | PERCENT OF TOTAL DELIV. | NUMBER | PERCENT OF TOTAL DELIV. | NUMBER | PERCENT OF TOTAL DELIV. | NUMBER | PERCENT OF TOTAL DELIV. |
| MARYLAND | 24,576 | 33.6 | 9,948 | 31.3 | 9,122 | 38.9 | 43 | 32.1 | 1,877 | 34.4 | 3,490 | 29.4 |
| NORTHWEST AREA | 1,609 | 29.5 | 1,178 | 28.4 | 192 | 34.7 | 4 | *** | 77 | 37.0 | 155 | 30.2 |
| GARRETT | 80 | 25.7 | 79 | 25.7 | 0 | *** | 0 | *** | 1 | *** | 0 | *** |
| ALLEGANY | 178 | 28.8 | 173 | 29.8 | 4 | 0.0 | 0 | *** | 1 | *** | 0 | *** |
| WASHINGTON | 496 | 29.4 | 363 | 28.5 | 73 | 30.3 | 2 | *** | 18 | 36.7 | 38 | 34.9 |
| FREDERICK | 855 | 30.2 | 563 | 28.3 | 115 | 39.2 | 2 | *** | 57 | 38.8 | 117 | 29.6 |
| BALTIMORE METRO AREA .. | 11,353 | 34.1 | 5,197 | 31.7 | 4,195 | 38.6 | 17 | 27.9 | 902 | 36.5 | 988 | 29.6 |
| BALTIMORE CITY | 2,893 | 33.9 | 652 | 29.6 | 1,911 | 37.1 | 3 | *** | 75 | 29.0 | 237 | 28.7 |
| BALTIMORE COUNTY | 3,473 | 35.4 | 1,538 | 32.7 | 1,301 | 41.1 | 6 | 27.3 | 325 | 38.5 | 283 | 28.2 |
| ANNE ARUNDEL | 2,306 | 33.0 | 1,392 | 31.9 | 493 | 38.2 | 3 | 0.0 | 144 | 35.3 | 266 | 29.7 |
| CARROLL | 535 | 30.9 | 459 | 30.1 | 22 | 38.6 | 2 | *** | 15 | 32.6 | 37 | 38.5 |
| HOWARD | 1,287 | 36.1 | 553 | 33.6 | 299 | 41.6 | 0 | *** | 308 | 38.2 | 120 | 32.3 |
| HARFORD | 859 | 31.8 | 603 | 31.0 | 169 | 34.8 | 3 | *** | 35 | 33.0 | 45 | 30.8 |
| NATIONAL CAPITAL AREA ... | 8,714 | 34.3 | 1,834 | 32.5 | 3,889 | 39.8 | 13 | 33.3 | 824 | 32.5 | 2,119 | 29.2 |
| MONTGOMERY | 4,493 | 34.4 | 1,483 | 33.1 | 1,218 | 42.9 | 4 | 0.0 | 667 | 32.9 | 1,102 | 30.2 |
| PRINCE GEORGE'S | 4,221 | 34.3 | 351 | 29.9 | 2,671 | 38.5 | 9 | 34.6 | 157 | 30.8 | 1,017 | 28.1 |
| SOUTHERN AREA | 1,369 | 33.0 | 753 | 30.5 | 476 | 39.3 | 5 | 45.5 | 42 | 30.4 | 92 | 30.8 |
| CALVERT | 319 | 35.2 | 251 | 34.1 | 50 | 46.3 | 0 | *** | 11 | 45.8 | 7 | 19.4 |
| CHARLES | 655 | 36.0 | 232 | 34.0 | 347 | 39.8 | 2 | 0.0 | 13 | 21.0 | 60 | 32.6 |
| SAINT MARY'S | 395 | 27.7 | 270 | 25.7 | 79 | 34.2 | 3 | *** | 18 | 34.6 | 25 | 31.6 |
| EASTERN SHORE AREA | 1,531 | 32.0 | 986 | 31.1 | 370 | 35.4 | 4 | 0.0 | 32 | 33.3 | 136 | 30.4 |
| CECIL | 346 | 31.3 | 281 | 30.3 | 35 | 37.6 | 0 | 0.0 | 7 | 29.2 | 21 | 33.9 |
| KENT | 48 | 32.4 | 36 | 35.3 | 11 | 31.4 | 0 | *** | 0 | *** | 1 | *** |
| QUEEN ANNE'S | 142 | 28.5 | 114 | 27.5 | 8 | 34.8 | 0 | *** | 3 | *** | 17 | 32.1 |
| CAROLINE | 117 | 30.2 | 83 | 32.4 | 17 | 27.4 | 0 | 0.0 | 1 | *** | 16 | 25.0 |
| TALBOT | 93 | 28.1 | 59 | 29.1 | 16 | 35.6 | 0 | *** | 4 | 0.0 | 14 | 20.3 |
| DORCHESTER | 113 | 29.7 | 60 | 30.8 | 38 | 26.2 | 0 | 0.0 | 2 | *** | 13 | 37.1 |
| WICOMICO | 446 | 36.0 | 214 | 33.9 | 178 | 39.4 | 2 | *** | 11 | 36.7 | 40 | 33.6 |
| SOMERSET | 89 | 33.6 | 40 | 30.3 | 41 | 36.0 | 1 | *** | 2 | *** | 5 | 35.7 |
| WORCESTER | 137 | 32.6 | 99 | 31.5 | 26 | 33.8 | 1 | *** | 2 | *** | 9 | 39.1 |

*Includes races categorized as 'unknown' or 'other'.

**Includes all births to mothers of Hispanic origin of any race.

***Percentages based on <5 events in the numerator are not presented since such percentages are subject to instability.

**TABLE 26. BIRTHS BY MATERNAL AGE, RACE AND HISPANIC ORIGIN, METHOD OF DELIVERY
AND PERCENTAGE OF INFANTS DELIVERED BY CESAREAN SECTION, MARYLAND, 2016.**

| RACE, HISPANIC ORIGIN AND METHOD OF DELIVERY | MATERNAL AGE | | | | | | | | | | | | | | | | | |
|---|--------------|------|-------------------|------|----------------|-------|----------------|------|----------------|------|----------------|------|----------------|------|----------------------|------|---------------|-----|
| | TOTAL | | UNDER 15 YEARS | | 15-19 YEARS | | 20-24 YEARS | | 25-29 YEARS | | 30-34 YEARS | | 35-39 YEARS | | 40 YEARS AND OVER | | NOT STATED | |
| | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % | NUMBER | % |
| ALL BIRTHS* | | | | | | | | | | | | | | | | | | |
| VAGINAL..... | 48,497 | 66.4 | 29 | 78.4 | 2,398 | 79.6 | 8,416 | 73.0 | 13,907 | 69.5 | 14,963 | 65.3 | 7,307 | 57.8 | 1,473 | 50.3 | 4 | *** |
| CESAREAN SECTION..... | 24,576 | 33.6 | 8 | 21.6 | 613 | 20.4 | 3,109 | 27.0 | 6,092 | 30.5 | 7,960 | 34.7 | 5,339 | 42.2 | 1,455 | 49.7 | 0 | *** |
| NON-HISPANIC WHITE | | | | | | | | | | | | | | | | | | |
| VAGINAL..... | 21,874 | 68.7 | 6 | 85.7 | 619 | 79.0 | 2,858 | 75.8 | 6,388 | 72.2 | 7,922 | 68.6 | 3,485 | 60.7 | 595 | 52.7 | 1 | *** |
| CESAREAN SECTION..... | 9,948 | 31.3 | 1 | *** | 165 | 21.0 | 912 | 24.2 | 2,458 | 27.8 | 3,622 | 31.4 | 2,257 | 39.3 | 533 | 47.3 | 0 | *** |
| NON-HISPANIC BLACK | | | | | | | | | | | | | | | | | | |
| VAGINAL..... | 14,327 | 61.1 | 12 | 75.0 | 1,067 | 78.2 | 3,419 | 68.6 | 4,193 | 64.1 | 3,383 | 57.3 | 1,835 | 50.2 | 415 | 42.2 | 3 | *** |
| CESAREAN SECTION..... | 9,122 | 38.9 | 4 | 25.0 | 297 | 21.8 | 1,562 | 31.4 | 2,349 | 35.9 | 2,523 | 42.7 | 1,818 | 49.8 | 569 | 57.8 | 0 | *** |
| NON-HISPANIC AMERICAN INDIAN | | | | | | | | | | | | | | | | | | |
| VAGINAL..... | 91 | 67.9 | 0 | *** | 8 | 100.0 | 25 | 75.8 | 23 | 69.7 | 17 | 54.8 | 14 | 70.0 | 4 | 44.4 | 0 | *** |
| CESAREAN SECTION..... | 43 | 32.1 | 0 | *** | 0 | *** | 8 | 24.2 | 10 | 30.3 | 14 | 45.2 | 6 | 30.0 | 5 | 55.6 | 0 | *** |
| NON-HISPANIC ASIAN OR PACIFIC ISLANDER | | | | | | | | | | | | | | | | | | |
| VAGINAL..... | 3,573 | 65.6 | 0 | *** | 20 | 74.1 | 219 | 73.2 | 920 | 70.8 | 1,502 | 66.7 | 739 | 59.0 | 173 | 54.2 | 0 | *** |
| CESAREAN SECTION..... | 1,877 | 34.4 | 0 | *** | 7 | 25.9 | 80 | 26.8 | 379 | 29.2 | 751 | 33.3 | 514 | 41.0 | 146 | 45.8 | 0 | *** |
| HISPANIC** | | | | | | | | | | | | | | | | | | |
| VAGINAL..... | 8,376 | 70.6 | 11 | 78.6 | 664 | 82.3 | 1,846 | 77.7 | 2,314 | 72.6 | 2,076 | 67.1 | 1,189 | 62.2 | 276 | 58.0 | 0 | *** |
| CESAREAN SECTION..... | 3,490 | 29.4 | 3 | *** | 143 | 17.7 | 530 | 22.3 | 873 | 27.4 | 1,019 | 32.9 | 722 | 37.8 | 200 | 42.0 | 0 | *** |

*Includes races categorized as 'unknown' or 'other'.

**Includes all births to mothers of Hispanic origin of any race.

***Percentages based on <5 events in the numerator are not presented since such percentages are subject to instability.

TABLE 27. BIRTHS OCCURRING IN MARYLAND BY RACE AND HISPANIC ORIGIN OF MOTHER, REGION, AND POLITICAL SUBDIVISION OF OCCURRENCE, MARYLAND, 2016.***

| REGION AND POLITICAL SUBDIVISION | ALL BIRTHS* | NON-HISPANIC WHITE | NON-HISPANIC BLACK | NON-HISPANIC AMERICAN INDIAN | NON-HISPANIC ASIAN OR PACIFIC ISLANDER | HISPANIC** |
|----------------------------------|-------------|--------------------|--------------------|------------------------------|--|------------|
| MARYLAND | 69,837 | 31,653 | 21,819 | 135 | 5,204 | 10,727 |
| NORTHWEST AREA | 5,593 | 4,436 | 481 | 11 | 170 | 485 |
| GARRETT | 312 | 309 | 1 | 0 | 1 | 1 |
| ALLEGANY | 915 | 866 | 26 | 1 | 12 | 10 |
| WASHINGTON | 1,875 | 1,476 | 228 | 7 | 44 | 114 |
| FREDERICK | 2,491 | 1,785 | 226 | 3 | 113 | 360 |
| BALTIMORE METRO AREA | 36,011 | 18,031 | 11,678 | 65 | 2,514 | 3,515 |
| BALTIMORE CITY | 13,948 | 4,790 | 6,644 | 23 | 836 | 1,499 |
| BALTIMORE COUNTY | 9,122 | 5,184 | 2,557 | 21 | 616 | 725 |
| ANNE ARUNDEL | 6,902 | 4,248 | 1,529 | 13 | 268 | 828 |
| CARROLL | 1,077 | 937 | 44 | 1 | 20 | 74 |
| HOWARD | 3,646 | 1,884 | 701 | 6 | 711 | 335 |
| HARFORD | 1,316 | 988 | 203 | 1 | 63 | 54 |
| NATIONAL CAPITAL AREA | 21,747 | 5,144 | 8,070 | 41 | 2,357 | 6,064 |
| MONTGOMERY | 18,611 | 4,818 | 5,754 | 30 | 2,278 | 5,671 |
| PRINCE GEORGE'S | 3,136 | 326 | 2,316 | 11 | 79 | 393 |
| SOUTHERN AREA | 2,888 | 1,863 | 641 | 9 | 92 | 276 |
| CALVERT | 672 | 530 | 90 | 1 | 19 | 32 |
| CHARLES | 914 | 369 | 348 | 0 | 24 | 172 |
| SAINT MARY'S | 1,302 | 964 | 203 | 8 | 49 | 72 |
| EASTERN SHORE AREA | 3,598 | 2,179 | 949 | 9 | 71 | 387 |
| CECIL | 604 | 472 | 74 | 0 | 15 | 42 |
| KENT | 4 | 3 | 1 | 0 | 0 | 0 |
| QUEEN ANNE'S | 4 | 4 | 0 | 0 | 0 | 0 |
| CAROLINE | 2 | 1 | 0 | 0 | 0 | 1 |
| TALBOT | 1,033 | 579 | 244 | 1 | 17 | 192 |
| DORCHESTER | 0 | 0 | 0 | 0 | 0 | 0 |
| WICOMICO | 1,948 | 1,117 | 630 | 8 | 39 | 152 |
| SOMERSET | 1 | 1 | 0 | 0 | 0 | 0 |
| WORCESTER | 2 | 2 | 0 | 0 | 0 | 0 |

*Includes races categorized as 'unknown' or 'other'.

**Includes all births to mothers of Hispanic origin of any race.

***Resident and non-resident births occurring within Maryland by place of birth.

TABLE 28. BIRTHS TO RESIDENTS OF MARYLAND BY PLACE OF OCCURRENCE, REGION AND POLITICAL SUBDIVISION OF RESIDENCY, MARYLAND, 2016.

| REGION AND POLITICAL SUBDIVISION | ALL BIRTHS | STATE OF MARYLAND | | | DISTRICT OF COLUMBIA | OTHER STATES |
|----------------------------------|------------|-------------------|------------------------------|---------------------------------|----------------------|--------------|
| | | STATE TOTALS | MD. COUNTY SAME AS RESIDENCE | MD. COUNTY OTHER THAN RESIDENCE | | |
| MARYLAND | 73,073 | 67,016 | 41,706 | 25,310 | 4,260 | 1,797 |
| NORTHWEST AREA | 5,449 | 5,195 | 4,265 | 930 | 26 | 228 |
| GARRETT | 311 | 255 | 206 | 49 | 0 | 56 |
| ALLEGANY | 619 | 581 | 559 | 22 | 0 | 38 |
| WASHINGTON | 1,688 | 1,609 | 1,388 | 221 | 4 | 75 |
| FREDERICK | 2,831 | 2,750 | 2,112 | 638 | 22 | 59 |
| BALTIMORE METRO AREA | 33,311 | 33,001 | 19,788 | 13,213 | 105 | 205 |
| BALTIMORE CITY | 8,526 | 8,485 | 6,498 | 1,987 | 14 | 27 |
| BALTIMORE COUNTY | 9,797 | 9,740 | 5,108 | 4,632 | 11 | 46 |
| ANNE ARUNDEL | 6,994 | 6,879 | 4,197 | 2,682 | 58 | 57 |
| CARROLL | 1,730 | 1,709 | 867 | 842 | 1 | 20 |
| HOWARD | 3,563 | 3,521 | 2,079 | 1,442 | 19 | 23 |
| HARFORD | 2,701 | 2,667 | 1,039 | 1,628 | 2 | 32 |
| NATIONAL CAPITAL AREA | 25,386 | 20,612 | 13,433 | 7,179 | 3,965 | 809 |
| MONTGOMERY | 13,066 | 11,366 | 11,085 | 281 | 1,498 | 202 |
| PRINCE GEORGE'S | 12,320 | 9,246 | 2,348 | 6,898 | 2,467 | 607 |
| SOUTHERN AREA | 4,149 | 3,789 | 2,291 | 1,498 | 160 | 200 |
| CALVERT | 907 | 873 | 472 | 401 | 13 | 21 |
| CHARLES | 1,817 | 1,509 | 687 | 822 | 139 | 169 |
| SAINT MARY'S | 1,425 | 1,407 | 1,132 | 275 | 8 | 10 |
| EASTERN SHORE AREA | 4,778 | 4,419 | 1,929 | 2,490 | 4 | 355 |
| CECIL | 1,107 | 827 | 533 | 294 | 0 | 280 |
| KENT | 148 | 132 | 4 | 128 | 0 | 16 |
| QUEEN ANNE'S | 499 | 487 | 2 | 485 | 2 | 10 |
| CAROLINE | 387 | 372 | 2 | 370 | 0 | 15 |
| TALBOT | 331 | 330 | 258 | 72 | 0 | 1 |
| DORCHESTER | 381 | 378 | 0 | 378 | 0 | 3 |
| WICOMICO | 1,240 | 1,221 | 1,127 | 94 | 1 | 18 |
| SOMERSET | 265 | 264 | 1 | 263 | 0 | 1 |
| WORCESTER | 420 | 408 | 2 | 406 | 1 | 11 |

***FETAL AND
INFANT
MORTALITY***

TABLE 29. INFANT DEATHS AND INFANT MORTALITY RATES BY RACE, SELECETED YEARS, MARYLAND, 1940-2016

| YEAR | NUMBER OF INFANT DEATHS | | | INFANT MORTALITY RATES** | | |
|-----------|-------------------------|-------|-------|--------------------------|-------|-------|
| | TOTAL* | WHITE | BLACK | TOTAL* | WHITE | BLACK |
| 1940..... | 1,593 | 1,062 | - | 49.2 | 41.7 | - |
| 1950..... | 1,476 | 965 | - | 26.4 | 22.1 | - |
| 1960..... | 2,122 | 1,341 | - | 27.4 | 22.3 | - |
| 1970..... | 1,322 | 841 | 473 | 19.1 | 16.0 | 30.4 |
| 1980..... | 844 | 462 | 375 | 14.1 | 11.4 | 21.6 |
| 1990..... | 771 | 337 | 424 | 9.6 | 6.4 | 17.2 |
| 2000..... | 550 | 215 | 320 | 7.4 | 4.7 | 13.0 |
| 2007..... | 622 | 213 | 369 | 8.0 | 4.6 | 14.0 |
| 2008..... | 617 | 235 | 351 | 8.0 | 5.2 | 13.4 |
| 2009..... | 541 | 177 | 343 | 7.2 | 4.1 | 13.6 |
| 2010..... | 496 | 178 | 295 | 6.7 | 4.1 | 11.8 |
| 2011..... | 493 | 170 | 293 | 6.7 | 4.0 | 12.0 |
| 2012..... | 458 | 174 | 251 | 6.3 | 4.1 | 10.3 |
| 2013..... | 474 | 190 | 250 | 6.6 | 4.5 | 10.5 |
| 2014..... | 476 | 181 | 260 | 6.5 | 4.2 | 10.6 |
| 2015..... | 491 | 188 | 272 | 6.7 | 4.3 | 11.2 |
| 2016..... | 478 | 182 | 252 | 6.5 | 4.3 | 10.4 |

*Includes races categorized as 'unknown' or 'other'.

**Per 1,000 live births.

- Data not available.

Note: Since 1989, infant deaths have been based on race of the decedent; live births have been based on race of the mother.

TABLE 30. NEONATAL DEATHS AND NEONATAL MORTALITY RATES BY RACE, SELECTED YEARS, MARYLAND, 1940-2016

| YEAR | NUMBER OF NEONATAL DEATHS | | | NEONATAL MORTALITY RATES** | | |
|-----------|---------------------------|-------|-------|----------------------------|-------|-------|
| | TOTAL* | WHITE | BLACK | TOTAL* | WHITE | BLACK |
| 1940..... | 935 | 654 | - | 28.9 | 25.7 | - |
| 1950..... | 1,048 | 726 | - | 18.7 | 16.7 | - |
| 1960..... | 1,561 | 1,043 | - | 20.1 | 17.4 | - |
| 1970..... | 972 | 638 | 331 | 14.0 | 12.1 | 21.3 |
| 1980..... | 612 | 333 | 274 | 10.2 | 8.2 | 15.8 |
| 1990..... | 508 | 215 | 290 | 6.3 | 4.1 | 11.8 |
| 2000..... | 407 | 158 | 240 | 5.5 | 3.5 | 9.8 |
| 2007..... | 451 | 157 | 263 | 5.8 | 3.4 | 10.0 |
| 2008..... | 452 | 166 | 259 | 5.8 | 3.6 | 9.9 |
| 2009..... | 386 | 123 | 248 | 5.1 | 2.8 | 9.8 |
| 2010..... | 348 | 121 | 210 | 4.7 | 2.8 | 8.4 |
| 2011..... | 374 | 132 | 213 | 5.1 | 3.1 | 8.7 |
| 2012..... | 339 | 127 | 190 | 4.7 | 3.0 | 7.8 |
| 2013..... | 325 | 132 | 175 | 4.5 | 3.1 | 7.3 |
| 2014..... | 338 | 122 | 188 | 4.6 | 2.8 | 7.7 |
| 2015..... | 358 | 133 | 202 | 4.9 | 3.1 | 8.3 |
| 2016..... | 340 | 126 | 179 | 4.7 | 2.9 | 7.4 |

*Includes races categorized as 'unknown' or 'other'.

**Per 1,000 live births.

- Data not available.

Note: Since 1989, infant deaths have been based on race of the decedent; live births have been based on race of the mother.

TABLE 31. POSTNEONATAL DEATHS AND POSTNEONATAL MORALITY RATES BY RACE, MARYLAND, SELECTED YEARS, 1940-2016

| YEAR | POSTNEONATAL DEATHS | | | POSTNEONATAL MORTALITY RATES** | | |
|-----------|---------------------|-------|-------|--------------------------------|-------|-------|
| | TOTAL* | WHITE | BLACK | TOTAL* | WHITE | BLACK |
| 1940..... | 658 | 408 | - | 20.3 | 16.0 | - |
| 1950..... | 428 | 239 | - | 7.7 | 5.4 | - |
| 1960..... | 561 | 298 | - | 7.2 | 5.0 | - |
| 1970..... | 350 | 203 | 142 | 5.0 | 3.9 | 9.1 |
| 1980..... | 232 | 129 | 101 | 3.9 | 3.2 | 5.8 |
| 1990..... | 263 | 122 | 134 | 3.3 | 2.3 | 5.4 |
| 2000..... | 143 | 57 | 80 | 1.9 | 1.3 | 3.3 |
| 2007..... | 171 | 56 | 106 | 2.2 | 1.2 | 4.0 |
| 2008..... | 165 | 69 | 92 | 2.1 | 1.5 | 3.5 |
| 2009..... | 155 | 54 | 95 | 2.1 | 1.2 | 3.8 |
| 2010..... | 148 | 57 | 85 | 2.0 | 1.3 | 3.4 |
| 2011..... | 119 | 38 | 80 | 1.6 | 0.9 | 3.3 |
| 2012..... | 119 | 47 | 61 | 1.6 | 1.1 | 2.5 |
| 2013..... | 149 | 58 | 75 | 2.1 | 1.4 | 3.1 |
| 2014..... | 138 | 59 | 72 | 1.9 | 1.4 | 2.9 |
| 2015..... | 133 | 55 | 70 | 1.8 | 1.3 | 2.9 |
| 2016..... | 138 | 56 | 73 | 1.9 | 1.3 | 3.0 |

*Includes races categorized as 'unknown' or 'other'.

**Per 1,000 live births.

- Data not available.

Note: Since 1989, infant deaths have been based on race of the decedent; live births have been based on race of the mother.

TABLE 32. FETAL DEATHS AND FETAL DEATH RATES BY RACE, MARYLAND, SELECTED YEARS, 1940-2016

| YEAR | FETAL DEATHS | | | FETAL DEATH RATES* | | |
|-----------|--------------|-------|-------|--------------------|-------|-------|
| | TOTAL** | WHITE | BLACK | TOTAL** | WHITE | BLACK |
| 1940..... | 1,352 | 860 | - | 40.1 | 32.7 | - |
| 1950..... | 1,102 | 728 | - | 19.3 | 16.4 | - |
| 1960..... | 1,224 | 811 | - | 15.2 | 13.3 | - |
| 1970..... | 931 | 628 | - | 13.2 | 11.8 | - |
| 1980..... | 494 | 274 | - | 8.2 | 6.7 | - |
| 1990..... | 566 | 263 | - | 7.0 | 5.0 | - |
| 2000..... | 658 | 289 | 337 | 8.8 | 6.3 | 13.5 |
| 2007..... | 611 | 230 | 313 | 7.8 | 4.9 | 11.7 |
| 2008..... | 583 | 224 | 304 | 7.5 | 4.9 | 11.5 |
| 2009..... | 566 | 207 | 285 | 7.5 | 4.8 | 11.2 |
| 2010..... | 521 | 223 | 269 | 7.0 | 5.1 | 10.7 |
| 2011..... | 547 | 223 | 285 | 7.5 | 5.2 | 11.6 |
| 2012..... | 541 | 215 | 295 | 7.4 | 5.0 | 12.0 |
| 2013..... | 582 | 226 | 312 | 8.0 | 5.3 | 12.9 |
| 2014..... | 566 | 229 | 293 | 7.6 | 5.3 | 11.8 |
| 2015..... | 526 | 204 | 293 | 7.1 | 4.7 | 11.0 |
| 2016..... | 550 | 252 | 268 | 7.5 | 5.9 | 11.0 |

*Per 1,000 total deliveries (live births plus fetal deaths).

**Includes races categorized as 'unknown' or 'other'.

- Data not available.

Note: Prior to 1999, fetal deaths excluded out-of-state occurrences.

TABLE 33. INFANT DEATHS AND INFANT MORTALITY RATES BY RACE, HISPANIC ORIGIN, REGION AND POLITICAL SUBDIVISION, MARYLAND, 2016.

| REGION AND POLITICAL SUBDIVISION | NUMBER OF INFANT DEATHS* | | | | | | INFANT MORTALITY RATES**** | | | | | |
|----------------------------------|--------------------------|----------------|----------------|--------------------------|------------------------------------|------------|----------------------------|----------------|----------------|--------------------------|------------------------------------|------------|
| | ALL DEATHS* | NON-HISP WHITE | NON-HISP BLACK | NON-HISP AMERICAN INDIAN | NON-HISP ASIAN OR PACIFIC ISLANDER | HISPANIC** | ALL DEATHS* | NON-HISP WHITE | NON-HISP BLACK | NON-HISP AMERICAN INDIAN | NON-HISP ASIAN OR PACIFIC ISLANDER | HISPANIC** |
| MARYLAND | 478 | 136 | 247 | 0 | 23 | 64 | 6.5 | 4.3 | 10.5 | *** | 4.2 | 5.4 |
| NORTHWEST AREA | 27 | 20 | 5 | 0 | 0 | 2 | 5.0 | 4.8 | 9.0 | *** | *** | *** |
| GARRETT | 1 | 1 | 0 | 0 | 0 | 0 | *** | *** | *** | *** | *** | *** |
| ALLEGANY | 5 | 4 | 1 | 0 | 0 | 0 | 8.1 | *** | *** | *** | *** | *** |
| WASHINGTON | 12 | 8 | 2 | 0 | 0 | 2 | 7.1 | 6.3 | *** | *** | *** | *** |
| FREDERICK | 9 | 7 | 2 | 0 | 0 | 0 | 3.2 | 3.5 | *** | *** | *** | *** |
| BALTIMORE METRO AREA | 207 | 73 | 113 | 0 | 9 | 11 | 6.2 | 4.5 | 10.4 | *** | 3.6 | 3.3 |
| BALTIMORE CITY | 75 | 13 | 58 | 0 | 0 | 3 | 8.8 | 5.9 | 11.3 | *** | *** | *** |
| BALTIMORE COUNTY | 58 | 19 | 31 | 0 | 5 | 3 | 5.9 | 4.0 | 9.8 | *** | 5.9 | *** |
| ANNE ARUNDEL | 39 | 23 | 13 | 0 | 0 | 3 | 5.6 | 5.3 | 10.1 | *** | *** | *** |
| CARROLL | 5 | 5 | 0 | 0 | 0 | 0 | 2.9 | 3.3 | *** | *** | *** | *** |
| HOWARD | 17 | 7 | 4 | 0 | 4 | 2 | 4.8 | 4.3 | *** | *** | *** | *** |
| HARFORD | 13 | 6 | 7 | 0 | 0 | 0 | 4.8 | 3.1 | 14.4 | *** | *** | *** |
| NATIONAL CAPITAL AREA | 167 | 18 | 93 | 0 | 12 | 42 | 6.6 | 3.2 | 9.5 | *** | 4.7 | 5.8 |
| MONTGOMERY | 73 | 16 | 26 | 0 | 10 | 20 | 5.6 | 3.6 | 9.2 | *** | 4.9 | 5.5 |
| PRINCE GEORGE'S | 94 | 2 | 67 | 0 | 2 | 22 | 7.6 | *** | 9.7 | *** | *** | 6.1 |
| SOUTHERN AREA | 35 | 11 | 19 | 0 | 2 | 2 | 8.4 | 4.4 | 15.7 | *** | *** | *** |
| CALVERT | 6 | 1 | 3 | 0 | 1 | 1 | 6.6 | *** | *** | *** | *** | *** |
| CHARLES | 19 | 4 | 13 | 0 | 1 | 0 | 10.5 | *** | 14.9 | *** | *** | *** |
| ST MARY'S | 10 | 6 | 3 | 0 | 0 | 1 | 7.0 | 5.7 | *** | *** | *** | *** |
| EASTERN SHORE AREA | 42 | 14 | 17 | 0 | 0 | 7 | 8.8 | 4.4 | 16.3 | *** | *** | 15.6 |
| CECIL | 8 | 3 | 3 | 0 | 0 | 2 | 7.2 | *** | *** | *** | *** | *** |
| KENT | 2 | 1 | 1 | 0 | 0 | 0 | *** | *** | *** | *** | *** | *** |
| QUEEN ANNE'S | 0 | 0 | 0 | 0 | 0 | 0 | *** | *** | *** | *** | *** | *** |
| CAROLINE | 4 | 3 | 0 | 0 | 0 | 0 | *** | *** | *** | *** | *** | *** |
| TALBOT | 3 | 2 | 0 | 0 | 0 | 1 | *** | *** | *** | *** | *** | *** |
| DORCHESTER | 1 | 0 | 1 | 0 | 0 | 0 | *** | *** | *** | *** | *** | *** |
| WICOMICO | 12 | 2 | 9 | 0 | 0 | 1 | 9.7 | *** | 19.9 | *** | *** | *** |
| SOMERSET | 4 | 1 | 2 | 0 | 0 | 1 | *** | *** | *** | *** | *** | *** |
| WORCESTER | 8 | 2 | 1 | 0 | 0 | 2 | 19.0 | *** | *** | *** | *** | *** |

*Includes races categorized as 'unknown' or 'other'.

**Includes all persons of Hispanic origin of any race.

***Rates based on <5 events in the numerator are not presented since such rates are subject to instability.

****Per 1,000 live births by race of mother.

TABLE 33A. NEONATAL DEATHS AND NEONATAL MORTALITY RATES BY RACE, HISPANIC ORIGIN, REGION AND POLITICAL SUBDIVISION, MARYLAND, 2016.

| REGION AND POLITICAL SUBDIVISION | NUMBER OF NEONATAL DEATHS* | | | | | | NEONATAL MORTALITY RATES**** | | | | | |
|----------------------------------|----------------------------|----------------|----------------|--------------------------|------------------------------------|------------|------------------------------|----------------|----------------|--------------------------|------------------------------------|------------|
| | ALL DEATHS* | NON-HISP WHITE | NON-HISP BLACK | NON-HISP AMERICAN INDIAN | NON-HISP ASIAN OR PACIFIC ISLANDER | HISPANIC** | ALL DEATHS* | NON-HISP WHITE | NON-HISP BLACK | NON-HISP AMERICAN INDIAN | NON-HISP ASIAN OR PACIFIC ISLANDER | HISPANIC** |
| MARYLAND | 340 | 93 | 175 | 0 | 19 | 45 | 4.7 | 2.9 | 7.5 | *** | 3.5 | 3.8 |
| NORTHWEST AREA | 17 | 11 | 4 | 0 | 0 | 2 | 3.1 | 2.7 | *** | *** | *** | *** |
| GARRETT | 1 | 1 | 0 | 0 | 0 | 0 | *** | *** | *** | *** | *** | *** |
| ALLEGANY | 1 | 0 | 1 | 0 | 0 | 0 | *** | *** | *** | *** | *** | *** |
| WASHINGTON | 8 | 5 | 1 | 0 | 0 | 2 | 4.7 | 3.9 | *** | *** | *** | *** |
| FREDERICK | 7 | 5 | 2 | 0 | 0 | 0 | 2.5 | 2.5 | *** | *** | *** | *** |
| BALTIMORE METRO AREA | 146 | 51 | 80 | 0 | 7 | 7 | 4.4 | 3.1 | 7.4 | *** | 2.8 | 2.1 |
| BALTIMORE CITY | 56 | 10 | 44 | 0 | 0 | 1 | 6.6 | 4.5 | 8.5 | *** | *** | *** |
| BALTIMORE COUNTY | 43 | 15 | 20 | 0 | 5 | 3 | 4.4 | 3.2 | 6.3 | *** | 5.9 | *** |
| ANNE ARUNDEL | 24 | 13 | 10 | 0 | 0 | 1 | 3.4 | 3.0 | 7.7 | *** | *** | *** |
| CARROLL | 3 | 3 | 0 | 0 | 0 | 0 | *** | *** | *** | *** | *** | *** |
| HOWARD | 11 | 6 | 1 | 0 | 2 | 2 | 3.1 | 3.6 | *** | *** | *** | *** |
| HARFORD | 9 | 4 | 5 | 0 | 0 | 0 | 3.3 | *** | 10.3 | *** | *** | *** |
| NATIONAL CAPITAL AREA | 118 | 10 | 64 | 0 | 10 | 32 | 4.6 | 1.8 | 6.6 | *** | 3.9 | 4.4 |
| MONTGOMERY | 52 | 9 | 20 | 0 | 8 | 14 | 4.0 | 2.0 | 7.0 | *** | 3.9 | 3.8 |
| PRINCE GEORGE'S | 66 | 1 | 44 | 0 | 2 | 18 | 5.4 | *** | 6.4 | *** | *** | 5.0 |
| SOUTHERN AREA | 27 | 9 | 15 | 0 | 2 | 0 | 6.5 | 3.6 | 12.4 | *** | *** | *** |
| CALVERT | 5 | 1 | 3 | 0 | 1 | 0 | 5.5 | *** | *** | *** | *** | *** |
| CHARLES | 15 | 3 | 10 | 0 | 1 | 0 | 8.3 | *** | 11.5 | *** | *** | *** |
| ST MARY'S | 7 | 5 | 2 | 0 | 0 | 0 | 4.9 | 4.7 | *** | *** | *** | *** |
| EASTERN SHORE AREA | 32 | 12 | 12 | 0 | 0 | 4 | 6.7 | 3.8 | 11.5 | *** | *** | *** |
| CECIL | 5 | 2 | 2 | 0 | 0 | 1 | 4.5 | *** | *** | *** | *** | *** |
| KENT | 2 | 1 | 1 | 0 | 0 | 0 | *** | *** | *** | *** | *** | *** |
| QUEEN ANNE'S | 0 | 0 | 0 | 0 | 0 | 0 | *** | *** | *** | *** | *** | *** |
| CAROLINE | 4 | 3 | 0 | 0 | 0 | 0 | *** | *** | *** | *** | *** | *** |
| TALBOT | 2 | 1 | 0 | 0 | 0 | 1 | *** | *** | *** | *** | *** | *** |
| DORCHESTER | 1 | 0 | 1 | 0 | 0 | 0 | *** | *** | *** | *** | *** | *** |
| WICOMICO | 7 | 2 | 5 | 0 | 0 | 0 | 5.6 | *** | 11.1 | *** | *** | *** |
| SOMERSET | 3 | 1 | 2 | 0 | 0 | 0 | *** | *** | *** | *** | *** | *** |
| WORCESTER | 8 | 2 | 1 | 0 | 0 | 2 | 19.0 | *** | *** | *** | *** | *** |

*Includes races categorized as 'unknown' or 'other'.

**Includes all persons of Hispanic origin of any race.

***Rates based on <5 events in the numerator are not presented since such rates are subject to instability.

****Per 1,000 live births by race of mother.

TABLE 33B. POSTNEONATAL DEATHS AND POSTNEONATAL MORTALITY RATES BY RACE, HISPANIC ORIGIN, REGION AND POLITICAL SUBDIVISION, MARYLAND, 2016.

| REGION AND POLITICAL SUBDIVISION | NUMBER OF POSTNEONATAL DEATHS* | | | | | | POSTNEONATAL MORTALITY RATES**** | | | | | |
|----------------------------------|--------------------------------|----------------|----------------|--------------------------|------------------------------------|------------|----------------------------------|----------------|----------------|--------------------------|------------------------------------|------------|
| | ALL DEATHS* | NON-HISP WHITE | NON-HISP BLACK | NON-HISP AMERICAN INDIAN | NON-HISP ASIAN OR PACIFIC ISLANDER | HISPANIC** | ALL DEATHS* | NON-HISP WHITE | NON-HISP BLACK | NON-HISP AMERICAN INDIAN | NON-HISP ASIAN OR PACIFIC ISLANDER | HISPANIC** |
| MARYLAND | 138 | 43 | 72 | 0 | 4 | 19 | 1.9 | 1.4 | 3.1 | *** | *** | 1.6 |
| NORTHWEST AREA | 10 | 9 | 1 | 0 | 0 | 0 | 1.8 | 1.7 | *** | *** | *** | *** |
| GARRETT | 0 | 0 | 0 | 0 | 0 | 0 | *** | *** | *** | *** | *** | *** |
| ALLEGANY | 4 | 4 | 0 | 0 | 0 | 0 | *** | *** | *** | *** | *** | *** |
| WASHINGTON | 4 | 3 | 1 | 0 | 0 | 0 | *** | *** | *** | *** | *** | *** |
| FREDERICK | 2 | 2 | 0 | 0 | 0 | 0 | *** | *** | *** | *** | *** | *** |
| BALTIMORE METRO AREA | 61 | 22 | 33 | 0 | 2 | 4 | 1.8 | 0.7 | 3.0 | *** | *** | *** |
| BALTIMORE CITY | 19 | 3 | 14 | 0 | 0 | 2 | 2.2 | *** | 2.7 | *** | *** | *** |
| BALTIMORE COUNTY | 15 | 4 | 11 | 0 | 0 | 0 | 1.5 | *** | 3.5 | *** | *** | *** |
| ANNE ARUNDEL | 15 | 10 | 3 | 0 | 0 | 2 | 2.1 | 2.3 | *** | *** | *** | *** |
| CARROLL | 2 | 2 | 0 | 0 | 0 | 0 | *** | *** | *** | *** | *** | *** |
| HOWARD | 6 | 1 | 3 | 0 | 2 | 0 | 1.7 | *** | *** | *** | *** | *** |
| HARFORD | 4 | 2 | 2 | 0 | 0 | 0 | *** | *** | *** | *** | *** | *** |
| NATIONAL CAPITAL AREA | 49 | 8 | 29 | 0 | 2 | 10 | 1.9 | 0.3 | 3.0 | *** | *** | 1.4 |
| MONTGOMERY | 21 | 7 | 6 | 0 | 2 | 6 | 1.6 | 1.6 | 2.1 | *** | *** | 1.6 |
| PRINCE GEORGE'S | 28 | 1 | 23 | 0 | 0 | 4 | 2.3 | *** | 3.3 | *** | *** | *** |
| SOUTHERN AREA | 8 | 2 | 4 | 0 | 0 | 2 | 1.9 | *** | *** | *** | *** | *** |
| CALVERT | 1 | 0 | 0 | 0 | 0 | 1 | *** | *** | *** | *** | *** | *** |
| CHARLES | 4 | 1 | 3 | 0 | 0 | 0 | *** | *** | *** | *** | *** | *** |
| ST MARY'S | 3 | 1 | 1 | 0 | 0 | 1 | *** | *** | *** | *** | *** | *** |
| EASTERN SHORE AREA | 10 | 2 | 5 | 0 | 0 | 3 | 2.1 | *** | 4.8 | *** | *** | *** |
| CECIL | 3 | 1 | 1 | 0 | 0 | 1 | *** | *** | *** | *** | *** | *** |
| KENT | 0 | 0 | 0 | 0 | 0 | 0 | *** | *** | *** | *** | *** | *** |
| QUEEN ANNE'S | 0 | 0 | 0 | 0 | 0 | 0 | *** | *** | *** | *** | *** | *** |
| CAROLINE | 0 | 0 | 0 | 0 | 0 | 0 | *** | *** | *** | *** | *** | *** |
| TALBOT | 1 | 1 | 0 | 0 | 0 | 0 | *** | *** | *** | *** | *** | *** |
| DORCHESTER | 0 | 0 | 0 | 0 | 0 | 0 | *** | *** | *** | *** | *** | *** |
| WICOMICO | 5 | 0 | 4 | 0 | 0 | 1 | 4.0 | *** | *** | *** | *** | *** |
| SOMERSET | 1 | 0 | 0 | 0 | 0 | 1 | *** | *** | *** | *** | *** | *** |
| WORCESTER | 0 | 0 | 0 | 0 | 0 | 0 | *** | *** | *** | *** | *** | *** |

*Includes races categorized as 'unknown' or 'other'.

**Includes all persons of Hispanic origin of any race.

***Rates based on <5 events in the numerator are not presented since such rates are subject to instability.

****Per 1,000 live births by race of mother.

TABLE 34. NUMBER OF DEATHS, MORTALITY RATES AND PERCENTAGE OF DEATHS ATTRIBUTED TO THE TEN LEADING CAUSES OF DEATH BY RACE FOR INFANT, NEONATAL AND POSTNEONATAL DEATHS, MARYLAND, 2016

| RANK | ALL RACES* | INFANT DEATHS | | | NEONATAL DEATHS | | | POSTNEONATAL DEATHS | | |
|------|---|---------------|--------|----------------------|-----------------|--------|----------------------|---------------------|--------|----------------------|
| | | NUMBER | RATE** | PERCENT DISTRIBUTION | NUMBER | RATE** | PERCENT DISTRIBUTION | NUMBER | RATE** | PERCENT DISTRIBUTION |
| 1 | DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTH WEIGHT (P07)..... | 115 | 157.4 | 24.1 | 113 | 154.6 | 33.2 | 2 | *** | 1.4 |
| 2 | CONGENITAL ABNORMALITIES (Q00-Q99)..... | 85 | 116.3 | 17.8 | 69 | 94.4 | 20.3 | 16 | 21.9 | 11.6 |
| 3 | NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (P01)..... | 56 | 76.6 | 11.7 | 56 | 76.6 | 16.5 | 0 | *** | 0.0 |
| 4 | SUDDEN INFANT DEATH SYNDROME (R95)..... | 43 | 58.8 | 9.0 | 6 | 8.2 | 1.8 | 37 | 50.6 | 26.8 |
| 5 | NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA AND CORD MEMBRANE (P02)..... | 23 | 31.5 | 4.8 | 23 | 31.5 | 6.8 | 0 | *** | 0.0 |
| 6 | ASSAULT (HOMICIDE) (X85-Y09, Y871, U010-U02)..... | 15 | 20.5 | 3.1 | 0 | *** | 0.0 | 15 | 20.5 | 10.9 |
| 7 | RESPIRATORY DISTRESS OF NEWBORN (P22)..... | 10 | 13.7 | 2.1 | 10 | 13.7 | 2.9 | 0 | *** | 0.0 |
| 7 | NECROTIZING ENTEROCOLITIS OF NEWBORN (P77)..... | 10 | 13.7 | 2.1 | 10 | 13.7 | 2.9 | 0 | *** | 0.0 |
| 8 | ACCIDENTS (V01-X59, Y85-Y86)..... | 9 | 12.3 | 1.9 | 2 | *** | 0.6 | 7 | 9.6 | 5.1 |
| 9 | BACTERIAL SEPSIS OF NEWBORN (P36)..... | 8 | 10.9 | 1.7 | 7 | 9.6 | 2.1 | 1 | *** | 0.7 |
| | ALL OTHER CAUSES (RESIDUAL)..... | 104 | 142.3 | 21.8 | 1 | *** | 0.3 | 60 | 82.1 | 43.5 |
| | ALL CAUSES..... | 478 | 654.1 | 100.0 | 340 | 465.3 | 100.0 | 138 | 188.9 | 100.0 |
| | WHITE | | | | | | | | | |
| 1 | CONGENITAL ABNORMALITIES (Q00-Q99)..... | 46 | 107.5 | 25.3 | 39 | 91.2 | 31.0 | 7 | 16.4 | 12.5 |
| 2 | DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTH WEIGHT (P07)..... | 32 | 74.8 | 17.6 | 31 | 72.5 | 24.6 | 1 | *** | 1.8 |
| 3 | NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (P01)..... | 22 | 51.4 | 12.1 | 22 | ** | 17.5 | 0 | *** | 0.0 |
| 4 | SUDDEN INFANT DEATH SYNDROME (R95)..... | 14 | 32.7 | 7.7 | 2 | *** | 1.6 | 12 | 28.0 | 21.4 |
| 5 | ASSAULT (HOMICIDE) (X85-Y09, Y871, U010-U02)..... | 6 | 14.0 | 3.3 | 0 | *** | 0.0 | 6 | 14.0 | 10.7 |
| 5 | DISEASES OF THE CIRCULATORY SYSTEM (I00-I99)..... | 6 | 14.0 | 3.3 | 0 | *** | 0.0 | 6 | 14.0 | 10.7 |
| 6 | RESPIRATORY DISTRESS OF NEWBORN (P22)..... | 4 | *** | 2.2 | 4 | *** | 3.2 | 0 | *** | 0.0 |
| 6 | NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA AND CORD MEMBRANE (P02)..... | 4 | *** | 2.2 | 4 | *** | 3.2 | 0 | *** | 0.0 |
| 6 | BACTERIAL SEPSIS OF NEWBORN (P36)..... | 4 | *** | 2.2 | 4 | *** | 3.2 | 0 | *** | 0.0 |
| 7 | ACCIDENTS (V01-X59, Y85-Y86)..... | 3 | *** | 1.6 | 1 | *** | 0.8 | 2 | *** | 3.6 |
| 7 | ATELECTASIS (V01-X59, Y85-Y86)..... | 3 | *** | 1.6 | 3 | *** | 2.4 | 0 | *** | 0.0 |
| 7 | NECROTIZING ENTEROCOLITIS OF NEWBORN (P77)..... | 3 | *** | 1.6 | 3 | *** | 2.4 | 0 | *** | 0.0 |
| | ALL OTHER CAUSES (RESIDUAL)..... | 35 | 81.8 | 19.2 | 13 | 30.4 | 10.3 | 22 | 51.4 | 39.3 |
| | ALL CAUSES..... | 182 | 425.4 | 100.0 | 126 | 294.5 | 100.0 | 56 | 130.9 | 100.0 |
| | NON-HISPANIC WHITE | | | | | | | | | |
| 1 | CONGENITAL ABNORMALITIES (Q00-Q99)..... | 26 | 81.7 | 19.1 | 23 | 72.3 | 24.7 | 3 | *** | 7.0 |
| 2 | DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTH WEIGHT (P07)..... | 25 | 78.5 | 18.4 | 24 | 75.4 | 25.8 | 1 | *** | 2.3 |
| 3 | NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (P01)..... | 19 | 59.7 | 14.0 | 19 | 59.7 | 20.4 | 0 | *** | 0.0 |
| 4 | SUDDEN INFANT DEATH SYNDROME (R95)..... | 14 | 44.0 | 10.3 | 2 | *** | 2.2 | 12 | 37.7 | 27.9 |
| 5 | ASSAULT (HOMICIDE) (X85-Y09, Y871, U010-U02)..... | 6 | 18.8 | 4.4 | 0 | *** | 0.0 | 6 | 18.8 | 14.0 |
| 6 | RESPIRATORY DISTRESS OF NEWBORN (P22)..... | 4 | *** | 2.9 | 4 | *** | 4.3 | 0 | *** | 0.0 |
| 7 | ACCIDENTS (V01-X59, Y85-Y86)..... | 3 | *** | 2.2 | 1 | *** | 1.1 | 2 | *** | 4.7 |
| 7 | DISEASES OF THE CIRCULATORY SYSTEM (I00-I99)..... | 3 | *** | 2.2 | 0 | *** | 0.0 | 3 | *** | 7.0 |
| 8 | NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA AND CORD MEMBRANE (P02)..... | 2 | *** | 1.5 | 2 | *** | 2.2 | 0 | *** | 0.0 |
| 8 | ATELECTASIS (V01-X59, Y85-Y86)..... | 2 | *** | 1.5 | 2 | *** | 2.2 | 0 | *** | 0.0 |
| 8 | BACTERIAL SEPSIS OF NEWBORN (P36)..... | 2 | *** | 1.5 | 2 | *** | 2.2 | 0 | *** | 0.0 |
| 8 | NECROTIZING ENTEROCOLITIS OF NEWBORN (P77)..... | 2 | *** | 1.5 | 2 | *** | 2.2 | 0 | *** | 0.0 |
| | ALL OTHER CAUSES (RESIDUAL)..... | 28 | 88.0 | 20.6 | 12 | 37.7 | 12.9 | 16 | 50.3 | 37.2 |
| | ALL CAUSES..... | 136 | 427.2 | 100.0 | 93 | 292.2 | 100.0 | 43 | 135.1 | 100.0 |

See footnotes at end of table.

TABLE 34. NUMBER OF DEATHS, MORTALITY RATES AND PERCENTAGE OF DEATHS ATTRIBUTED TO THE TEN LEADING CAUSES OF DEATH BY RACE FOR INFANT, NEONATAL AND POSTNEONATAL DEATHS, MARYLAND, 2016 - Continued

| RANK | BLACK | INFANT DEATHS | | | NEONATAL DEATHS | | | POSTNEONATAL DEATHS | | |
|------|---|---------------|--------|---------|-----------------|--------|---------|---------------------|--------|---------|
| | | NUMBER | RATE** | PERCENT | NUMBER | RATE** | PERCENT | NUMBER | RATE** | PERCENT |
| 1 | DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTH WEIGHT (P07)..... | 69 | 285.9 | 27.4 | 68 | 281.8 | 38.0 | 1 | *** | 1.4 |
| 2 | NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (P01)..... | 30 | 124.3 | 11.9 | 30 | 124.3 | 16.8 | 0 | *** | 0.0 |
| 2 | CONGENITAL ABNORMALITIES (Q00-Q99)..... | 30 | 124.3 | 11.9 | 23 | 95.3 | 12.8 | 7 | 29.0 | 9.6 |
| 3 | SUDDEN INFANT DEATH SYNDROME (R95)..... | 26 | 107.7 | 10.3 | 3 | *** | 1.7 | 23 | 95.3 | 31.5 |
| 4 | NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA AND CORD MEMBRANE (P02)..... | 17 | 70.4 | 6.7 | 17 | 70.4 | 9.5 | 0 | *** | 0.0 |
| 5 | ASSAULT (HOMICIDE) (X85-Y09, Y871, U010-U02)..... | 9 | 37.3 | 3.6 | 0 | *** | 0.0 | 9 | 37.3 | 12.3 |
| 6 | NECROTIZING ENTEROCOLITIS OF NEWBORN (P77)..... | 7 | 29.0 | 2.8 | 7 | 29.0 | 3.9 | 0 | *** | 0.0 |
| 7 | RESPIRATORY DISTRESS OF NEWBORN (P22)..... | 5 | 20.7 | 2.0 | 5 | 20.7 | 2.8 | 0 | *** | 0.0 |
| 8 | ACCIDENTS (V01-X59, Y85-Y86)..... | 4 | *** | 1.6 | 1 | *** | 0.6 | 3 | *** | 4.1 |
| 10 | BACTERIAL SEPSIS OF NEWBORN (P36)..... | 4 | *** | 1.6 | 3 | *** | 1.7 | 1 | *** | 1.4 |
| | ALL OTHER CAUSES (RESIDUAL)..... | 51 | 211.3 | 20.2 | 22 | 91.2 | 12.3 | 29 | 120.2 | 39.7 |
| | ALL CAUSES..... | 252 | 1044.3 | 100.0 | 179 | 741.8 | 100.0 | 73 | 302.5 | 100.0 |
| | NON-HISPANIC BLACK | | | | | | | | | |
| 1 | DISORDERS RELATING TO SHORT GESTATION AND UNSPECIFIED LOW BIRTH WEIGHT (P07)..... | 67 | 285.7 | 27.1 | 66 | 281.5 | 37.7 | 1 | *** | 1.4 |
| 2 | NEWBORN AFFECTED BY MATERNAL COMPLICATIONS OF PREGNANCY (P01)..... | 30 | 127.9 | 12.1 | 30 | 127.9 | 17.1 | 0 | *** | 0.0 |
| 3 | CONGENITAL ABNORMALITIES (Q00-Q99)..... | 29 | 123.7 | 11.7 | 22 | 93.8 | 12.6 | 7 | 29.9 | 9.7 |
| 4 | SUDDEN INFANT DEATH SYNDROME (R95)..... | 26 | 110.9 | 10.5 | 3 | 12.8 | 1.7 | 23 | 98.1 | 31.9 |
| 5 | NEWBORN AFFECTED BY COMPLICATIONS OF PLACENTA AND CORD MEMBRANE (P02)..... | 17 | 72.5 | 6.9 | 17 | 72.5 | 9.7 | 0 | *** | 0.0 |
| 6 | ASSAULT (HOMICIDE) (X85-Y09, Y871, U010-U02)..... | 8 | 34.1 | 3.2 | 0 | *** | 0.0 | 8 | 34.1 | 11.1 |
| 7 | NECROTIZING ENTEROCOLITIS OF NEWBORN (P77)..... | 6 | *** | 2.4 | 6 | 25.6 | 3.4 | 0 | *** | 0.0 |
| 8 | RESPIRATORY DISTRESS OF NEWBORN (P22)..... | 5 | *** | 2.0 | 5 | *** | 2.9 | 0 | *** | 0.0 |
| 9 | ACCIDENTS (V01-X59, Y85-Y86)..... | 4 | *** | 1.6 | 1 | *** | 0.6 | 3 | *** | 4.2 |
| 9 | BACTERIAL SEPSIS OF NEWBORN (P36)..... | 4 | 17.1 | 1.6 | 3 | 12.8 | 1.7 | 1 | *** | 1.4 |
| | ALL OTHER CAUSES (RESIDUAL)..... | 51 | 217.5 | 20.6 | 22 | 93.8 | 12.6 | 29 | 123.7 | 40.3 |
| | ALL CAUSES..... | 247 | 1053.3 | 100.0 | 175 | 746.3 | 100.0 | 72 | 307.0 | 100.0 |

*Includes races categorized as 'unknown' or 'other'.

**Per 100,000 live born infants in specified group.

TABLE 35. FETAL DEATHS AND FETAL MORTALITY RATES BY RACE, HISPANIC ORIGIN, REGION AND POLITICAL SUBDIVISION, MARYLAND, 2016.

| REGION AND POLITICAL SUBDIVISION | NUMBER OF FETAL DEATHS | | | | | | FETAL MORTALITY RATES**** | | | | | |
|----------------------------------|------------------------|-------|--------------|-------|--------------|------------|---------------------------|-------|--------------|-------|--------------|------------|
| | ALL DEATHS* | WHITE | | BLACK | | HISPANIC** | ALL DEATHS* | WHITE | | BLACK | | HISPANIC** |
| | | TOTAL | NON-HISPANIC | TOTAL | NON-HISPANIC | | | TOTAL | NON-HISPANIC | TOTAL | NON-HISPANIC | |
| MARYLAND | 550 | 252 | 170 | 268 | 237 | 67 | 7.5 | 5.9 | 5.3 | 11.0 | 10.0 | 5.6 |
| NORTHWEST AREA | 35 | 30 | 23 | 5 | 5 | 7 | 6.4 | 6.5 | 5.5 | 8.5 | 8.9 | 13.5 |
| GARRETT | 0 | 0 | 0 | 0 | 0 | 0 | *** | *** | *** | *** | *** | *** |
| ALLEGANY | 1 | 1 | 1 | 0 | 0 | 0 | *** | *** | *** | *** | *** | *** |
| WASHINGTON | 18 | 16 | 14 | 2 | 2 | 2 | 10.6 | 11.5 | 10.9 | *** | *** | *** |
| FREDERICK | 16 | 13 | 8 | 3 | 3 | 5 | 5.6 | 5.5 | 4.0 | *** | *** | 12.5 |
| BALTIMORE METRO AREA | 254 | 114 | 96 | 122 | 119 | 18 | 7.6 | 5.8 | 5.8 | 10.9 | 10.8 | 5.4 |
| BALTIMORE CITY | 85 | 19 | 17 | 63 | 61 | 3 | 9.9 | 6.5 | 7.7 | 11.9 | 11.7 | *** |
| BALTIMORE COUNTY | 84 | 37 | 29 | 39 | 39 | 7 | 8.5 | 6.5 | 6.1 | 11.9 | 12.2 | 6.9 |
| ANNE ARUNDEL | 41 | 25 | 21 | 11 | 11 | 4 | 5.8 | 4.8 | 4.8 | 8.3 | 8.4 | *** |
| CARROLL | 10 | 10 | 10 | 0 | 0 | 0 | 5.7 | 6.2 | 6.5 | *** | *** | *** |
| HOWARD | 17 | 10 | 8 | 6 | 5 | 3 | 4.7 | 5.0 | 4.8 | 8.0 | 6.9 | *** |
| HARFORD | 17 | 13 | 11 | 3 | 3 | 1 | 6.3 | 6.2 | 5.6 | *** | *** | *** |
| NATIONAL CAPITAL AREA | 191 | 67 | 17 | 116 | 88 | 39 | 7.5 | 5.4 | 3.0 | 11.3 | 8.9 | 5.3 |
| MONTGOMERY | 76 | 48 | 12 | 21 | 16 | 23 | 5.8 | 6.0 | 2.7 | 7.1 | 5.6 | 6.3 |
| PRINCE GEORGE'S | 115 | 19 | 5 | 95 | 72 | 16 | 9.2 | 4.2 | 4.2 | 13.0 | 10.3 | 4.4 |
| SOUTHERN AREA | 28 | 13 | 10 | 14 | 14 | 1 | 6.7 | 4.7 | 4.0 | 11.3 | 11.4 | *** |
| CALVERT | 5 | 4 | 3 | 1 | 1 | 1 | 5.5 | *** | *** | *** | *** | *** |
| CHARLES | 15 | 5 | 4 | 9 | 9 | 0 | 8.2 | 5.9 | *** | 10.0 | 10.2 | *** |
| ST MARY'S | 8 | 4 | 3 | 4 | 4 | 0 | 5.6 | *** | *** | *** | *** | *** |
| EASTERN SHORE AREA | 42 | 28 | 24 | 11 | 11 | 2 | 8.7 | 7.8 | 7.5 | 10.2 | 10.4 | *** |
| CECIL | 10 | 8 | 6 | 1 | 1 | 0 | 9.0 | 8.1 | 6.4 | *** | *** | *** |
| KENT | 4 | 2 | 2 | 2 | 2 | 0 | *** | *** | *** | *** | *** | *** |
| QUEEN ANNE'S | 6 | 6 | 6 | 0 | 0 | 0 | 11.9 | 12.7 | 14.3 | *** | *** | *** |
| CAROLINE | 0 | 0 | 0 | 0 | 0 | 0 | *** | *** | *** | *** | *** | *** |
| TALBOT | 1 | 1 | 1 | 0 | 0 | 0 | *** | *** | *** | *** | *** | *** |
| DORCHESTER | 4 | 3 | 2 | 1 | 1 | 1 | *** | *** | *** | *** | *** | *** |
| WICOMICO | 12 | 5 | 4 | 6 | 6 | 1 | 9.6 | 6.7 | *** | 12.9 | 13.1 | *** |
| SOMERSET | 2 | 1 | 1 | 1 | 1 | 0 | *** | *** | *** | *** | *** | *** |
| WORCESTER | 3 | 2 | 2 | 0 | 0 | 0 | *** | *** | *** | *** | *** | *** |

*Includes races categorized as 'unknown' or 'other'.

**Includes all persons of Hispanic origin of any race.

***Rates based on <5 events in the numerator are not presented since such rates are subject to instability.

****Fetal mortality rates are per 1,000 live births plus fetal deaths by race of mother.

TABLE 35A. PERINATAL DEATHS AND PERINATAL MORTALITY RATES BY RACE, HISPANIC ORIGIN, REGION AND POLITICAL SUBDIVISION, MARYLAND, 2016.

| REGION AND POLITICAL SUBDIVISION | NUMBER OF PERINATAL DEATHS**** | | | | | | PERINATAL MORTALITY RATES***** | | | | | |
|----------------------------------|--------------------------------|-------|--------------|-------|--------------|------------|--------------------------------|-------|--------------|-------|--------------|------------|
| | ALL DEATHS* | WHITE | | BLACK | | HISPANIC** | ALL DEATHS* | WHITE | | BLACK | | HISPANIC** |
| | | TOTAL | NON-HISPANIC | TOTAL | NON-HISPANIC | | | TOTAL | NON-HISPANIC | TOTAL | NON-HISPANIC | |
| MARYLAND | 502 | 214 | 154 | 249 | 231 | 68 | 6.8 | 5.0 | 4.8 | 10.3 | 9.8 | 5.7 |
| NORTHWEST AREA | 28 | 22 | 20 | 5 | 5 | 3 | 5.1 | 4.8 | 4.8 | 8.5 | 8.9 | *** |
| GARRETT | 1 | 1 | 1 | 0 | 0 | 0 | *** | *** | *** | *** | *** | *** |
| ALLEGANY | 1 | 1 | 1 | 0 | 0 | 0 | *** | *** | *** | *** | *** | *** |
| WASHINGTON | 14 | 11 | 10 | 2 | 2 | 2 | 8.3 | 8.0 | 7.8 | *** | *** | *** |
| FREDERICK | 12 | 9 | 8 | 3 | 3 | 1 | 4.2 | 3.8 | 4.0 | *** | *** | *** |
| BALTIMORE METRO AREA | 212 | 94 | 81 | 104 | 102 | 15 | 6.3 | 4.8 | 4.9 | 9.3 | 9.3 | 4.5 |
| BALTIMORE CITY | 79 | 16 | 15 | 62 | 60 | 2 | 9.2 | 5.5 | 6.8 | 11.8 | 11.6 | *** |
| BALTIMORE COUNTY | 61 | 29 | 25 | 24 | 24 | 5 | 6.2 | 5.2 | 5.3 | 7.4 | 7.6 | 5.0 |
| ANNE ARUNDEL | 40 | 25 | 20 | 12 | 12 | 5 | 5.7 | 4.8 | 4.6 | 9.1 | 9.3 | 5.6 |
| CARROLL | 8 | 8 | 8 | 0 | 0 | 0 | 4.6 | 4.9 | 5.2 | *** | *** | *** |
| HOWARD | 16 | 11 | 8 | 3 | 3 | 3 | 4.5 | 5.5 | 4.9 | *** | *** | *** |
| HARFORD | 8 | 5 | 5 | 3 | 3 | 0 | 3.0 | 2.4 | 2.6 | *** | *** | *** |
| NATIONAL CAPITAL AREA | 177 | 61 | 18 | 101 | 87 | 45 | 6.9 | 4.9 | 3.2 | 9.9 | 8.8 | 6.2 |
| MONTGOMERY | 71 | 37 | 13 | 24 | 23 | 22 | 5.4 | 4.6 | 2.9 | 8.1 | 8.1 | 6.0 |
| PRINCE GEORGE'S | 106 | 24 | 5 | 77 | 64 | 23 | 8.6 | 5.4 | 4.2 | 10.7 | 9.2 | 6.3 |
| SOUTHERN AREA | 42 | 17 | 16 | 21 | 21 | 1 | 10.1 | 6.2 | 6.5 | 17.0 | 17.0 | *** |
| CALVERT | 8 | 4 | 3 | 3 | 3 | 1 | 8.8 | *** | *** | *** | *** | *** |
| CHARLES | 23 | 7 | 7 | 13 | 13 | 0 | 12.6 | 8.2 | 10.2 | 14.5 | 14.8 | *** |
| ST MARY'S | 11 | 6 | 6 | 5 | 5 | 0 | 7.7 | 5.3 | 5.7 | 21.3 | 21.4 | *** |
| EASTERN SHORE AREA | 43 | 20 | 19 | 18 | 16 | 4 | 9.0 | 5.6 | 6.0 | 16.7 | 15.1 | *** |
| CECIL | 6 | 4 | 4 | 2 | 2 | 0 | 5.4 | *** | *** | *** | *** | *** |
| KENT | 2 | 1 | 1 | 1 | 1 | 0 | *** | *** | *** | *** | *** | *** |
| QUEEN ANNE'S | 2 | 2 | 2 | 0 | 0 | 0 | *** | *** | *** | *** | *** | *** |
| CAROLINE | 4 | 3 | 3 | 0 | 0 | 0 | *** | *** | *** | *** | *** | *** |
| TALBOT | 2 | 1 | 1 | 0 | 0 | 1 | *** | *** | *** | *** | *** | *** |
| DORCHESTER | 3 | 1 | 0 | 2 | 2 | 1 | *** | *** | *** | *** | *** | *** |
| WICOMICO | 10 | 2 | 2 | 8 | 8 | 0 | 8.0 | *** | *** | 17.3 | 17.6 | *** |
| SOMERSET | 4 | 2 | 2 | 2 | 2 | 0 | *** | *** | *** | *** | *** | *** |
| WORCESTER | 10 | 4 | 4 | 3 | 1 | 2 | 23.7 | *** | *** | *** | *** | *** |

*Includes races categorized as 'unknown' or 'other'.

**Includes all persons of Hispanic origin of any race.

***Rates based on <5 events in the numerator are not presented since such rates are subject to instability.

****Perinatal deaths are fetal deaths occurring at 28 or more weeks gestation plus infant deaths occurring among infants under 7 days of age.

*****Perinatal mortality rates are per 1,000 live births plus fetal deaths of 28 or more weeks gestation.

MORTALITY

TABLE 36. DEATHS AND DEATH RATES BY RACE, MARYLAND, SELECTED YEARS, 1940-2016

| YEAR | NUMBER OF DEATHS | | | DEATH RATES* | | |
|-----------|------------------|--------|--------|--------------|-------|-------|
| | TOTAL | WHITE | BLACK | TOTAL | WHITE | BLACK |
| 1940..... | 21,883 | 16,943 | - | 11.9 | 11.1 | - |
| 1950..... | 22,450 | 17,811 | - | 9.0 | 8.7 | - |
| 1960..... | 27,992 | 22,447 | - | 9.0 | 8.7 | - |
| 1970..... | 32,790 | 26,290 | 6,448 | 8.3 | 8.2 | 9.2 |
| 1980..... | 34,025 | 26,828 | 7,056 | 8.1 | 8.5 | 7.3 |
| 1990..... | 38,384 | 28,897 | 9,172 | 8.0 | 8.4 | 7.6 |
| 2000..... | 43,602 | 31,603 | 11,349 | 8.2 | 8.9 | 7.5 |
| 2006..... | 43,491 | 30,851 | 11,812 | 7.7 | 8.5 | 7.0 |
| 2007..... | 43,597 | 30,988 | 11,821 | 7.8 | 8.6 | 7.0 |
| 2008..... | 43,849 | 31,096 | 11,910 | 7.8 | 8.6 | 7.0 |
| 2009..... | 43,763 | 30,939 | 11,927 | 7.7 | 8.5 | 6.9 |
| 2010..... | 43,255 | 30,488 | 11,761 | 7.5 | 8.5 | 6.6 |
| 2011..... | 43,650 | 30,947 | 11,645 | 7.5 | 8.5 | 6.5 |
| 2012..... | 44,110 | 31,173 | 11,884 | 7.5 | 8.6 | 6.5 |
| 2013..... | 45,444 | 31,990 | 12,358 | 7.7 | 8.8 | 6.7 |
| 2014..... | 45,688 | 31,979 | 12,559 | 7.6 | 8.7 | 6.7 |
| 2015..... | 47,235 | 32,560 | 13,434 | 7.6 | 8.9 | 7.1 |
| 2016..... | 48,884 | 33,176 | 14,113 | 8.1 | 9.1 | 7.4 |

*Per 1,000 population.
- Data not available.

**TABLE 37: DEATH RATES PER 100,000 POPULATION FOR ALL CAUSES OF DEATH BY RACE, SEX, AND AGE,
MARYLAND, SELECTED YEARS, 2007-2016**

| TOTAL | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| ALL AGES, AGE ADJUSTED*..... | 779.9 | 771.0 | 761.2 | 727.4 | 714.3 | 703.2 | 706.5 | 696.8 | 705.6 | 718.4 |
| ALL AGES, CRUDE..... | 776.0 | 778.3 | 767.8 | 749.2 | 748.9 | 749.6 | 766.5 | 764.5 | 764.5 | 812.5 |
| UNDER 1 YEAR..... | 796.8 | 818.7 | 707.1 | 693.5 | 674.8 | 636.3 | 646.9 | 650.9 | 673.5 | 658.6 |
| 1-4 YEARS..... | 32.5 | 29.7 | 22.0 | 19.8 | 21.5 | 25.9 | 24.5 | 25.3 | 29.0 | 22.1 |
| 5-14 YEARS..... | 17.0 | 14.8 | 13.6 | 12.2 | 12.2 | 10.9 | 10.3 | 12.1 | 13.5 | 12.7 |
| 15-24 YEARS..... | 88.7 | 81.7 | 73.3 | 70.5 | 73.5 | 71.0 | 68.3 | 63.7 | 77.2 | 87.2 |
| 25-34 YEARS..... | 118.8 | 108.9 | 108.1 | 103.8 | 105.5 | 103.7 | 110.8 | 109.7 | 127.3 | 154.4 |
| 35-44 YEARS..... | 207.8 | 183.9 | 181.5 | 160.1 | 157.3 | 158.5 | 155.7 | 166.3 | 167.6 | 197.0 |
| 45-54 YEARS..... | 422.6 | 421.2 | 416.2 | 387.9 | 375.1 | 368.9 | 370.8 | 372.8 | 375.9 | 404.0 |
| 55-64 YEARS..... | 843.0 | 835.1 | 864.8 | 815.5 | 789.7 | 809.8 | 813.0 | 812.7 | 817.5 | 845.4 |
| 65-74 YEARS..... | 1,963.3 | 1,923.5 | 1,859.6 | 1,841.6 | 1,787.8 | 1,684.9 | 1,719.9 | 1,706.1 | 1,687.0 | 1,741.3 |
| 75-84 YEARS..... | 5,072.3 | 5,106.4 | 4,840.7 | 4,761.6 | 4,641.1 | 4,563.6 | 4,588.9 | 4,502.6 | 4,449.6 | 4,449.4 |
| 85 YEARS & OVER..... | 13,849.1 | 13,810.9 | 14,351.6 | 13,312.5 | 13,298.8 | 13,243.8 | 13,190.3 | 12,777.5 | 13,189.2 | 12,788.5 |

* Age-adjusted to the 2000 U.S. population

**TABLE 37: DEATH RATES PER 100,000 POPULATION FOR ALL CAUSES OF DEATH BY RACE, SEX, AND AGE,
MARYLAND, SELECTED YEARS, 2007-2016**

| WHITE | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| ALL AGES, AGE ADJUSTED*..... | 744.7 | 736.4 | 730.1 | 697.8 | 692.5 | 684.7 | 692.2 | 685.7 | 689.3 | 699.6 |
| ALL AGES, CRUDE..... | 858.8 | 861.0 | 852.3 | 846.7 | 854.1 | 855.6 | 876.0 | 874.2 | 891.4 | 911.5 |
| UNDER 1 YEAR..... | 471.2 | 535.6 | 398.8 | 440.1 | 406.9 | 423.1 | 453.7 | 437.2 | 453.0 | 439.5 |
| 1-4 YEARS..... | 26.3 | 28.3 | 20.0 | 16.8 | 16.3 | 23.6 | 19.2 | 18.4 | 21.9 | 15.0 |
| 5-14 YEARS..... | 15.5 | 12.0 | 12.4 | 10.4 | 10.7 | 9.8 | 8.2 | 8.9 | 11.5 | 9.2 |
| 15-24 YEARS..... | 69.4 | 66.3 | 59.8 | 61.4 | 61.9 | 63.4 | 63.2 | 61.7 | 62.1 | 70.9 |
| 25-34 YEARS..... | 97.0 | 90.9 | 92.4 | 89.8 | 97.0 | 98.4 | 103.3 | 104.6 | 117.5 | 151.8 |
| 35-44 YEARS..... | 170.4 | 155.8 | 152.5 | 140.7 | 141.1 | 143.7 | 148.5 | 155.0 | 159.2 | 183.4 |
| 45-54 YEARS..... | 358.6 | 360.3 | 356.2 | 344.8 | 328.8 | 333.1 | 337.8 | 352.5 | 343.7 | 365.4 |
| 55-64 YEARS..... | 744.1 | 733.6 | 750.1 | 723.6 | 714.3 | 721.9 | 734.5 | 743.9 | 744.9 | 759.7 |
| 65-74 YEARS..... | 1,836.2 | 1,789.2 | 1,734.7 | 1,753.0 | 1,704.3 | 1,598.2 | 1,624.1 | 1,629.4 | 1,607.8 | 1,635.1 |
| 75-84 YEARS..... | 5,073.2 | 5,079.4 | 4,909.5 | 4,715.1 | 4,674.3 | 4,604.7 | 4,675.3 | 4,569.6 | 4,464.9 | 4,483.9 |
| 85 YEARS & OVER..... | 14,315.1 | 14,208.4 | 14,699.7 | 13,464.8 | 13,598.9 | 13,588.1 | 13,556.2 | 13,182.0 | 13,668.7 | 13,315.6 |

* Age-adjusted to the 2000 U.S. population

**TABLE 37: DEATH RATES PER 100,000 POPULATION FOR ALL CAUSES OF DEATH BY RACE, SEX, AND AGE,
MARYLAND, SELECTED YEARS, 2007-2016**

| WHITE MALES | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| ALL AGES, AGE ADJUSTED*..... | 885.4 | 881.1 | 874.6 | 817.5 | 816.3 | 802.7 | 815.0 | 806.3 | 814.5 | 820.6 |
| ALL AGES, CRUDE..... | 844.9 | 853.3 | 836.9 | 829.6 | 843.0 | 842.2 | 871.1 | 874.4 | 896.7 | 915.3 |
| UNDER 1 YEAR..... | 495.6 | 608.1 | 449.6 | 490.9 | 449.1 | 422.6 | 475.5 | 460.3 | 503.0 | 457.3 |
| 1-4 YEARS..... | 32.4 | 40.6 | 21.3 | 20.0 | 20.0 | 22.4 | 25.8 | 15.1 | 32.4 | 18.8 |
| 5-14 YEARS..... | 15.8 | 14.5 | 13.6 | 13.6 | 13.2 | 10.9 | 7.8 | 7.8 | 14.3 | 8.8 |
| 15-24 YEARS..... | 96.1 | 98.3 | 84.5 | 86.9 | 86.3 | 83.0 | 81.3 | 91.6 | 89.1 | 95.9 |
| 25-34 YEARS..... | 130.8 | 128.0 | 128.1 | 131.7 | 127.5 | 126.2 | 134.5 | 152.2 | 160.4 | 208.4 |
| 35-44 YEARS..... | 224.1 | 204.5 | 199.4 | 177.5 | 178.6 | 186.0 | 190.3 | 192.7 | 202.3 | 233.7 |
| 45-54 YEARS..... | 453.6 | 453.8 | 445.8 | 432.5 | 411.7 | 411.2 | 412.2 | 432.4 | 437.7 | 454.7 |
| 55-64 YEARS..... | 912.2 | 905.9 | 914.3 | 882.0 | 882.8 | 891.4 | 938.0 | 937.6 | 949.8 | 936.1 |
| 65-74 YEARS..... | 2,209.1 | 2,148.3 | 2,033.5 | 2,102.2 | 2,042.4 | 1,905.2 | 1,902.4 | 1,940.3 | 1,950.7 | 1,947.9 |
| 75-84 YEARS..... | 6,120.2 | 6,177.0 | 5,818.7 | 5,567.1 | 5,512.9 | 5,382.7 | 5,470.6 | 5,252.2 | 5,243.8 | 5,292.6 |
| 85 YEARS & OVER..... | 15,856.5 | 15,801.5 | 17,326.1 | 14,514.4 | 15,099.2 | 15,134.8 | 15,288.2 | 14,805.5 | 14,888.3 | 14,410.8 |

* Age-adjusted to the 2000 U.S. population

**TABLE 37: DEATH RATES PER 100,000 POPULATION FOR ALL CAUSES OF DEATH BY RACE, SEX, AND AGE,
MARYLAND, SELECTED YEARS, 2007-2016**

| WHITE FEMALES | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| ALL AGES, AGE ADJUSTED*..... | 635.9 | 623.8 | 623.4 | 600.3 | 593.6 | 590.6 | 594.1 | 587.2 | 584.1 | 597.5 |
| ALL AGES, CRUDE..... | 872.3 | 868.4 | 867.2 | 863.3 | 864.9 | 868.6 | 880.8 | 874.0 | 886.3 | 907.4 |
| UNDER 1 YEAR..... | 445.6 | 460.3 | 345.7 | 386.4 | 362.6 | 423.7 | 430.9 | 413.0 | 400.1 | 420.9 |
| 1-4 YEARS..... | 19.9 | 15.4 | 18.8 | 13.6 | 12.4 | 24.8 | 12.3 | 21.9 | 10.9 | 11.0 |
| 5-14 YEARS..... | 15.2 | 9.3 | 11.1 | 7.1 | 8.1 | 8.6 | 8.6 | 10.0 | 8.7 | 9.6 |
| 15-24 YEARS..... | 41.1 | 32.4 | 33.5 | 34.1 | 35.6 | 42.3 | 43.9 | 30.0 | 33.5 | 44.4 |
| 25-34 YEARS..... | 62.2 | 52.6 | 54.8 | 46.4 | 65.2 | 69.4 | 70.4 | 54.4 | 72.2 | 92.8 |
| 35-44 YEARS..... | 117.0 | 107.3 | 105.8 | 104.6 | 104.0 | 101.5 | 106.5 | 116.8 | 115.2 | 132.1 |
| 45-54 YEARS..... | 265.9 | 269.0 | 268.6 | 259.0 | 247.8 | 256.7 | 265.2 | 274.5 | 251.8 | 278.0 |
| 55-64 YEARS..... | 583.4 | 569.6 | 593.5 | 571.8 | 552.8 | 559.5 | 539.6 | 558.5 | 549.0 | 590.8 |
| 65-74 YEARS..... | 1,514.9 | 1,475.6 | 1,473.2 | 1,443.3 | 1,403.1 | 1,323.6 | 1,374.3 | 1,350.6 | 1,299.6 | 1,353.9 |
| 75-84 YEARS..... | 4,361.6 | 4,424.7 | 4,271.5 | 4,104.6 | 4,061.7 | 4,028.9 | 4,078.3 | 4,052.4 | 3,871.8 | 3,866.2 |
| 85 YEARS & OVER..... | 13,600.4 | 13,464.8 | 13,534.7 | 12,961.3 | 12,868.7 | 12,824.1 | 12,687.1 | 12,360.0 | 13,041.2 | 12,747.4 |

* Age-adjusted to the 2000 U.S. population

**TABLE 37: DEATH RATES PER 100,000 POPULATION FOR ALL CAUSES OF DEATH BY RACE, SEX, AND AGE,
MARYLAND, SELECTED YEARS, 2006-2015**

| BLACK | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| ALL AGES, AGE ADJUSTED*..... | 925.0 | 919.5 | 896.6 | 854.3 | 814.2 | 802.8 | 800.5 | 784.9 | 807.8 | 814.9 |
| ALL AGES, CRUDE..... | 700.4 | 703.7 | 690.8 | 659.6 | 646.0 | 652.2 | 670.1 | 672.3 | 710.8 | 739.8 |
| UNDER 1 YEAR..... | 1,317.9 | 1,333.6 | 1,288.4 | 1,148.7 | 1,140.3 | 991.2 | 976.6 | 1,011.9 | 1,060.5 | 991.7 |
| 1-4 YEARS..... | 41.9 | 30.1 | 27.0 | 26.9 | 31.6 | 32.7 | 33.0 | 39.8 | 41.0 | 32.2 |
| 5-14 YEARS..... | 20.8 | 20.9 | 15.9 | 15.2 | 13.0 | 13.4 | 13.7 | 18.6 | 16.8 | 17.9 |
| 15-24 YEARS..... | 127.3 | 114.3 | 100.4 | 92.2 | 98.1 | 91.8 | 81.7 | 74.7 | 110.0 | 116.2 |
| 25-34 YEARS..... | 175.6 | 153.6 | 147.6 | 144.8 | 133.2 | 128.3 | 141.4 | 142.3 | 167.3 | 176.7 |
| 35-44 YEARS..... | 312.6 | 266.1 | 264.8 | 217.3 | 207.9 | 210.8 | 201.2 | 216.7 | 215.0 | 255.3 |
| 45-54 YEARS..... | 627.9 | 622.6 | 596.5 | 526.4 | 516.6 | 491.1 | 489.8 | 466.9 | 497.9 | 526.9 |
| 55-64 YEARS..... | 1,214.1 | 1,206.6 | 1,269.2 | 1,142.1 | 1,081.0 | 1,119.7 | 1,098.9 | 1,085.7 | 1,097.6 | 1,136.0 |
| 65-74 YEARS..... | 2,591.3 | 2,559.4 | 2,450.2 | 2,326.4 | 2,249.8 | 2,152.4 | 2,215.3 | 2,132.7 | 2,129.8 | 2,209.8 |
| 75-84 YEARS..... | 5,571.7 | 5,711.3 | 5,059.4 | 5,317.7 | 4,974.5 | 4,928.0 | 4,845.4 | 4,831.2 | 4,900.1 | 4,885.8 |
| 85 YEARS & OVER..... | 12,743.9 | 13,027.8 | 14,064.0 | 13,172.8 | 12,490.3 | 12,504.9 | 12,541.1 | 11,990.7 | 12,399.9 | 11,607.4 |

* Age-adjusted to the 2000 U.S. population

**TABLE 37: DEATH RATES PER 100,000 POPULATION FOR ALL CAUSES OF DEATH BY RACE, SEX, AND AGE,
MARYLAND, SELECTED YEARS, 2007-2016**

| BLACK MALES | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| ALL AGES, AGE ADJUSTED*..... | 1,146.2 | 1,147.7 | 1,124.7 | 1,048.6 | 1,000.7 | 1,010.8 | 987.9 | 976.6 | 1,006.5 | 1,045.7 |
| ALL AGES, CRUDE..... | 770.1 | 776.4 | 755.5 | 707.7 | 695.6 | 711.6 | 721.8 | 727.8 | 779.4 | 833.5 |
| UNDER 1 YEAR..... | 1,416.5 | 1,589.1 | 1,544.3 | 1,225.9 | 1,083.9 | 1,000.6 | 1,083.4 | 1,092.9 | 1,016.2 | 1,070.0 |
| 1-4 YEARS..... | 50.3 | 36.2 | 25.6 | 17.1 | 32.1 | 38.1 | 34.5 | 45.9 | 44.2 | 34.4 |
| 5-14 YEARS..... | 25.2 | 25.9 | 20.0 | 19.5 | 18.1 | 15.0 | 16.5 | 20.9 | 15.8 | 20.3 |
| 15-24 YEARS..... | 209.5 | 184.5 | 154.6 | 146.4 | 156.5 | 143.1 | 127.5 | 117.8 | 181.8 | 194.8 |
| 25-34 YEARS..... | 267.6 | 235.4 | 229.9 | 219.0 | 209.2 | 200.8 | 220.6 | 205.0 | 265.5 | 284.4 |
| 35-44 YEARS..... | 398.9 | 342.6 | 324.8 | 265.5 | 237.8 | 279.3 | 253.3 | 288.4 | 291.0 | 348.3 |
| 45-54 YEARS..... | 826.7 | 824.4 | 767.7 | 652.2 | 653.1 | 615.9 | 599.0 | 588.5 | 643.6 | 691.2 |
| 55-64 YEARS..... | 1,647.7 | 1,564.1 | 1,732.6 | 1,497.6 | 1,456.2 | 1,450.5 | 1,477.4 | 1,424.1 | 1,452.2 | 1,447.7 |
| 65-74 YEARS..... | 3,248.5 | 3,343.0 | 3,166.1 | 2,988.4 | 2,819.4 | 2,839.8 | 2,808.9 | 2,724.4 | 2,788.7 | 2,977.8 |
| 75-84 YEARS..... | 6,814.9 | 7,234.4 | 6,169.1 | 6,610.1 | 6,053.0 | 6,012.7 | 5,799.5 | 5,904.5 | 5,993.2 | 6,295.4 |
| 85 YEARS & OVER..... | 13,836.6 | 13,796.3 | 16,329.5 | 14,339.2 | 14,178.3 | 15,050.9 | 14,485.6 | 13,971.4 | 13,723.5 | 13,246.0 |

* Age-adjusted to the 2000 U.S. population

**TABLE 37: DEATH RATES PER 100,000 POPULATION FOR ALL CAUSES OF DEATH BY RACE, SEX, AND AGE,
MARYLAND, SELECTED YEARS, 2007-2016**

| BLACK FEMALES | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|------------------------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| ALL AGES, AGE ADJUSTED*..... | 767.7 | 756.8 | 741.5 | 719.3 | 686.2 | 663.2 | 671.1 | 653.1 | 665.7 | 650.5 |
| ALL AGES, CRUDE..... | 639.2 | 640.0 | 633.7 | 617.6 | 602.8 | 600.2 | 624.7 | 623.7 | 650.5 | 657.2 |
| UNDER 1 YEAR..... | 1,215.5 | 1,066.0 | 1,021.1 | 1,069.0 | 1,199.8 | 981.3 | 866.1 | 927.8 | 1,106.6 | 909.7 |
| 1-4 YEARS..... | 33.1 | 23.7 | 28.5 | 36.9 | 31.1 | 27.2 | 31.4 | 33.5 | 37.7 | 29.9 |
| 5-14 YEARS..... | 16.2 | 15.8 | 11.6 | 10.8 | 7.8 | 11.7 | 10.9 | 16.2 | 17.8 | 15.5 |
| 15-24 YEARS..... | 46.4 | 45.3 | 46.4 | 38.4 | 39.9 | 40.6 | 35.7 | 31.5 | 38.2 | 37.2 |
| 25-34 YEARS..... | 94.5 | 80.8 | 72.1 | 81.9 | 67.9 | 65.4 | 71.7 | 87.1 | 79.8 | 79.3 |
| 35-44 YEARS..... | 240.4 | 202.1 | 214.4 | 177.0 | 183.0 | 153.5 | 157.4 | 156.2 | 246.8 | 176.4 |
| 45-54 YEARS..... | 465.4 | 457.2 | 455.1 | 422.5 | 403.4 | 387.0 | 398.3 | 364.6 | 375.3 | 388.4 |
| 55-64 YEARS..... | 880.6 | 932.6 | 916.9 | 868.9 | 792.5 | 864.5 | 805.2 | 823.2 | 820.2 | 890.4 |
| 65-74 YEARS..... | 2,118.9 | 1,995.9 | 1,941.4 | 1,845.6 | 1,837.6 | 1,659.2 | 1,789.3 | 1,712.3 | 1,664.6 | 1,670.7 |
| 75-84 YEARS..... | 4,856.7 | 4,821.3 | 4,404.1 | 4,535.0 | 4,313.9 | 4,256.6 | 4,253.4 | 4,161.4 | 4,214.5 | 4,005.4 |
| 85 YEARS & OVER..... | 12,324.1 | 12,723.2 | 13,285.7 | 12,745.4 | 11,862.0 | 11,534.6 | 11,782.9 | 11,209.2 | 11,869.1 | 10,926.7 |

* Age-adjusted to the 2000 U.S. population

TABLE 38. AGE-ADJUSTED* DEATH RATE* PER 100,000 POPULATION FOR SELECTED CAUSES OF DEATH** BY RACE AND SEX, MARYLAND, SELECTED YEARS, 2007-2016**

| TOTAL | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| ALL CAUSES..... | 779.9 | 771.0 | 761.2 | 727.4 | 714.3 | 703.2 | 706.5 | 696.8 | 705.6 | 718.4 |
| DISEASES OF THE HEART..... | 203.0 | 196.7 | 193.9 | 182.0 | 171.4 | 171.9 | 171.7 | 167.2 | 169.3 | 164.6 |
| MALIGNANT NEOPLASMS..... | 180.0 | 180.6 | 177.7 | 170.9 | 165.7 | 163.7 | 161.9 | 160.9 | 155.0 | 156.6 |
| CEREBROVASCULAR DISEASE..... | 40.5 | 40.0 | 40.3 | 38.5 | 37.9 | 35.9 | 35.7 | 37.6 | 37.8 | 39.7 |
| CHRONIC LOWER RESPIRATORY DISEASES..... | 35.0 | 35.4 | 36.6 | 34.9 | 34.5 | 31.8 | 32.4 | 29.4 | 30.6 | 30.5 |
| DIABETES MELLITUS..... | 23.3 | 21.7 | 20.7 | 19.8 | 20.8 | 19.1 | 19.0 | 19.6 | 18.3 | 19.6 |
| ACCIDENTS..... | 26.1 | 25.6 | 24.1 | 24.5 | 25.6 | 26.8 | 27.0 | 25.9 | 29.7 | 35.8 |
| MOTOR VEHICLE ACCIDENTS..... | 12.0 | 11.3 | 10.1 | 8.6 | 8.6 | 8.6 | 8.4 | 7.4 | 8.3 | 9.3 |
| INFLUENZA AND PNEUMONIA..... | 18.2 | 18.1 | 17.4 | 15.7 | 17.0 | 15.7 | 17.0 | 15.5 | 17.7 | 15.1 |
| SEPTICEMIA..... | 16.7 | 17.5 | 18.3 | 14.9 | 13.0 | 14.6 | 14.8 | 15.5 | 13.5 | 12.9 |
| ALZHEIMER'S DISEASE..... | 16.0 | 18.2 | 16.9 | 16.7 | 15.0 | 14.5 | 14.2 | 14.4 | 16.4 | 17.4 |
| HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE..... | 7.3 | 7.2 | 5.9 | 5.0 | 4.1 | 3.9 | 3.5 | 2.9 | 2.8 | 2.8 |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS..... | 13.1 | 13.4 | 14.1 | 13.6 | 11.8 | 11.2 | 11.3 | 11.5 | 12.3 | 12.1 |
| ASSAULT (HOMICIDE)..... | 10.4 | 9.5 | 7.9 | 7.7 | 7.6 | 7.2 | 7.2 | 6.6 | 10.3 | 10.1 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS..... | 7.4 | 6.8 | 6.8 | 7.0 | 7.0 | 6.6 | 6.7 | 6.9 | 6.7 | 6.7 |
| INTENTIONAL SELF-HARM (SUICIDE)..... | 8.9 | 8.5 | 9.3 | 8.4 | 9.1 | 9.0 | 9.0 | 9.6 | 8.7 | 9.3 |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD..... | 7.1 | 7.0 | 5.7 | 5.8 | 5.6 | 5.2 | 5.9 | 5.1 | 5.2 | 5.1 |

*Age-adjusted to the 2000 U.S. standard population

**ICD-10 codes appear in appendix.

***Excludes sexes and/or races categorized as 'unknown'.

TABLE 38. AGE-ADJUSTED* DEATH RATE* PER 100,000 POPULATION FOR SELECTED CAUSES OF DEATH** BY RACE AND SEX, MARYLAND, SELECTED YEARS, 2007-2016**

| WHITE | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| ALL CAUSES..... | 744.7 | 736.4 | 730.1 | 697.8 | 692.5 | 684.7 | 692.2 | 685.7 | 689.3 | 699.6 |
| DISEASES OF THE HEART..... | 195.1 | 188.0 | 184.3 | 174.2 | 166.6 | 164.6 | 167.5 | 165.1 | 164.7 | 164.6 |
| MALIGNANT NEOPLASMS..... | 176.3 | 175.0 | 176.6 | 166.1 | 161.3 | 162.2 | 160.2 | 159.4 | 152.0 | 153.6 |
| CEREBROVASCULAR DISEASE..... | 37.8 | 38.3 | 38.3 | 35.6 | 34.3 | 34.3 | 33.0 | 34.5 | 35.5 | 36.6 |
| CHRONIC LOWER RESPIRATORY DISEASES..... | 39.5 | 40.0 | 40.4 | 39.4 | 39.1 | 35.7 | 36.9 | 33.3 | 34.8 | 35.1 |
| DIABETES MELLITUS..... | 19.2 | 17.6 | 17.1 | 15.3 | 17.0 | 15.9 | 15.2 | 16.0 | 15.7 | 15.8 |
| ACCIDENTS..... | 26.4 | 26.4 | 24.7 | 25.9 | 27.4 | 28.9 | 29.2 | 28.5 | 32.4 | 37.2 |
| MOTOR VEHICLE ACCIDENTS..... | 11.7 | 11.5 | 10.3 | 8.7 | 8.9 | 8.8 | 8.7 | 7.8 | 8.6 | 8.8 |
| INFLUENZA AND PNEUMONIA..... | 18.5 | 18.3 | 17.2 | 15.3 | 16.9 | 15.6 | 17.1 | 15.5 | 18.6 | 15.1 |
| SEPTICEMIA..... | 14.2 | 14.8 | 16.5 | 13.0 | 11.6 | 13.2 | 13.2 | 14.0 | 12.0 | 11.5 |
| ALZHEIMER'S DISEASE..... | 16.5 | 18.6 | 17.6 | 17.7 | 15.8 | 14.9 | 15.4 | 15.1 | 17.5 | 18.5 |
| HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE..... | 1.0 | 1.4 | 1.2 | 1.3 | 1.0 | 1.0 | 1.0 | 1.0 | 0.7 | 0.6 |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS..... | 11.2 | 11.1 | 11.8 | 11.3 | 9.6 | 9.5 | 9.2 | 9.5 | 10.0 | 9.9 |
| ASSAULT (HOMICIDE)..... | 3.2 | 3.7 | 2.4 | 2.4 | 2.2 | 2.6 | 2.2 | 2.1 | 3.0 | 2.4 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS..... | 7.7 | 7.2 | 7.2 | 7.3 | 8.0 | 7.6 | 7.5 | 8.0 | 7.6 | 7.6 |
| INTENTIONAL SELF-HARM (SUICIDE)..... | 10.8 | 10.5 | 11.4 | 10.4 | 11.1 | 11.2 | 11.5 | 12.3 | 11.4 | 11.3 |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD..... | 4.0 | 4.1 | 2.6 | 3.2 | 3.0 | 3.1 | 4.2 | 3.0 | 3.1 | 2.9 |

*Age-adjusted to the 2000 U.S. standard population

**ICD-10 codes appear in appendix.

***Excludes sexes and/or races categorized as 'unknown'.

TABLE 38. AGE-ADJUSTED* DEATH RATE* PER 100,000 POPULATION FOR SELECTED CAUSES OF DEATH** BY RACE AND SEX, MARYLAND, SELECTED YEARS, 2007-2016**

| WHITE MALES | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| ALL CAUSES..... | 885.4 | 881.1 | 874.6 | 817.5 | 816.3 | 802.7 | 815.0 | 806.3 | 814.5 | 820.6 |
| DISEASES OF THE HEART..... | 240.7 | 240.8 | 253.0 | 212.7 | 211.2 | 205.3 | 214.4 | 211.1 | 206.8 | 203.3 |
| MALIGNANT NEOPLASMS..... | 211.9 | 214.4 | 212.7 | 199.0 | 194.8 | 191.8 | 189.0 | 186.2 | 178.7 | 177.4 |
| CEREBROVASCULAR DISEASE..... | 39.0 | 37.3 | 36.2 | 35.0 | 31.5 | 33.7 | 32.4 | 33.5 | 36.3 | 34.9 |
| CHRONIC LOWER RESPIRATORY DISEASES..... | 42.7 | 43.4 | 42.5 | 42.4 | 41.2 | 37.3 | 38.2 | 34.9 | 34.8 | 35.5 |
| DIABETES MELLITUS..... | 22.8 | 19.8 | 22.3 | 20.0 | 21.2 | 20.1 | 18.6 | 19.6 | 19.9 | 20.3 |
| ACCIDENTS..... | 37.4 | 37.0 | 34.6 | 36.2 | 36.8 | 37.5 | 41.1 | 38.5 | 45.2 | 51.0 |
| MOTOR VEHICLE ACCIDENTS..... | 17.3 | 17.3 | 14.9 | 13.1 | 13.3 | 11.6 | 13.0 | 11.3 | 12.5 | 13.3 |
| INFLUENZA AND PNEUMONIA..... | 23.1 | 22.2 | 20.2 | 19.5 | 21.0 | 18.3 | 21.0 | 19.5 | 22.3 | 17.9 |
| SEPTICEMIA..... | 16.3 | 17.2 | 19.9 | 13.6 | 13.5 | 14.7 | 15.0 | 15.7 | 13.6 | 13.9 |
| ALZHEIMER'S DISEASE..... | 14.2 | 15.8 | 16.8 | 15.0 | 13.4 | 13.7 | 14.0 | 12.8 | 14.0 | 16.5 |
| HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE..... | 1.3 | 2.1 | 1.8 | 1.9 | 1.7 | 1.4 | 1.3 | 1.5 | 1.2 | 1.1 |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS..... | 14.2 | 13.3 | 15.8 | 14.9 | 12.8 | 12.1 | 11.9 | 11.5 | 14.4 | 13.2 |
| ASSAULT (HOMICIDE)..... | 4.4 | 5.1 | 3.8 | 3.6 | 3.2 | 3.5 | 3.0 | 2.6 | 4.1 | 2.7 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS..... | 11.2 | 10.1 | 8.8 | 10.0 | 10.4 | 9.7 | 10.4 | 10.5 | 10.2 | 9.6 |
| INTENTIONAL SELF-HARM (SUICIDE)..... | 17.7 | 17.6 | 19.0 | 17.3 | 18.8 | 18.4 | 18.7 | 19.7 | 18.2 | 18.3 |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD..... | 4.4 | 5.0 | 2.8 | 3.7 | 3.1 | 2.8 | 4.3 | 3.5 | 3.5 | 3.1 |

*Age-adjusted to the 2000 U.S. standard population

**ICD-10 codes appear in appendix.

***Excludes sexes and/or races categorized as 'unknown'.

TABLE 38. AGE-ADJUSTED* DEATH RATE* PER 100,000 POPULATION FOR SELECTED CAUSES OF DEATH** BY RACE AND SEX, MARYLAND, SELECTED YEARS, 2007-2016**

| WHITE FEMALES | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| ALL CAUSES..... | 635.9 | 623.8 | 623.4 | 600.3 | 593.6 | 590.6 | 594.1 | 587.8 | 597.6 | 597.5 |
| DISEASES OF THE HEART..... | 159.4 | 148.4 | 147.1 | 142.5 | 132.0 | 132.7 | 130.9 | 129.2 | 125.7 | 125.8 |
| MALIGNANT NEOPLASMS..... | 152.9 | 148.1 | 153.2 | 143.2 | 138.0 | 141.7 | 140.5 | 140.5 | 136.7 | 136.8 |
| CEREBROVASCULAR DISEASE..... | 36.9 | 38.0 | 38.8 | 35.5 | 35.9 | 34.0 | 32.5 | 34.8 | 37.3 | 37.3 |
| CHRONIC LOWER RESPIRATORY DISEASES..... | 37.6 | 38.3 | 39.6 | 37.8 | 37.9 | 34.7 | 36.5 | 32.3 | 35.2 | 35.2 |
| DIABETES MELLITUS..... | 16.5 | 15.9 | 13.3 | 11.7 | 13.7 | 12.7 | 12.8 | 13.0 | 12.1 | 12.1 |
| ACCIDENTS..... | 16.4 | 16.7 | 16.0 | 16.6 | 18.7 | 21.0 | 18.6 | 19.1 | 23.7 | 23.7 |
| MOTOR VEHICLE ACCIDENTS..... | 6.4 | 6.0 | 5.9 | 4.5 | 4.8 | 6.0 | 4.6 | 4.4 | 4.4 | 4.4 |
| INFLUENZA AND PNEUMONIA..... | 15.5 | 15.8 | 15.4 | 12.8 | 13.9 | 13.9 | 14.7 | 12.8 | 13.1 | 13.1 |
| SEPTICEMIA..... | 12.9 | 13.3 | 14.5 | 12.5 | 10.2 | 12.3 | 12.1 | 12.6 | 9.6 | 9.6 |
| ALZHEIMER'S DISEASE..... | 17.7 | 20.0 | 17.9 | 19.1 | 17.1 | 15.6 | 16.1 | 16.3 | 19.6 | 19.6 |
| HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE..... | 0.7 | 0.7 | 0.5 | 0.7 | 0.3 | 0.5 | 0.7 | 0.5 | **** | **** |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS..... | 9.4 | 9.6 | 9.6 | 8.7 | 7.8 | 7.9 | 7.3 | 8.4 | 7.7 | 7.7 |
| ASSAULT (HOMICIDE)..... | 2.0 | 2.2 | 1.0 | 1.3 | 1.2 | 1.6 | 1.4 | 1.5 | 2.0 | 2.0 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS..... | 4.6 | 4.5 | 5.8 | 5.0 | 5.7 | 5.5 | 4.9 | 5.8 | 5.9 | 5.9 |
| INTENTIONAL SELF-HARM (SUICIDE)..... | 4.4 | 3.9 | 4.4 | 4.0 | 3.9 | 4.6 | 4.7 | 5.4 | 4.9 | 4.9 |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD..... | 3.5 | 3.2 | 2.4 | 2.7 | 2.8 | 3.4 | 4.1 | 2.5 | 2.1 | 2.7 |

*Age-adjusted to the 2000 U.S. standard population

**ICD-10 codes appear in appendix.

***Excludes sexes and/or races categorized as 'unknown'.

****Rates based on <20 events in the numerator are not presented since such rates are subject to instability.

TABLE 38. AGE-ADJUSTED* DEATH RATE* PER 100,000 POPULATION FOR SELECTED CAUSES OF DEATH** BY RACE AND SEX, MARYLAND, SELECTED YEARS, 2007-2016**

| BLACK | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| ALL CAUSES..... | 925.0 | 919.5 | 896.6 | 854.3 | 814.2 | 802.8 | 800.5 | 784.9 | 807.8 | 814.9 |
| DISEASES OF THE HEART..... | 242.6 | 240.1 | 238.3 | 216.8 | 196.6 | 203.4 | 197.3 | 186.4 | 196.2 | 187.5 |
| MALIGNANT NEOPLASMS..... | 207.3 | 212.8 | 193.0 | 197.0 | 190.0 | 180.8 | 181.5 | 180.6 | 176.5 | 176.3 |
| CEREBROVASCULAR DISEASE..... | 49.6 | 45.1 | 48.3 | 46.9 | 48.5 | 40.6 | 45.3 | 47.7 | 46.1 | 49.2 |
| CHRONIC LOWER RESPIRATORY DISEASES..... | 22.5 | 21.4 | 27.8 | 23.3 | 23.5 | 22.9 | 21.3 | 21.1 | 22.2 | 21.5 |
| DIABETES MELLITUS..... | 38.8 | 37.2 | 34.4 | 35.4 | 33.8 | 31.3 | 31.8 | 33.4 | 27.9 | 31.3 |
| ACCIDENTS..... | 25.0 | 24.8 | 22.9 | 22.4 | 21.4 | 24.0 | 24.5 | 22.8 | 26.7 | 35.1 |
| MOTOR VEHICLE ACCIDENTS..... | 13.0 | 12.0 | 9.8 | 8.9 | 8.5 | 9.1 | 8.0 | 7.5 | 9.0 | 10.5 |
| INFLUENZA AND PNEUMONIA..... | 17.7 | 16.8 | 17.5 | 16.2 | 18.3 | 15.8 | 17.3 | 16.1 | 15.6 | 15.9 |
| SEPTICEMIA..... | 26.3 | 27.7 | 25.2 | 22.8 | 18.3 | 19.5 | 20.9 | 21.3 | 18.9 | 17.6 |
| ALZHEIMER'S DISEASE..... | 16.0 | 19.2 | 15.6 | 14.2 | 13.3 | 13.7 | 11.1 | 13.1 | 15.1 | 15.5 |
| HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE..... | 23.0 | 21.7 | 17.5 | 14.2 | 11.7 | 11.1 | 9.7 | 7.5 | 7.7 | 7.9 |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS..... | 20.0 | 21.8 | 22.1 | 22.5 | 20.0 | 17.1 | 18.2 | 18.2 | 19.7 | 19.5 |
| ASSAULT (HOMICIDE)..... | 25.7 | 21.7 | 19.1 | 18.5 | 18.4 | 17.1 | 17.8 | 15.3 | 25.4 | 24.9 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS..... | 7.1 | 6.3 | 6.2 | 6.9 | 5.4 | 5.2 | 6.0 | 5.0 | 5.3 | 5.5 |
| INTENTIONAL SELF-HARM (SUICIDE)..... | 4.8 | 4.4 | 5.2 | 4.4 | 5.3 | 4.8 | 4.6 | 5.0 | 4.5 | 5.0 |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD..... | 12.4 | 12.1 | 11.4 | 10.3 | 10.0 | 8.8 | 8.9 | 8.5 | 9.0 | 8.4 |

*Age-adjusted to the 2000 U.S. standard population

**ICD-10 codes appear in appendix.

***Excludes sexes and/or races categorized as 'unknown'.

TABLE 38. AGE-ADJUSTED* DEATH RATE* PER 100,000 POPULATION FOR SELECTED CAUSES OF DEATH** BY RACE AND SEX, MARYLAND, SELECTED YEARS, 2007-2016**

| BLACK MALES | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|---|--------|--------|--------|--------|--------|--------|-------|-------|---------|---------|
| ALL CAUSES..... | 1146.2 | 1147.7 | 1124.7 | 1048.6 | 1000.7 | 1010.8 | 987.9 | 976.7 | 1,006.5 | 1,045.7 |
| DISEASES OF THE HEART..... | 297.8 | 307.1 | 296.1 | 270.1 | 244.4 | 261.3 | 248.5 | 246.9 | 257.7 | 252.1 |
| MALIGNANT NEOPLASMS..... | 264.6 | 266.4 | 255.7 | 251.1 | 233.8 | 231.4 | 228.4 | 228.1 | 217.2 | 224.0 |
| CEREBROVASCULAR DISEASE..... | 54.5 | 49.7 | 53.1 | 50.3 | 51.8 | 44.2 | 51.8 | 50.3 | 51.3 | 50.6 |
| CHRONIC LOWER RESPIRATORY DISEASES..... | 27.6 | 24.1 | 33.8 | 29.1 | 30.2 | 30.4 | 27.5 | 24.0 | 25.3 | 27.4 |
| DIABETES MELLITUS..... | 42.8 | 44.7 | 38.3 | 37.1 | 42.2 | 40.5 | 39.3 | 39.3 | 34.7 | 40.1 |
| ACCIDENTS..... | 38.3 | 37.8 | 36.3 | 35.2 | 32.4 | 38.7 | 36.5 | 35.9 | 39.5 | 54.3 |
| MOTOR VEHICLE ACCIDENTS..... | 21.1 | 20.4 | 16.9 | 14.7 | 13.6 | 14.1 | 13.9 | 12.9 | 14.3 | 17.2 |
| INFLUENZA AND PNEUMONIA..... | 21.4 | 22.4 | 23.1 | 22.5 | 23.2 | 18.2 | 22.7 | 21.7 | 19.7 | 19.8 |
| SEPTICEMIA..... | 29.7 | 30.7 | 28.3 | 28.2 | 19.8 | 22.5 | 24.8 | 26.4 | 19.9 | 20.7 |
| ALZHEIMER'S DISEASE..... | 15.5 | 16.1 | 12.8 | 11.7 | 11.5 | 11.0 | 8.5 | 13.6 | 14.3 | 12.3 |
| HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE..... | 31.3 | 30.6 | 27.7 | 21.1 | 17.2 | 16.7 | 13.0 | 11.3 | 10.0 | 12.3 |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS..... | 26.8 | 26.1 | 22.4 | 27.8 | 23.7 | 19.7 | 23.9 | 20.4 | 23.5 | 24.9 |
| ASSAULT (HOMICIDE)..... | 47.8 | 39.5 | 35.2 | 34.2 | 34.3 | 32.5 | 32.6 | 27.8 | 49.8 | 46.4 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS..... | 10.0 | 10.2 | 10.8 | 11.4 | 8.2 | 8.1 | 9.3 | 8.2 | 8.0 | 7.8 |
| INTENTIONAL SELF-HARM (SUICIDE)..... | 8.4 | 8.9 | 9.4 | 8.3 | 10.2 | 9.2 | 7.8 | 8.9 | 8.2 | 9.5 |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD..... | 13.7 | 14.8 | 13.8 | 11.2 | 8.9 | 8.6 | 9.5 | 9.2 | 8.2 | 8.9 |

*Age-adjusted to the 2000 U.S. standard population

**ICD-10 codes appear in appendix.

***Excludes sexes and/or races categorized as 'unknown'.

TABLE 38. AGE-ADJUSTED* DEATH RATE* PER 100,000 POPULATION FOR SELECTED CAUSES OF DEATH** BY RACE AND SEX, MARYLAND, SELECTED YEARS, 2007-2016**

| BLACK FEMALES | 2007 | 2008 | 2009 | 2010 | 2011 | 2012 | 2013 | 2014 | 2015 | 2016 |
|---|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| ALL CAUSES..... | 767.7 | 756.8 | 741.5 | 719.3 | 686.2 | 663.2 | 671.1 | 653.1 | 665.7 | 650.5 |
| DISEASES OF THE HEART..... | 203.7 | 193.8 | 201.6 | 180.7 | 162.0 | 165.1 | 162.4 | 145.6 | 152.7 | 142.6 |
| MALIGNANT NEOPLASMS..... | 172.9 | 181.3 | 157.9 | 165.8 | 166.0 | 151.6 | 154.0 | 153.1 | 153.1 | 149.0 |
| CEREBROVASCULAR DISEASE..... | 45.4 | 41.8 | 43.4 | 44.2 | 45.1 | 37.6 | 40.6 | 45.2 | 42.1 | 47.1 |
| CHRONIC LOWER RESPIRATORY DISEASES..... | 19.4 | 20.0 | 25.1 | 19.9 | 20.1 | 18.6 | 18.1 | 19.9 | 20.8 | 18.1 |
| DIABETES MELLITUS..... | 36.0 | 32.2 | 31.2 | 32.8 | 28.0 | 24.9 | 27.3 | 29.4 | 22.4 | 25.3 |
| ACCIDENTS..... | 14.0 | 14.7 | 12.8 | 13.0 | 13.2 | 13.1 | 15.4 | 13.0 | 17.1 | 19.2 |
| MOTOR VEHICLE ACCIDENTS..... | 6.1 | 5.5 | 4.1 | 4.1 | 4.6 | 4.8 | 3.2 | 3.3 | 4.7 | 4.8 |
| INFLUENZA AND PNEUMONIA..... | 15.4 | 13.1 | 14.7 | 12.4 | 15.8 | 14.1 | 13.7 | 13.0 | 13.2 | 13.6 |
| SEPTICEMIA..... | 23.8 | 25.3 | 22.9 | 19.4 | 17.2 | 17.9 | 18.7 | 18.2 | 18.4 | 15.7 |
| ALZHEIMER'S DISEASE..... | 15.9 | 20.4 | 16.8 | 14.7 | 13.7 | 14.8 | 12.2 | 12.9 | 15.1 | 16.8 |
| HUMAN IMMUNODEFICIENCY VIRUS (HIV) DISEASE..... | 16.3 | 14.5 | 9.5 | 8.7 | 7.5 | 6.9 | 7.3 | 4.6 | 6.0 | 4.5 |
| NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS..... | 16.1 | 18.7 | 21.2 | 19.7 | 17.5 | 15.5 | 14.7 | 16.8 | 17.2 | 16.4 |
| ASSAULT (HOMICIDE)..... | 5.7 | 5.6 | 4.5 | 4.6 | 4.1 | 3.3 | 4.6 | 4.0 | 3.2 | 5.1 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS..... | 5.1 | 3.4 | 3.1 | 3.4 | 3.2 | 3.1 | 3.6 | 2.6 | 3.4 | 3.7 |
| INTENTIONAL SELF-HARM (SUICIDE)..... | 1.9 | 0.8 | 1.6 | 1.2 | 1.4 | 1.2 | 1.8 | 2.0 | **** | 1.3 |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD..... | 11.2 | 9.3 | 8.8 | 9.4 | 11.1 | 9.1 | 8.2 | 7.9 | 9.8 | 7.9 |

*Age-adjusted to the 2000 U.S. standard population

**ICD-10 codes appear in appendix.

***Excludes sexes and/or races categorized as 'unknown'.

****Rates based on <20 events in the numerator are not presented since such rates are subject to instability.

TABLE 39. NUMBER OF DEATHS BY RACE, HISPANIC ORIGIN, REGION AND POLITICAL SUBDIVISION, MARYLAND, 2016.

| REGION AND POLITICAL SUBDIVISION | ALL RACES* | NON-HISPANIC WHITE | NON-HISPANIC BLACK | NON-HISPANIC AMERICAN INDIAN | NON-HISPANIC ASIAN OR PACIFIC ISLANDER | HISPANIC** |
|----------------------------------|------------|--------------------|--------------------|------------------------------|--|------------|
| MARYLAND | 48,884 | 32,475 | 14,061 | 62 | 1,193 | 1040 |
| NORTHWEST AREA | 4,761 | 4,437 | 241 | 4 | 35 | 43 |
| GARRETT | 332 | 330 | 1 | 1 | 0 | 0 |
| ALLEGANY | 940 | 909 | 24 | 1 | 3 | 3 |
| WASHINGTON | 1,530 | 1,435 | 77 | 2 | 4 | 12 |
| FREDERICK | 1,959 | 1,763 | 139 | 0 | 28 | 28 |
| BALTIMORE METRO AREA | 24,891 | 16,709 | 7,422 | 32 | 429 | 278 |
| BALTIMORE CITY | 6,699 | 1,956 | 4,631 | 8 | 40 | 58 |
| BALTIMORE COUNTY | 8,436 | 6,535 | 1,667 | 15 | 140 | 75 |
| ANNE ARUNDEL | 4,380 | 3,626 | 595 | 4 | 73 | 78 |
| CARROLL | 1,599 | 1,534 | 42 | 1 | 10 | 12 |
| HOWARD | 1,587 | 1,140 | 260 | 2 | 145 | 35 |
| HARFORD | 2,190 | 1,918 | 227 | 2 | 21 | 20 |
| NATIONAL CAPITAL AREA | 11,967 | 5,612 | 5,004 | 14 | 678 | 638 |
| MONTGOMERY | 5,782 | 3,937 | 920 | 3 | 526 | 382 |
| PRINCE GEORGE'S | 6,185 | 1,675 | 4,084 | 11 | 152 | 256 |
| SOUTHERN AREA | 2,568 | 1,874 | 619 | 7 | 36 | 28 |
| CALVERT | 720 | 592 | 109 | 1 | 11 | 7 |
| CHARLES | 1,085 | 657 | 391 | 6 | 12 | 16 |
| SAINT MARY'S | 763 | 625 | 119 | 0 | 13 | 5 |
| EASTERN SHORE AREA | 4,697 | 3,843 | 775 | 5 | 15 | 53 |
| CECIL | 943 | 863 | 65 | 0 | 3 | 11 |
| KENT | 261 | 219 | 41 | 1 | 0 | 0 |
| QUEEN ANNE'S | 430 | 372 | 53 | 1 | 1 | 3 |
| CAROLINE | 336 | 269 | 58 | 0 | 0 | 8 |
| TALBOT | 396 | 353 | 38 | 0 | 2 | 3 |
| DORCHESTER | 409 | 287 | 118 | 0 | 1 | 2 |
| WICOMICO | 1,018 | 745 | 247 | 3 | 6 | 17 |
| SOMERSET | 258 | 187 | 65 | 0 | 1 | 5 |
| WORCESTER | 646 | 548 | 90 | 0 | 1 | 4 |

*Includes races categorized as 'unknown' or 'other'.

**Includes all deaths to persons of Hispanic origin of any race.

TABLE 39A. CRUDE DEATH RATES BY RACE, HISPANIC ORIGIN OF MOTHER, REGION AND POLITICAL SUBDIVISION, MARYLAND, 2016.

| REGION AND POLITICAL SUBDIVISION | DEATH RATES*** | | | | | |
|----------------------------------|----------------|--------------------|--------------------|------------------------------|--|------------|
| | ALL DEATHS* | NON-HISPANIC WHITE | NON-HISPANIC BLACK | NON-HISPANIC AMERICAN INDIAN | NON-HISPANIC ASIAN OR PACIFIC ISLANDER | HISPANIC** |
| MARYLAND | 812.5 | 1027.7 | 765.7 | 345.0 | 287.3 | 177.2 |
| NORTHWEST AREA | 953.3 | 1104.3 | 497.9 | **** | 207.4 | 137.6 |
| GARRETT | 1128.3 | 1157.4 | **** | **** | **** | **** |
| ALLEGANY | 1303.2 | 1428.3 | 384.9 | **** | **** | **** |
| WASHINGTON | 1018.0 | 1175.9 | 433.3 | **** | **** | 170.1 |
| FREDERICK | 791.2 | 939.7 | 578.7 | **** | 220.3 | 123.9 |
| BALTIMORE METRO AREA | 905.1 | 1053.5 | 893.6 | 390.6 | 253.0 | 178.7 |
| BALTIMORE CITY | 1089.9 | 1128.7 | 1187.5 | 366.1 | 221.4 | 186.2 |
| BALTIMORE COUNTY | 1015.1 | 1331.2 | 695.9 | 586.6 | 259.3 | 170.5 |
| ANNE ARUNDEL | 770.7 | 905.9 | 605.3 | **** | 289.3 | 182.2 |
| CARROLL | 953.7 | 1010.5 | 668.2 | **** | 278.6 | 211.9 |
| HOWARD | 500.3 | 655.0 | 423.3 | **** | 241.3 | 167.1 |
| HARFORD | 872.4 | 979.8 | 647.6 | **** | 245.1 | 181.7 |
| NATIONAL CAPITAL AREA | 613.1 | 933.8 | 645.0 | 257.6 | 324.4 | 176.9 |
| MONTGOMERY | 553.9 | 821.9 | 468.8 | **** | 314.9 | 191.6 |
| PRINCE GEORGE'S | 681.1 | 1372.7 | 704.7 | 342.8 | 362.0 | 158.7 |
| SOUTHERN AREA | 710.3 | 825.6 | 599.2 | 353.0 | 312.9 | 157.7 |
| CALVERT | 789.0 | 809.4 | 887.4 | **** | 536.8 | 205.0 |
| CHARLES | 688.0 | 969.5 | 527.8 | 494.6 | 202.2 | 183.7 |
| ST MARY'S | 677.7 | 726.0 | 702.4 | 0 | 369.0 | 88.8 |
| EASTERN SHORE AREA | 1035.5 | 1116.8 | 988.5 | 398.4 | 181.1 | 246.0 |
| CECIL | 919.1 | 971.0 | 876.5 | **** | **** | 248.7 |
| KENT | 1322.9 | 1411.3 | 1342.9 | **** | **** | **** |
| QUEEN ANNE'S | 878.8 | 865.7 | 1588.3 | **** | **** | **** |
| CAROLINE | 1022.8 | 1062.0 | 1220.5 | **** | **** | 339.8 |
| TALBOT | 1062.3 | 1201.9 | 782.4 | **** | **** | **** |
| DORCHESTER | 1267.9 | 1384.6 | 1269.2 | **** | **** | **** |
| WICOMICO | 992.4 | 1127.1 | 897.7 | **** | 174.6 | 322.4 |
| SOMERSET | 995.1 | 1382.3 | 584.8 | **** | **** | 539.4 |
| WORCESTER | 1255.7 | 1314.5 | 1274.6 | **** | **** | **** |

*Includes races categorized as 'unknown' or 'other'.

**Includes all persons of Hispanic origin of any race.

***Per 1,000 population.

****Rates based on <5 events in the numerator are not presented since such rates are subject to instability.

TABLE 39B. NUMBER OF DEATHS BY AGE, REGION AND POLITICAL SUBDIVISION, MARYLAND, 2016.

| REGION AND POLITICAL SUBDIVISION | DEATHS BY AGE | | | | | | | | | | | | |
|----------------------------------|---------------|-----|-----|------|-------|-------|-------|-------|-------|-------|--------|-----------|------------|
| | ALL AGES | <1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85 & OVER | NOT STATED |
| MARYLAND | 48,884 | 478 | 65 | 95 | 679 | 1288 | 1,500 | 3,459 | 6,713 | 8,987 | 10,908 | 14,698 | 14 |
| NORTHWEST AREA | 4,761 | 27 | 3 | 5 | 54 | 131 | 128 | 324 | 555 | 855 | 1,158 | 1,520 | 1 |
| GARRETT | 332 | 1 | 1 | 0 | 4 | 0 | 7 | 20 | 38 | 62 | 109 | 90 | 0 |
| ALLEGANY | 940 | 5 | 1 | 0 | 8 | 32 | 23 | 52 | 115 | 181 | 241 | 282 | 0 |
| WASHINGTON | 1,530 | 12 | 0 | 1 | 14 | 31 | 51 | 111 | 193 | 279 | 345 | 493 | 0 |
| FREDERICK | 1,959 | 9 | 1 | 4 | 28 | 68 | 47 | 141 | 209 | 333 | 463 | 655 | 1 |
| BALTIMORE METRO AREA | 24,891 | 207 | 32 | 46 | 374 | 676 | 808 | 1,882 | 3,574 | 4,550 | 5,388 | 7,347 | 7 |
| BALTIMORE CITY | 6,699 | 75 | 12 | 20 | 147 | 239 | 265 | 761 | 1,283 | 1,348 | 1,201 | 1,343 | 5 |
| BALTIMORE COUNTY | 8,436 | 58 | 8 | 11 | 103 | 186 | 262 | 513 | 1,040 | 1,387 | 1,890 | 2,976 | 2 |
| ANNE ARUNDEL | 4,380 | 39 | 4 | 9 | 52 | 121 | 142 | 314 | 604 | 832 | 1,038 | 1,225 | 0 |
| CARROLL | 1,599 | 5 | 0 | 3 | 14 | 34 | 39 | 87 | 181 | 275 | 398 | 563 | 0 |
| HOWARD | 1,587 | 17 | 4 | 1 | 28 | 42 | 41 | 73 | 186 | 264 | 365 | 566 | 0 |
| HARFORD | 2,190 | 13 | 4 | 2 | 30 | 54 | 59 | 134 | 280 | 444 | 496 | 674 | 0 |
| NATIONAL CAPITAL AREA | 11,967 | 167 | 21 | 29 | 173 | 270 | 349 | 726 | 1,649 | 2,168 | 2,627 | 3,786 | 2 |
| MONTGOMERY | 5,782 | 73 | 10 | 19 | 63 | 96 | 131 | 281 | 619 | 897 | 1,256 | 2,335 | 2 |
| PRINCE GEORGE'S | 6,185 | 94 | 11 | 10 | 110 | 174 | 218 | 445 | 1,030 | 1,271 | 1,371 | 1,451 | 0 |
| SOUTHERN AREA | 2,568 | 35 | 1 | 5 | 38 | 80 | 79 | 230 | 343 | 484 | 600 | 672 | 1 |
| CALVERT | 720 | 6 | 0 | 1 | 9 | 26 | 17 | 62 | 87 | 129 | 177 | 206 | 0 |
| CHARLES | 1,085 | 19 | 0 | 3 | 17 | 36 | 43 | 107 | 152 | 219 | 229 | 260 | 0 |
| SAINT MARY'S | 763 | 10 | 1 | 1 | 12 | 18 | 19 | 61 | 104 | 136 | 194 | 206 | 1 |
| EASTERN SHORE AREA | 4,697 | 42 | 8 | 10 | 40 | 131 | 136 | 297 | 592 | 930 | 1,135 | 1,373 | 3 |
| CECIL | 943 | 8 | 0 | 1 | 12 | 29 | 35 | 72 | 140 | 223 | 208 | 213 | 2 |
| KENT | 261 | 2 | 0 | 1 | 3 | 3 | 3 | 13 | 23 | 47 | 73 | 93 | 0 |
| QUEEN ANNE'S | 430 | 0 | 1 | 2 | 5 | 18 | 15 | 16 | 43 | 77 | 114 | 139 | 0 |
| CAROLINE | 336 | 4 | 0 | 2 | 3 | 9 | 11 | 17 | 52 | 75 | 65 | 98 | 0 |
| TALBOT | 396 | 3 | 0 | 0 | 2 | 8 | 6 | 14 | 32 | 57 | 104 | 170 | 0 |
| DORCHESTER | 409 | 1 | 2 | 1 | 0 | 9 | 11 | 32 | 39 | 73 | 108 | 133 | 0 |
| WICOMICO | 1,018 | 12 | 2 | 3 | 10 | 35 | 31 | 80 | 157 | 193 | 227 | 267 | 1 |
| SOMERSET | 258 | 4 | 1 | 0 | 2 | 7 | 6 | 20 | 29 | 56 | 61 | 72 | 0 |
| WORCESTER | 646 | 8 | 2 | 0 | 3 | 13 | 18 | 33 | 77 | 129 | 175 | 188 | 0 |

TABLE 40. DEATHS BY MONTH OF DEATH AND RACE, MARYLAND, 2016.

| RACE | ALL DEATHS | MONTH OF DEATH | | | | | | | | | | | |
|--|------------|----------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | JAN. | FEB. | MAR. | APR. | MAY | JUNE | JULY | AUG. | SEP. | OCT. | NOV. | DEC. |
| ALL RACES* | 48,884 | 4,293 | 4,036 | 4,162 | 4,056 | 4,028 | 3,783 | 4,005 | 3,999 | 3,881 | 4,159 | 4,104 | 4,378 |
| WHITE | 33,176 | 2,968 | 2,776 | 2,847 | 2,798 | 2,760 | 2,562 | 2,657 | 2,678 | 2,546 | 2,840 | 2,763 | 2,981 |
| NON-HISPANIC WHITE | 32,475 | 2,916 | 2,710 | 2,790 | 2,750 | 2,707 | 2,505 | 2,608 | 2,611 | 2,486 | 2,775 | 2,706 | 2,911 |
| BLACK | 14,113 | 1,169 | 1,120 | 1,173 | 1,128 | 1,154 | 1,108 | 1,225 | 1,190 | 1,200 | 1,184 | 1,205 | 1,257 |
| NON-HISPANIC BLACK | 14,061 | 1,162 | 1,117 | 1,170 | 1,126 | 1,151 | 1,103 | 1,219 | 1,188 | 1,196 | 1,177 | 1,198 | 1,254 |
| AMERICAN INDIAN | 63 | 9 | 9 | 4 | 5 | 5 | 1 | 5 | 4 | 6 | 2 | 6 | 7 |
| NON-HISPANIC AMERICAN INDIAN | 62 | 9 | 8 | 4 | 5 | 5 | 1 | 5 | 4 | 6 | 2 | 6 | 7 |
| ASIAN OR PACIFIC ISLANDER | 1,204 | 119 | 103 | 115 | 102 | 81 | 88 | 84 | 102 | 104 | 108 | 104 | 94 |
| NON-HISPANIC ASIAN OR PACIFIC ISLANDER | 1,193 | 119 | 100 | 113 | 101 | 80 | 86 | 84 | 102 | 104 | 107 | 104 | 93 |
| HISPANIC** | 1,040 | 83 | 96 | 82 | 72 | 79 | 86 | 84 | 87 | 87 | 95 | 85 | 104 |

*Includes races categorized as 'unknown' or 'other'.

**Includes all deaths to persons of Hispanic origin of any race.

TABLE 41: DEATHS** AND DEATH RATES**** BY AGE, SEX, RACE AND HISPANIC ORIGIN, MARYLAND, 2016**

| SEX, RACE AND HISPANIC ORIGIN | NUMBER OF DEATHS BY AGE | | | | | | | | | | | |
|--|-------------------------|-----|-----|------|-------|-------|-------|-------|-------|-------|--------|-----------|
| | ALL AGES | <1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85 & OVER |
| ALL DEATHS* | 48,884 | 478 | 65 | 95 | 679 | 1,288 | 1,500 | 3,459 | 6,713 | 8,987 | 10,908 | 14,698 |
| NON-HISPANIC WHITE..... | 32,475 | 136 | 22 | 32 | 286 | 682 | 734 | 1,824 | 3,813 | 5,618 | 7,642 | 11,678 |
| NON-HISPANIC BLACK..... | 14,061 | 247 | 33 | 44 | 312 | 487 | 627 | 1,435 | 2,609 | 2,969 | 2,792 | 2,501 |
| NON-HISPANIC AMERICAN INDIAN..... | 62 | 0 | 0 | 0 | 2 | 0 | 1 | 8 | 12 | 13 | 15 | 11 |
| NON-HISPANIC ASIAN/PACIFIC ISLANDER..... | 1,193 | 23 | 3 | 7 | 23 | 32 | 42 | 78 | 146 | 219 | 290 | 330 |
| HISPANIC**..... | 1,040 | 64 | 6 | 12 | 54 | 84 | 93 | 108 | 126 | 157 | 165 | 170 |
| MALE--ALL DEATHS*..... | 24,738 | 264 | 37 | 49 | 521 | 939 | 949 | 2,102 | 3,936 | 5,041 | 5,534 | 5,363 |
| NON-HISPANIC WHITE..... | 16,062 | 70 | 13 | 16 | 199 | 475 | 475 | 1,120 | 2,300 | 3,167 | 3,909 | 4,317 |
| NON-HISPANIC BLACK..... | 7,409 | 136 | 18 | 25 | 262 | 371 | 394 | 861 | 1,467 | 1,651 | 1,384 | 838 |
| NON-HISPANIC AMERICAN INDIAN..... | 32 | 0 | 0 | 0 | 0 | 0 | 1 | 5 | 6 | 8 | 10 | 2 |
| NON-HISPANIC ASIAN/PACIFIC ISLANDER..... | 623 | 15 | 1 | 3 | 18 | 23 | 19 | 39 | 84 | 119 | 155 | 147 |
| HISPANIC**..... | 584 | 37 | 4 | 5 | 42 | 68 | 57 | 74 | 76 | 89 | 74 | 58 |
| FEMALE--ALL DEATHS*..... | 24,137 | 214 | 28 | 46 | 158 | 349 | 551 | 1,357 | 2,777 | 3,946 | 5,374 | 9,335 |
| NON-HISPANIC WHITE..... | 16,407 | 66 | 9 | 16 | 87 | 207 | 259 | 704 | 1,513 | 2,451 | 3,733 | 7,361 |
| NON-HISPANIC BLACK..... | 6,649 | 111 | 15 | 19 | 50 | 116 | 233 | 574 | 1,142 | 1,318 | 1,408 | 1,663 |
| NON-HISPANIC AMERICAN INDIAN..... | 30 | 0 | 0 | 0 | 2 | 0 | 0 | 3 | 6 | 5 | 5 | 9 |
| NON-HISPANIC ASIAN/PACIFIC ISLANDER..... | 570 | 8 | 2 | 4 | 5 | 9 | 23 | 39 | 62 | 100 | 135 | 183 |
| HISPANIC**..... | 456 | 27 | 2 | 7 | 12 | 16 | 36 | 34 | 50 | 68 | 91 | 112 |

| SEX, RACE AND HISPANIC ORIGIN | CRUDE DEATH RATES**** PER 100,000 POPULATION BY AGE | | | | | | | | | | | |
|--|---|--------|------|------|-------|-------|-------|-------|--------|--------|--------|-----------|
| | ALL AGES | <1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85 & OVER |
| ALL DEATHS* | 812.5 | 658.6 | 22.1 | 12.7 | 87.2 | 154.4 | 197.0 | 404.7 | 845.4 | 1741.3 | 4449.4 | 12788.5 |
| NON-HISPANIC WHITE..... | 1027.7 | 431.8 | 17.3 | 9.4 | 76.3 | 169.3 | 206.4 | 396.2 | 792.2 | 1677.0 | 4587.4 | 13589.3 |
| NON-HISPANIC BLACK..... | 765.7 | 1052.6 | 34.6 | 17.7 | 118.5 | 182.4 | 264.7 | 540.2 | 1155.5 | 2237.0 | 4934.1 | 11696.8 |
| NON-HISPANIC AMERICAN INDIAN..... | 345.0 | *** | *** | *** | *** | *** | *** | 292.8 | 449.6 | 857.0 | 2362.2 | 4489.8 |
| NON-HISPANIC ASIAN/PACIFIC ISLANDER..... | 287.3 | 481.4 | *** | 13.0 | 45.3 | 49.0 | 61.9 | 132.4 | 318.1 | 746.3 | 2117.9 | 7532.5 |
| HISPANIC**..... | 177.2 | 506.2 | 11.8 | 11.3 | 61.9 | 86.6 | 94.1 | 160.9 | 328.1 | 895.7 | 2154.6 | 5689.4 |
| MALE--ALL DEATHS*..... | 848.8 | 710.4 | 24.7 | 12.8 | 131.4 | 227.0 | 256.0 | 511.8 | 1047.0 | 2140.3 | 5340.1 | 13912.9 |
| NON-HISPANIC WHITE..... | 1038.0 | 435.0 | 20.1 | 9.2 | 103.6 | 234.0 | 270.0 | 495.7 | 977.3 | 1992.6 | 5390.5 | 14712.7 |
| NON-HISPANIC BLACK..... | 864.6 | 1135.9 | 37.0 | 19.9 | 198.9 | 293.1 | 363.0 | 709.9 | 1475.5 | 3014.5 | 6355.3 | 13354.6 |
| NON-HISPANIC AMERICAN INDIAN..... | 373.9 | *** | *** | *** | *** | *** | *** | 385.2 | 493.8 | 1128.3 | 3745.3 | *** |
| NON-HISPANIC ASIAN/PACIFIC ISLANDER..... | 315.9 | 608.3 | *** | *** | 70.3 | 74.8 | 60.4 | 144.8 | 398.1 | 895.4 | 2502.0 | 8081.4 |
| HISPANIC**..... | 191.8 | 566.4 | *** | 9.2 | 91.8 | 130.0 | 105.8 | 210.0 | 403.2 | 1138.1 | 2573.9 | 5680.7 |
| FEMALE--ALL DEATHS*..... | 778.1 | 604.2 | 19.4 | 12.5 | 41.3 | 83.0 | 141.1 | 305.6 | 664.1 | 1406.3 | 3797.2 | 12221.1 |
| NON-HISPANIC WHITE..... | 1017.4 | 428.4 | 14.5 | 9.7 | 47.6 | 103.6 | 144.1 | 300.3 | 615.1 | 1392.1 | 3968.4 | 13006.9 |
| NON-HISPANIC BLACK..... | 678.8 | 965.9 | 32.2 | 15.5 | 38.0 | 82.6 | 181.6 | 397.6 | 903.7 | 1690.7 | 4044.9 | 11008.1 |
| NON-HISPANIC AMERICAN INDIAN..... | 318.7 | *** | *** | *** | *** | *** | *** | *** | 24.2 | 31.1 | 66.7 | 351.3 |
| NON-HISPANIC ASIAN/PACIFIC ISLANDER..... | 261.5 | 346.0 | *** | *** | 19.9 | 26.0 | 63.1 | 122.3 | 317.1 | 1030.1 | 2822.5 | 9303.5 |
| HISPANIC**..... | 161.5 | 441.9 | *** | 13.4 | 28.9 | 35.8 | 80.1 | 106.6 | 255.7 | 700.5 | 1902.6 | 5694.0 |

*Includes races categorized as 'unknown' or 'other'.

**Includes all persons of Hispanic origin of any race.

***Rates based on <5 events in the numerator are not presented since such rates are subject to instability.

****Excludes sexes and/or races categorized as 'unknown' or 'other'.

TABLE 42. DEATH*** AND DEATH RATES***** FOR FIFTEEN LEADING CAUSES BY SEX, RACE, AND HISPANIC ORIGIN, MARYLAND, 2016**

| RANK** | CAUSES OF DEATH*** | NUMBER OF DEATHS | | | | | | | | |
|--------|--|------------------|--------|--------|--------------------|--------|--------|--------------------|-------|--------|
| | | ALL RACES* | | | NON-HISPANIC WHITE | | | NON-HISPANIC BLACK | | |
| | | TOTAL | MALE | FEMALE | TOTAL | MALE | FEMALE | TOTAL | MALE | FEMALE |
| | ALL CAUSES..... | 48,884 | 24,738 | 24,137 | 32,475 | 16,062 | 16,407 | 14,061 | 7,409 | 6,649 |
| 1 | DISEASES OF THE HEART..... | 11,408 | 6,073 | 5,335 | 7,773 | 4,068 | 3,705 | 3,209 | 1,753 | 1,456 |
| 2 | MALIGNANT NEOPLASMS..... | 10,919 | 5,474 | 5,455 | 7,183 | 3,641 | 3,542 | 3,168 | 1,568 | 1,600 |
| 3 | CEREBROVASCULAR DISEASES..... | 2,706 | 1,055 | 1,651 | 1,772 | 667 | 1,105 | 795 | 328 | 467 |
| 4 | ACCIDENTS..... | 2,282 | 1,482 | 800 | 1,454 | 899 | 555 | 643 | 449 | 194 |
| 5 | CHRONIC LOWER RESPIRATORY DISEASES..... | 2,073 | 900 | 1,173 | 1,677 | 706 | 971 | 363 | 174 | 189 |
| 6 | DIABETES MELLITUS..... | 1,357 | 736 | 621 | 737 | 418 | 319 | 538 | 277 | 261 |
| 7 | ALZHEIMER'S DISEASE..... | 1,178 | 381 | 797 | 924 | 308 | 616 | 214 | 61 | 153 |
| 8 | INFLUENZA AND PNEUMONIA..... | 1,025 | 494 | 531 | 726 | 354 | 372 | 251 | 119 | 132 |
| 9 | SEPTICEMIA..... | 878 | 437 | 441 | 533 | 279 | 254 | 299 | 139 | 160 |
| 10 | NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS..... | 824 | 430 | 394 | 472 | 256 | 216 | 319 | 153 | 166 |
| 11 | INTENTIONAL SELF-HARM (SUICIDE)..... | 581 | 467 | 114 | 428 | 339 | 89 | 94 | 81 | 13 |
| 12 | ASSAULT (HOMICIDE)..... | 579 | 487 | 92 | 71 | 39 | 32 | 473 | 422 | 51 |
| 13 | ESSENTIAL HYPERTENSION/HYPERTENSIVE RENAL DISEASE..... | 557 | 249 | 308 | 313 | 128 | 185 | 216 | 110 | 106 |
| 14 | PARKINSON'S DISEASE..... | 499 | 309 | 190 | 399 | 246 | 153 | 74 | 47 | 27 |
| 15 | CHRONIC LIVER DISEASE AND CIRRHOSIS..... | 464 | 281 | 183 | 325 | 189 | 136 | 111 | 72 | 39 |

| RANK** | CAUSES OF DEATH*** | CRUDE DEATH RATES***** PER 100,000 POPULATION | | | | | | | | |
|--------|--|---|-------|--------|--------------------|--------|--------|--------------------|-------|--------|
| | | ALL RACES* | | | NON-HISPANIC WHITE | | | NON-HISPANIC BLACK | | |
| | | TOTAL | MALE | FEMALE | TOTAL | MALE | FEMALE | TOTAL | MALE | FEMALE |
| | ALL CAUSES..... | 812.5 | 848.8 | 778.1 | 1027.7 | 1038.0 | 1017.4 | 765.7 | 864.6 | 678.8 |
| 1 | DISEASES OF THE HEART..... | 189.6 | 208.4 | 172.0 | 246.0 | 262.9 | 229.7 | 174.7 | 204.6 | 148.6 |
| 2 | MALIGNANT NEOPLASMS..... | 181.5 | 187.8 | 175.9 | 227.3 | 235.3 | 219.6 | 172.5 | 183.0 | 163.3 |
| 3 | CEREBROVASCULAR DISEASES..... | 45.0 | 36.2 | 53.2 | 56.1 | 43.1 | 68.5 | 43.3 | 38.3 | 47.7 |
| 4 | ACCIDENTS..... | 37.9 | 50.8 | 25.8 | 46.0 | 58.1 | 34.4 | 35.0 | 52.4 | 19.8 |
| 5 | CHRONIC LOWER RESPIRATORY DISEASES..... | 34.5 | 30.9 | 37.8 | 53.1 | 45.6 | 60.2 | 19.8 | 20.3 | 19.3 |
| 6 | DIABETES MELLITUS..... | 22.6 | 25.3 | 20.0 | 23.3 | 27.0 | 19.8 | 29.3 | 32.3 | 26.6 |
| 7 | ALZHEIMER'S DISEASE..... | 19.6 | 13.1 | 25.7 | 29.2 | 19.9 | 38.2 | 11.7 | 7.1 | 15.6 |
| 8 | INFLUENZA AND PNEUMONIA..... | 17.0 | 16.9 | 17.1 | 23.0 | 22.9 | 23.1 | 13.7 | 13.9 | 13.5 |
| 9 | SEPTICEMIA..... | 14.6 | 15.0 | 14.2 | 16.9 | 18.0 | 15.8 | 16.3 | 16.2 | 16.3 |
| 10 | NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS..... | 13.7 | 14.8 | 12.7 | 14.9 | 16.5 | 13.4 | 17.4 | 17.9 | 16.9 |
| 11 | INTENTIONAL SELF-HARM (SUICIDE)..... | 9.7 | 16.0 | 3.7 | 13.5 | 21.9 | 5.5 | 5.1 | 9.5 | 1.3 |
| 12 | ASSAULT (HOMICIDE)..... | 9.6 | 16.7 | 3.0 | 2.2 | 2.5 | 2.0 | 25.8 | 49.2 | 5.2 |
| 13 | ESSENTIAL HYPERTENSION/HYPERTENSIVE RENAL DISEASE..... | 9.3 | 8.5 | 9.9 | 9.9 | 8.3 | 11.5 | 11.8 | 12.8 | 10.8 |
| 14 | PARKINSON'S DISEASE..... | 8.3 | 10.6 | 6.1 | 12.6 | 15.9 | 9.5 | 4.0 | 5.5 | 2.8 |
| 15 | CHRONIC LIVER DISEASE AND CIRRHOSIS..... | 7.7 | 9.6 | 5.9 | 10.3 | 12.2 | 8.4 | 6.0 | 8.4 | 4.0 |

See footnotes at end of table

TABLE 42. DEATH** AND DEATH RATES***** FOR FIFTEEN LEADING CAUSES BY SEX, RACE, AND HISPANIC ORIGIN, MARYLAND, 2016 - Continued**

| RANK** | CAUSES OF DEATH**** | NUMBER OF DEATHS | | | | | | | | |
|--------|--|------------------------------|------|--------|-------------------------------------|------|--------|------------|------|--------|
| | | NON-HISPANIC AMERICAN INDIAN | | | NON-HISPANIC ASIAN/PACIFIC ISLANDER | | | HISPANIC** | | |
| | | TOTAL | MALE | FEMALE | TOTAL | MALE | FEMALE | TOTAL | MALE | FEMALE |
| | ALL CAUSES..... | 62 | 32 | 30 | 1,193 | 623 | 570 | 1,040 | 584 | 456 |
| 1 | DISEASES OF THE HEART..... | 12 | 5 | 7 | 239 | 141 | 98 | 167 | 102 | 65 |
| 2 | MALIGNANT NEOPLASMS..... | 16 | 8 | 8 | 328 | 152 | 176 | 213 | 100 | 113 |
| 3 | CEREBROVASCULAR DISEASES..... | 3 | 2 | 1 | 84 | 35 | 49 | 50 | 22 | 28 |
| 4 | ACCIDENTS..... | 3 | 2 | 1 | 60 | 30 | 30 | 117 | 98 | 19 |
| 5 | CHRONIC LOWER RESPIRATORY DISEASES..... | 1 | 0 | 1 | 18 | 12 | 6 | 14 | 8 | 6 |
| 6 | DIABETES MELLITUS..... | 3 | 2 | 1 | 37 | 17 | 20 | 40 | 21 | 19 |
| 7 | ALZHEIMER'S DISEASE..... | 1 | 0 | 1 | 19 | 7 | 12 | 18 | 5 | 13 |
| 8 | INFLUENZA AND PNEUMONIA..... | 2 | 1 | 1 | 29 | 15 | 14 | 16 | 5 | 11 |
| 9 | SEPTICEMIA..... | 1 | 1 | 0 | 26 | 10 | 16 | 18 | 7 | 11 |
| 10 | NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS..... | 1 | 0 | 1 | 18 | 12 | 6 | 13 | 8 | 5 |
| 11 | INTENTIONAL SELF-HARM (SUICIDE)..... | 1 | 1 | 0 | 30 | 22 | 8 | 26 | 23 | 3 |
| 12 | ASSAULT (HOMICIDE)..... | 1 | 1 | 0 | 9 | 6 | 3 | 25 | 19 | 6 |
| 13 | ESSENTIAL HYPERTENSION/HYPERTENSIVE RENAL DISEASE..... | 0 | 0 | 0 | 14 | 6 | 8 | 14 | 5 | 9 |
| 14 | PARKINSON'S DISEASE..... | 1 | 1 | 0 | 13 | 8 | 5 | 12 | 7 | 5 |
| 15 | CHRONIC LIVER DISEASE AND CIRRHOSIS..... | 1 | 1 | 0 | 3 | 2 | 1 | 24 | 17 | 7 |

| RANK** | CAUSES OF DEATH**** | CRUDE DEATH RATES***** PER 100,000 POPULATION | | | | | | | | |
|--------|--|---|-------|--------|-------------------------------------|-------|--------|------------|-------|--------|
| | | NON-HISPANIC AMERICAN INDIAN | | | NON-HISPANIC ASIAN/PACIFIC ISLANDER | | | HISPANIC** | | |
| | | TOTAL | MALE | FEMALE | TOTAL | MALE | FEMALE | TOTAL | MALE | FEMALE |
| | ALL CAUSES..... | 345.0 | 373.9 | 318.7 | 287.3 | 315.9 | 261.5 | 177.2 | 191.8 | 161.5 |
| 1 | DISEASES OF THE HEART..... | 66.8 | 58.4 | 74.4 | 57.6 | 71.5 | 45.0 | 28.5 | 33.5 | 23.0 |
| 2 | MALIGNANT NEOPLASMS..... | 89.0 | 93.5 | 85.0 | 79.0 | 77.1 | 80.7 | 36.3 | 32.8 | 40.0 |
| 3 | CEREBROVASCULAR DISEASES..... | **** | **** | **** | 20.2 | 17.7 | 22.5 | 8.5 | 7.2 | 9.9 |
| 4 | ACCIDENTS..... | **** | **** | **** | 14.5 | 15.2 | 13.8 | 19.9 | 32.2 | 6.7 |
| 5 | CHRONIC LOWER RESPIRATORY DISEASES..... | **** | **** | **** | 4.3 | 6.1 | 2.8 | 2.4 | 2.6 | 2.1 |
| 6 | DIABETES MELLITUS..... | **** | **** | **** | 8.9 | 8.6 | 9.2 | 6.8 | 6.9 | 6.7 |
| 7 | ALZHEIMER'S DISEASE..... | **** | **** | **** | 4.6 | 3.5 | 5.5 | 3.1 | 1.6 | 4.6 |
| 8 | INFLUENZA AND PNEUMONIA..... | **** | **** | **** | 7.0 | 7.6 | 6.4 | 2.7 | 1.6 | 3.9 |
| 9 | SEPTICEMIA..... | **** | **** | **** | 6.3 | 5.1 | 7.3 | 3.1 | 2.3 | 3.9 |
| 10 | NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS..... | **** | **** | **** | 4.3 | 6.1 | 2.8 | 2.2 | 2.6 | 1.8 |
| 11 | INTENTIONAL SELF-HARM (SUICIDE)..... | **** | **** | **** | 7.2 | 11.2 | 3.7 | 4.4 | 7.6 | **** |
| 12 | ASSAULT (HOMICIDE)..... | **** | **** | **** | 2.2 | 3.0 | **** | 4.3 | 6.2 | 2.1 |
| 13 | ESSENTIAL HYPERTENSION/HYPERTENSIVE RENAL DISEASE..... | **** | **** | **** | 3.4 | 3.0 | 3.7 | 2.4 | 1.6 | 3.2 |
| 14 | PARKINSON'S DISEASE..... | **** | **** | **** | 3.1 | 4.1 | 2.3 | 2.0 | 2.3 | 1.8 |
| 15 | CHRONIC LIVER DISEASE AND CIRRHOSIS..... | **** | **** | **** | **** | **** | **** | 4.1 | 5.6 | 2.5 |

*Includes races categorized as 'unknown' or 'other'.

**Ranking for all races.

***ICD-10 codes appear in appendix.

****Excludes sexes and/or races categorized as 'unknown' or 'other'.

TABLE 43A. THE EIGHT* LEADING CAUSES OF DEATH BY AGE, MARYLAND, 2016.**

| RANK | ALL AGES | NUMBER | PERCENT |
|------|--|--------|---------|
| | ALL CAUSES..... | 48,884 | 100.0 |
| 1 | DISEASES OF THE HEART..... | 11,408 | 23.3 |
| 2 | MALIGNANT NEOPLASMS..... | 10,919 | 22.3 |
| 3 | CEREBROVASCULAR DISEASES..... | 2,706 | 5.5 |
| 4 | ACCIDENTS..... | 2,282 | 4.7 |
| 5 | CHRONIC LOWER RESPIRATORY DISEASES..... | 2,073 | 4.2 |
| 6 | DIABETES MELLITUS..... | 1,357 | 2.8 |
| 7 | ALZHEIMER'S DISEASE..... | 1,178 | 2.4 |
| 8 | INFLUENZA AND PNEUMONIA..... | 1,025 | 2.1 |
| RANK | 1-4 YEARS | NUMBER | PERCENT |
| | ALL CAUSES..... | 65 | 100.0 |
| 1 | ACCIDENTS..... | 18 | 27.7 |
| RANK | 5-14 YEARS | NUMBER | PERCENT |
| | ALL CAUSES..... | 95 | 100.0 |
| 1 | ACCIDENTS..... | 22 | 23.2 |
| 2 | MALIGNANT NEOPLASMS..... | 17 | 17.9 |
| RANK | 15-24 YEARS | NUMBER | PERCENT |
| | ALL CAUSES..... | 679 | 100.0 |
| 1 | ASSAULT (HOMICIDE)..... | 177 | 26.1 |
| 2 | ACCIDENTS..... | 176 | 25.9 |
| 3 | INTENTIONAL SELF-HARM (SUICIDE)..... | 66 | 9.7 |
| 4 | DISEASES OF THE HEART..... | 32 | 4.7 |
| 5 | MALIGNANT NEOPLASMS..... | 27 | 4.0 |
| RANK | 25-44 YEARS | NUMBER | PERCENT |
| | ALL CAUSES..... | 2,788 | 100.0 |
| 1 | ACCIDENTS..... | 547 | 19.6 |
| 2 | DISEASES OF THE HEART..... | 290 | 10.4 |
| 3 | MALIGNANT NEOPLASMS..... | 278 | 10.0 |
| 4 | ASSAULT (HOMICIDE)..... | 272 | 9.8 |
| 5 | INTENTIONAL SELF-HARM (SUICIDE)..... | 176 | 6.3 |
| 6 | CHRONIC LIVER DISEASE AND CIRRHOSIS..... | 48 | 0.5 |
| 7 | DIABETES MELLITUS..... | 47 | 0.1 |
| 8 | CEREBROVASCULAR DISEASES..... | 38 | 1.4 |
| RANK | 45-64 YEARS | NUMBER | PERCENT |
| | ALL CAUSES..... | 10,172 | 100.0 |
| 1 | MALIGNANT NEOPLASMS..... | 3,045 | 29.9 |
| 2 | DISEASES OF THE HEART..... | 2,241 | 22.0 |
| 3 | ACCIDENTS..... | 638 | 6.3 |
| 4 | DIABETES MELLITUS..... | 361 | 3.5 |
| 5 | CEREBROVASCULAR DISEASES..... | 304 | 3.0 |
| 6 | CHRONIC LOWER RESPIRATORY DISEASES..... | 278 | 2.7 |
| 7 | CHRONIC LIVER DISEASE AND CIRRHOSIS..... | 224 | 2.2 |
| 8 | INTENTIONAL SELF-HARM (SUICIDE)..... | 221 | 7.9 |
| RANK | 65 YEARS AND OVER | NUMBER | PERCENT |
| | ALL CAUSES..... | 34,593 | 100.0 |
| 1 | DISEASES OF THE HEART..... | 8,837 | 25.5 |
| 2 | MALIGNANT NEOPLASMS..... | 7,545 | 21.8 |
| 3 | CEREBROVASCULAR DISEASES..... | 2,354 | 6.8 |
| 4 | CHRONIC LOWER RESPIRATORY DISEASES..... | 1,774 | 5.1 |
| 5 | ALZHEIMER'S DISEASE..... | 1,160 | 3.4 |
| 6 | DIABETES MELLITUS..... | 946 | 2.7 |
| 7 | ACCIDENTS..... | 872 | 2.5 |
| 8 | INFLUENZA AND PNEUMONIA..... | 855 | 2.5 |

*Leading causes are shown only if there were ten or more deaths in a given category.

**ICD-10 codes appear in appendix.

TABLE 43B. THE EIGHT LEADING CAUSES* OF DEATH, *** BY RACE AND AGE, MARYLAND, 2015.**

| WHITE, ALL AGES | | NUMBER | PERCENT | BLACK, ALL AGES | | NUMBER | PERCENT |
|--------------------------|--|--------|---------|--------------------------|---|--------|---------|
| RANK | ALL CAUSES..... | 33,176 | 100.0 | RANK | ALL CAUSES..... | 14,113 | 100.0 |
| 1 | DISEASES OF THE HEART..... | 7,887 | 23.8 | 1 | DISEASES OF THE HEART..... | 3,217 | 22.8 |
| 2 | MALIGNANT NEOPLASMS..... | 7,340 | 22.1 | 2 | MALIGNANT NEOPLASMS..... | 3,177 | 22.5 |
| 3 | CERBROVASCULAR DISEASES..... | 1,803 | 5.4 | 3 | CERBROVASCULAR DISEASES..... | 796 | 5.6 |
| 4 | CHRONIC LOWER RESPIRATORY DISEASES..... | 1,686 | 5.1 | 4 | ACCIDENTS..... | 650 | 4.6 |
| 5 | ACCIDENTS..... | 1,527 | 4.6 | 5 | DIABETES MELLITUS..... | 540 | 3.8 |
| 6 | ALZHEIMER'S DISEASE..... | 936 | 2.8 | 6 | ASSAULT (HOMICIDE)..... | 475 | 3.4 |
| 7 | DIABETES MELLITUS..... | 762 | 2.3 | 7 | CHRONIC LOWER RESPIRATORY DISEASES..... | 364 | 2.6 |
| 8 | INFLUENZA AND PNEUMONIA..... | 739 | 2.2 | 8 | NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS | 320 | 2.3 |
| WHITE, 1-4 YEARS | | NUMBER | PERCENT | BLACK, 1-4 YEARS | | NUMBER | PERCENT |
| RANK | ALL CAUSES..... | 25 | 100.0 | RANK | ALL CAUSES..... | 33 | 100.0 |
| 1 | ACCIDENTS..... | 5 | 20.0 | 1 | ACCIDENTS..... | 10 | 40.0 |
| | | | | 2 | ASSAULT (HOMICIDE)..... | 7 | 28.0 |
| WHITE, 5-14 YEARS | | NUMBER | PERCENT | BLACK, 5-14 YEARS | | NUMBER | PERCENT |
| RANK | ALL CAUSES..... | 39 | 100.0 | RANK | ALL CAUSES..... | 47 | 100.0 |
| 1 | MALIGNANT NEOPLASMS..... | 9 | 23.1 | 1 | ACCIDENTS..... | 14 | 29.8 |
| 2 | ACCIDENTS..... | 7 | 17.9 | 2 | MALIGNANT NEOPLASMS..... | 7 | 14.9 |
| WHITE, 15-24 YEARS | | NUMBER | PERCENT | BLACK, 15-24 YEARS | | NUMBER | PERCENT |
| RANK | ALL CAUSES..... | 316 | 100.0 | RANK | ALL CAUSES..... | 319 | 100.0 |
| 1 | ACCIDENTS..... | 110 | 34.8 | 1 | ASSAULT (HOMICIDE)..... | 153 | 48.0 |
| 2 | INTENTIONAL SELF-HARM (SUICIDE)..... | 40 | 12.7 | 2 | ACCIDENTS..... | 58 | 18.2 |
| 3 | MALIGNANT NEOPLASMS..... | 19 | 6.0 | 3 | INTENTIONAL SELF-HARM (SUICIDE)..... | 18 | 5.6 |
| 4 | ASSAULT (HOMICIDE)..... | 16 | 5.1 | 4 | DISEASES OF THE HEART..... | 16 | 5.0 |
| 5 | DISEASES OF THE HEART..... | 12 | 3.8 | 5 | INFLUENZA AND PNEUMONIA..... | 6 | 1.9 |
| | | | | 5 | MALIGNANT NEOPLASMS..... | 6 | 1.9 |
| WHITE, 25-44 YEARS | | NUMBER | PERCENT | BLACK, 25-44 YEARS | | NUMBER | PERCENT |
| RANK | ALL CAUSES..... | 1,535 | 100.0 | RANK | ALL CAUSES..... | 1,124 | 100.0 |
| 1 | ACCIDENTS..... | 357 | 23.3 | 1 | ASSAULT (HOMICIDE)..... | 241 | 21.4 |
| 2 | MALIGNANT NEOPLASMS..... | 138 | 9.0 | 2 | ACCIDENTS..... | 160 | 14.2 |
| 3 | DISEASES OF THE HEART..... | 131 | 8.5 | 3 | DISEASES OF THE HEART..... | 142 | 12.6 |
| 4 | INTENTIONAL SELF-HARM (SUICIDE)..... | 117 | 7.6 | 4 | MALIGNANT NEOPLASMS..... | 116 | 10.3 |
| 5 | CHRONIC LIVER DISEASE AND CIRRHOSIS..... | 37 | 2.4 | 5 | INTENTIONAL SELF-HARM (SUICIDE)..... | 42 | 3.7 |
| 6 | ASSAULT (HOMICIDE)..... | 26 | 1.7 | 6 | HUMAN IMMUNODEFICIENCY VIRUS (HIV) DIS..... | 29 | 2.6 |
| 7 | DIABETES MELLITUS..... | 16 | 1.0 | 6 | DIABETES MELLITUS..... | 29 | 2.6 |
| 8 | INFLUENZA AND PNEUMONIA..... | 15 | 1.0 | 7 | CERBROVASCULAR DISEASES..... | 21 | 1.9 |
| WHITE, 45-64 YEARS | | NUMBER | PERCENT | BLACK, 45-64 YEARS | | NUMBER | PERCENT |
| RANK | ALL CAUSES..... | 5,786 | 100.0 | RANK | ALL CAUSES..... | 4,052 | 100.0 |
| 1 | MALIGNANT NEOPLASMS..... | 1,809 | 31.3 | 1 | MALIGNANT NEOPLASMS..... | 1,118 | 27.6 |
| 2 | DISEASES OF THE HEART..... | 1,224 | 21.2 | 2 | DISEASES OF THE HEART..... | 961 | 23.7 |
| 3 | ACCIDENTS..... | 375 | 6.5 | 3 | ACCIDENTS..... | 237 | 5.8 |
| 4 | DIABETES MELLITUS..... | 194 | 3.4 | 4 | CERBROVASCULAR DISEASES..... | 159 | 3.9 |
| 5 | CHRONIC LOWER RESPIRATORY DISEASES..... | 190 | 3.3 | 5 | DIABETES MELLITUS..... | 153 | 3.8 |
| 6 | INTENTIONAL SELF-HARM (SUICIDE)..... | 185 | 3.2 | 6 | HUMAN IMMUNODEFICIENCY VIRUS (HIV) DIS..... | 95 | 2.3 |
| 7 | CHRONIC LIVER DISEASE AND CIRRHOSIS..... | 152 | 2.6 | 7 | CHRONIC LOWER RESPIRATORY DISEASES..... | 86 | 2.1 |
| 8 | CERBROVASCULAR DISEASES..... | 125 | 2.2 | 8 | SEPTICEMIA..... | 85 | 2.1 |
| WHITE, 65 YEARS AND OVER | | NUMBER | PERCENT | BLACK, 65 YEARS AND OVER | | NUMBER | PERCENT |
| RANK | ALL CAUSES..... | 25,285 | 100.0 | RANK | ALL CAUSES..... | 8,281 | 100.0 |
| 1 | DISEASES OF THE HEART..... | 6,514 | 25.8 | 1 | DISEASES OF THE HEART..... | 2,097 | 25.3 |
| 2 | MALIGNANT NEOPLASMS..... | 5,360 | 21.2 | 2 | MALIGNANT NEOPLASMS..... | 1,929 | 23.3 |
| 3 | CERBROVASCULAR DISEASES..... | 1,661 | 6.6 | 3 | CERBROVASCULAR DISEASES..... | 612 | 7.4 |
| 4 | CHRONIC LOWER RESPIRATORY DISEASES..... | 1,490 | 5.9 | 4 | DIABETES MELLITUS..... | 355 | 4.3 |
| 5 | ALZHEIMER'S DISEASE..... | 921 | 3.6 | 5 | CHRONIC LOWER RESPIRATORY DISEASES..... | 263 | 3.2 |
| 6 | ACCIDENTS..... | 670 | 2.6 | 6 | NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS | 232 | 2.8 |
| 7 | INFLUENZA AND PNEUMONIA..... | 635 | 2.5 | 7 | ALZHEIMER'S DISEASE..... | 212 | 2.6 |
| 8 | DIABETES MELLITUS..... | 552 | 2.2 | 8 | SEPTICEMIA..... | 197 | 2.4 |

*Leading causes are shown only if there were five or more deaths in a given category.

***Excludes races categorized as 'unknown' or 'other'.

**ICD-10 codes appear in appendix.

TABLE 43C. THE EIGHT LEADING CAUSES* OF DEATH, *** BY SEX AND AGE, MARYLAND, 2016.**

| MALE, ALL AGES | | | | FEMALE, ALL AGES | | | |
|-------------------------|---|--------|---------|---------------------------|--|--------|---------|
| RANK | | NUMBER | PERCENT | RANK | | NUMBER | PERCENT |
| | ALL CAUSES..... | 24,738 | 100.0 | | ALL CAUSES..... | 24,137 | 100.0 |
| 1 | DISEASES OF THE HEART..... | 6,073 | 24.5 | 1 | MALIGNANT NEOPLASMS..... | 5,445 | 22.6 |
| 2 | MALIGNANT NEOPLASMS..... | 5,474 | 22.1 | 2 | DISEASES OF THE HEART..... | 5,335 | 22.1 |
| 3 | ACCIDENTS..... | 1,482 | 6.0 | 3 | CERBROVASCULAR DISEASES..... | 1,651 | 6.8 |
| 4 | CERBROVASCULAR DISEASES..... | 1,055 | 4.3 | 4 | CHRONIC LOWER RESPIRATORY DISEASES..... | 1,173 | 4.9 |
| 5 | CHRONIC LOWER RESPIRATORY DISEASES..... | 900 | 3.6 | 5 | ACCIDENTS..... | 800 | 3.3 |
| 6 | DIABETES MELLITUS..... | 736 | 3.0 | 6 | ALZHEIMER'S DISEASE..... | 797 | 3.3 |
| 7 | INFLUENZA AND PNEUMONIA..... | 494 | 2.0 | 7 | DIABETES MELLITUS..... | 621 | 2.6 |
| 8 | ASSAULT (HOMICIDE)..... | 487 | 2.0 | 8 | INFLUENZA AND PNEUMONIA..... | 531 | 2.2 |
| MALE, 1-4 YEARS | | | | FEMALE, 1-4 YEARS | | | |
| | ALL CAUSES..... | 37 | 100.0 | | ALL CAUSES..... | 28 | 100.0 |
| 1 | ACCIDENTS..... | 13 | 35.1 | 1 | ACCIDENTS..... | 5 | 17.9 |
| 2 | CONGENITAL ABNORMALITIES..... | 5 | 13.5 | 1 | | | |
| MALE, 5-14 YEARS | | | | FEMALE, 5-14 YEARS | | | |
| | ALL CAUSES..... | 49 | 100.0 | | ALL CAUSES..... | 46 | 100.0 |
| 1 | ACCIDENTS..... | 16 | 32.7 | 1 | MALIGNANT NEOPLASMS..... | 11 | 23.9 |
| 2 | MALIGNANT NEOPLASMS..... | 6 | 12.2 | 2 | ACCIDENTS..... | 6 | 13.0 |
| 3 | INTENTIONAL SELF-HARM (SUICIDE)..... | 5 | 10.2 | | | | |
| MALE, 15-24 YEARS | | | | FEMALE, 15-24 YEARS | | | |
| | ALL CAUSES..... | 521 | 100.0 | | ALL CAUSES..... | 158 | 100.0 |
| 1 | ASSAULT (HOMICIDE)..... | 164 | 31.5 | 1 | ACCIDENTS..... | 40 | 25.3 |
| 2 | ACCIDENTS..... | 136 | 26.1 | 2 | INTENTIONAL SELF-HARM (SUICIDE)..... | 17 | 10.8 |
| 3 | INTENTIONAL SELF-HARM (SUICIDE)..... | 49 | 9.4 | 3 | MALIGNANT NEOPLASMS..... | 14 | 8.9 |
| 4 | DISEASES OF THE HEART..... | 23 | 4.4 | 4 | ASSAULT (HOMICIDE)..... | 13 | 8.2 |
| 5 | MALIGNANT NEOPLASMS..... | 13 | 2.5 | 5 | DISEASES OF THE HEART..... | 9 | 5.7 |
| 6 | INFLUENZA AND PNEUMONIA..... | 6 | 1.2 | | | | |
| 7 | CERBROVASCULAR DISEASES..... | 5 | 1.0 | | | | |
| MALE 25-44 YEARS | | | | FEMALE 25-44 YEARS | | | |
| | ALL CAUSES..... | 1,888 | 100.0 | | ALL CAUSES..... | 900 | 100.0 |
| 1 | ACCIDENTS..... | 407 | 21.6 | 1 | MALIGNANT NEOPLASMS..... | 163 | 18.1 |
| 2 | ASSAULT (HOMICIDE)..... | 241 | 12.8 | 2 | ACCIDENTS..... | 140 | 15.6 |
| 3 | DISEASES OF THE HEART..... | 185 | 9.8 | 3 | DISEASES OF THE HEART..... | 105 | 11.7 |
| 4 | INTENTIONAL SELF-HARM (SUICIDE)..... | 144 | 7.6 | 4 | INTENTIONAL SELF-HARM (SUICIDE)..... | 32 | 3.6 |
| 5 | MALIGNANT NEOPLASMS..... | 115 | 6.1 | 5 | ASSAULT (HOMICIDE)..... | 31 | 3.4 |
| 6 | CHRONIC LIVER DISEASE AND CIRRHOSIS..... | 29 | 1.5 | 6 | DIABETES MELLITUS..... | 19 | 2.1 |
| 7 | DIABETES MELLITUS..... | 28 | 1.5 | 6 | CHRONIC LIVER DISEASE AND CIRRHOSIS..... | 19 | 2.1 |
| 8 | HUMAN IMMUNODEFICIENCY VIRUS (HIV) DIS..... | 23 | 1.2 | 7 | CERBROVASCULAR DISEASES..... | 17 | 1.9 |
| MALE, 45-64 YEARS | | | | FEMALE, 45-64 YEARS | | | |
| | ALL CAUSES..... | 6,038 | 100.0 | | ALL CAUSES..... | 4,134 | 100.0 |
| 1 | DISEASES OF THE HEART..... | 1,514 | 25.1 | 1 | MALIGNANT NEOPLASMS..... | 1,551 | 37.5 |
| 2 | MALIGNANT NEOPLASMS..... | 1,494 | 24.7 | 2 | DISEASES OF THE HEART..... | 727 | 17.6 |
| 3 | ACCIDENTS..... | 477 | 7.9 | 3 | ACCIDENTS..... | 161 | 3.9 |
| 4 | DIABETES MELLITUS..... | 219 | 3.6 | 4 | CHRONIC LOWER RESPIRATORY DISEASES..... | 153 | 3.7 |
| 5 | INTENTIONAL SELF-HARM (SUICIDE)..... | 175 | 2.9 | 5 | DIABETES MELLITUS..... | 142 | 3.4 |
| 6 | CERBROVASCULAR DISEASES..... | 173 | 2.9 | 6 | CERBROVASCULAR DISEASES..... | 131 | 3.2 |
| 7 | CHRONIC LIVER DISEASE AND CIRRHOSIS..... | 142 | 2.4 | 7 | CHRONIC LIVER DISEASE AND CIRRHOSIS..... | 82 | 2.0 |
| 8 | CHRONIC LOWER RESPIRATORY DISEASES..... | 125 | 2.1 | 8 | SEPTICEMIA..... | 72 | 1.7 |
| MALE, 65 YEARS AND OVER | | | | FEMALE, 65 YEARS AND OVER | | | |
| | ALL CAUSES..... | 15,938 | 100.0 | | ALL CAUSES..... | 18,655 | 100.0 |
| 1 | DISEASES OF THE HEART..... | 4,347 | 27.3 | 1 | DISEASES OF THE HEART..... | 4,490 | 24.1 |
| 2 | MALIGNANT NEOPLASMS..... | 3,842 | 24.1 | 2 | MALIGNANT NEOPLASMS..... | 3,703 | 19.8 |
| 3 | CERBROVASCULAR DISEASES..... | 851 | 5.3 | 3 | CERBROVASCULAR DISEASES..... | 1,503 | 8.1 |
| 4 | CHRONIC LOWER RESPIRATORY DISEASES..... | 764 | 4.8 | 4 | CHRONIC LOWER RESPIRATORY DISEASES..... | 1,010 | 5.4 |
| 5 | DIABETES MELLITUS..... | 488 | 3.1 | 5 | ALZHEIMER'S DISEASE..... | 787 | 4.2 |
| 6 | ACCIDENTS..... | 426 | 2.7 | 6 | DIABETES MELLITUS..... | 458 | 2.5 |
| 7 | INFLUENZA AND PNEUMONIA..... | 398 | 2.5 | 7 | INFLUENZA AND PNEUMONIA..... | 457 | 2.4 |
| 8 | ALZHEIMER'S DISEASE..... | 373 | 2.3 | 8 | ACCIDENTS..... | 446 | 2.4 |

*Leading causes are shown only if there were five or more deaths in a given category.

***Excludes sexes categorized as 'unknown' or 'other'.

**ICD-10 codes appear in appendix.

TABLE 43D. THE EIGHT LEADING CAUSES* OF DEATH, *** AMONG MALES BY RACE AND AGE, MARYLAND, 2016.**

| WHITE MALE, ALL AGES | | | | BLACK MALE, ALL AGES | | | |
|-------------------------------|--|--------|---------|-------------------------------|---|--------|---------|
| RANK | | NUMBER | PERCENT | RANK | | NUMBER | PERCENT |
| | ALL CAUSES..... | 16,452 | 100.0 | | ALL CAUSES..... | 7,437 | 100.0 |
| 1 | DISEASES OF THE HEART..... | 4,135 | 25.1 | 1 | DISEASES OF THE HEART..... | 1,758 | 23.6 |
| 2 | MALIGNANT NEOPLASMS..... | 3,717 | 22.6 | 2 | MALIGNANT NEOPLASMS..... | 1,573 | 21.2 |
| 3 | ACCIDENTS..... | 956 | 5.8 | 3 | ACCIDENTS..... | 455 | 6.1 |
| 4 | CHRONIC LOWER RESPIRATORY DISEASES..... | 712 | 4.3 | 4 | ASSAULT (HOMICIDE)..... | 424 | 5.7 |
| 5 | CERBROVASCULAR DISEASES..... | 680 | 4.1 | 5 | CERBROVASCULAR DISEASES..... | 328 | 4.4 |
| 6 | DIABETES MELLITUS..... | 431 | 2.6 | 6 | DIABETES MELLITUS..... | 278 | 3.7 |
| 7 | INFLUENZA AND PNEUMONIA..... | 358 | 2.2 | 7 | CHRONIC LOWER RESPIRATORY DISEASES..... | 175 | 2.4 |
| 8 | INTENTIONAL SELF-HARM (SUICIDE)..... | 352 | 2.1 | 8 | NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS | 154 | 2.1 |
| WHITE MALE, 1-4 YEARS | | | | BLACK MALE, 1-4 YEARS | | | |
| RANK | | NUMBER | PERCENT | RANK | | NUMBER | PERCENT |
| | ALL CAUSES..... | 16 | 100.0 | | ALL CAUSES..... | 18 | 100.0 |
| | | | | 1 | ACCIDENTS..... | 6 | 33.3 |
| WHITE MALE, 5-14 YEARS | | | | BLACK MALE, 5-14 YEARS | | | |
| RANK | | NUMBER | PERCENT | RANK | | NUMBER | PERCENT |
| | ALL CAUSES..... | 19 | 100.0 | | ALL CAUSES..... | 27 | 100.0 |
| 1 | ACCIDENTS..... | 5 | 26.3 | 1 | ACCIDENTS..... | 10 | 37.0 |
| WHITE MALE, 15-24 YEARS | | | | BLACK MALE, 15-24 YEARS | | | |
| RANK | | NUMBER | PERCENT | RANK | | NUMBER | PERCENT |
| | ALL CAUSES..... | 220 | 100.0 | | ALL CAUSES..... | 268 | 100.0 |
| 1 | ACCIDENTS..... | 82 | 37.3 | 1 | ASSAULT (HOMICIDE)..... | 147 | 54.9 |
| 2 | INTENTIONAL SELF-HARM (SUICIDE)..... | 27 | 12.3 | 2 | ACCIDENTS..... | 49 | 18.3 |
| 3 | ASSAULT (HOMICIDE)..... | 9 | 4.1 | 3 | INTENTIONAL SELF-HARM (SUICIDE)..... | 15 | 5.6 |
| 4 | DISEASES OF THE HEART..... | 8 | 3.6 | 4 | DISEASES OF THE HEART..... | 12 | 4.5 |
| 5 | MALIGNANT NEOPLASMS..... | 7 | 3.2 | 5 | MALIGNANT NEOPLASMS..... | 5 | 1.9 |
| WHITE MALE, 25-44 YEARS | | | | BLACK MALE, 25-44 YEARS | | | |
| RANK | | NUMBER | PERCENT | RANK | | NUMBER | PERCENT |
| | ALL CAUSES..... | 1,030 | 100.0 | | ALL CAUSES..... | 772 | 100.0 |
| 1 | ACCIDENTS..... | 266 | 25.8 | 1 | ASSAULT (HOMICIDE)..... | 219 | 28.4 |
| 2 | INTENTIONAL SELF-HARM (SUICIDE)..... | 94 | 9.1 | 2 | ACCIDENTS..... | 116 | 15.0 |
| 3 | DISEASES OF THE HEART..... | 83 | 8.1 | 3 | DISEASES OF THE HEART..... | 92 | 11.9 |
| 4 | MALIGNANT NEOPLASMS..... | 63 | 6.1 | 4 | MALIGNANT NEOPLASMS..... | 42 | 5.4 |
| 5 | CHRONIC LIVER DISEASE AND CIRRHOSIS..... | 23 | 2.2 | 5 | INTENTIONAL SELF-HARM (SUICIDE)..... | 37 | 4.8 |
| 6 | ASSAULT (HOMICIDE)..... | 18 | 1.7 | 6 | HUMAN IMMUNODEFICIENCY VIRUS (HIV) DIS..... | 21 | 2.7 |
| 7 | INFLUENZA AND PNEUMONIA..... | 9 | 0.9 | 7 | DIABETES MELLITUS..... | 18 | 2.3 |
| 8 | DIABETES MELLITUS..... | 8 | 0.8 | 8 | CERBROVASCULAR DISEASES..... | 12 | 1.6 |
| WHITE MALE, 45-64 YEARS | | | | BLACK MALE, 45-64 YEARS | | | |
| RANK | | NUMBER | PERCENT | RANK | | NUMBER | PERCENT |
| | ALL CAUSES..... | 3,512 | 100.0 | | ALL CAUSES..... | 2,331 | 100.0 |
| 1 | MALIGNANT NEOPLASMS..... | 916 | 26.1 | 1 | DISEASES OF THE HEART..... | 618 | 26.5 |
| 2 | DISEASES OF THE HEART..... | 858 | 24.4 | 2 | MALIGNANT NEOPLASMS..... | 521 | 22.4 |
| 3 | ACCIDENTS..... | 274 | 7.8 | 3 | ACCIDENTS..... | 183 | 7.9 |
| 4 | INTENTIONAL SELF-HARM (SUICIDE)..... | 146 | 4.2 | 4 | CERBROVASCULAR DISEASES..... | 86 | 3.7 |
| 5 | DIABETES MELLITUS..... | 130 | 3.7 | 5 | DIABETES MELLITUS..... | 79 | 3.4 |
| 6 | CHRONIC LIVER DISEASE AND CIRRHOSIS..... | 92 | 2.6 | 6 | HUMAN IMMUNODEFICIENCY VIRUS (HIV) DIS..... | 64 | 2.7 |
| 7 | CHRONIC LOWER RESPIRATORY DISEASES..... | 86 | 2.4 | 7 | SEPTICEMIA..... | 48 | 2.1 |
| 8 | CERBROVASCULAR DISEASES..... | 76 | 2.2 | 8 | CHRONIC LIVER DISEASE AND CIRRHOSIS..... | 47 | 2.0 |
| WHITE MALE, 65 YEARS AND OVER | | | | BLACK MALE, 65 YEARS AND OVER | | | |
| RANK | | NUMBER | PERCENT | RANK | | NUMBER | PERCENT |
| | ALL CAUSES..... | 11,557 | 100.0 | | ALL CAUSES..... | 3,880 | 100.0 |
| 1 | DISEASES OF THE HEART..... | 3,183 | 27.5 | 1 | DISEASES OF THE HEART..... | 1,035 | 26.7 |
| 2 | MALIGNANT NEOPLASMS..... | 2,725 | 23.6 | 2 | MALIGNANT NEOPLASMS..... | 1,001 | 25.8 |
| 3 | CHRONIC LOWER RESPIRATORY DISEASES..... | 624 | 5.4 | 3 | CERBROVASCULAR DISEASES..... | 226 | 5.8 |
| 4 | CERBROVASCULAR DISEASES..... | 593 | 5.1 | 4 | DIABETES MELLITUS..... | 180 | 4.6 |
| 5 | ACCIDENTS..... | 323 | 2.8 | 5 | CHRONIC LOWER RESPIRATORY DISEASES..... | 127 | 3.3 |
| 6 | ALZHEIMER'S DISEASE..... | 306 | 2.6 | 6 | NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS | 111 | 2.9 |
| 7 | INFLUENZA AND PNEUMONIA..... | 297 | 2.6 | 7 | ACCIDENTS..... | 87 | 2.2 |
| 8 | DIABETES MELLITUS..... | 293 | 2.5 | 7 | INFLUENZA AND PNEUMONIA..... | 87 | 2.2 |

*Leading causes are shown only if there were five or more deaths in a given category.

***Excludes sexes and/or races categorized as 'unknown' or 'other'.

**ICD-10 codes appear in appendix.

TABLE 43E. THE EIGHT LEADING CAUSES* OF DEATH, *** AMONG FEMALES BY RACE AND AGE, MARYLAND, 2016.**

| WHITE FEMALE, ALL AGES | | | | BLACK FEMALE, ALL AGES | | | |
|---------------------------------|--|--------|---------|---------------------------------|---|--------|---------|
| RANK | | NUMBER | PERCENT | RANK | | NUMBER | PERCENT |
| | ALL CAUSES..... | 16,718 | 100.0 | | ALL CAUSES..... | 6,673 | 100.0 |
| 1 | DISEASES OF THE HEART..... | 3,752 | 22.4 | 1 | MALIGNANT NEOPLASMS..... | 1,604 | 24.0 |
| 2 | MALIGNANT NEOPLASMS..... | 3,623 | 21.7 | 2 | DISEASES OF THE HEART..... | 1,459 | 21.9 |
| 3 | CERBROVASCULAR DISEASES..... | 1,123 | 6.7 | 3 | CERBROVASCULAR DISEASES..... | 468 | 7.0 |
| 4 | CHRONIC LOWER RESPIRATORY DISEASES..... | 974 | 5.8 | 4 | DIABETES MELLITUS..... | 262 | 3.9 |
| 5 | ALZHEIMER'S DISEASE..... | 624 | 3.7 | 5 | ACCIDENTS..... | 195 | 2.9 |
| 6 | ACCIDENTS..... | 571 | 3.4 | 6 | CHRONIC LOWER RESPIRATORY DISEASES..... | 189 | 2.8 |
| 7 | INFLUENZA AND PNEUMONIA..... | 381 | 2.3 | 7 | NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS | 166 | 2.5 |
| 8 | DIABETES MELLITUS..... | 331 | 2.0 | 8 | SEPTICEMIA..... | 160 | 2.4 |
| WHITE FEMALE, 1-4 YEARS | | | | BLACK FEMALE, 1-4 YEARS | | | |
| | ALL CAUSES..... | 9 | 100.0 | | ALL CAUSES..... | 15 | 100.0 |
| WHITE FEMALE, 5-14 YEARS | | | | BLACK FEMALE, 5-14 YEARS | | | |
| | ALL CAUSES..... | 20 | 100.0 | | ALL CAUSES..... | 20 | 100.0 |
| 1 | MALIGNANT NEOPLASMS..... | 6 | 30.0 | | | | |
| WHITE FEMALE, 15-24 YEARS | | | | BLACK FEMALE, 15-24 YEARS | | | |
| | ALL CAUSES..... | 96 | 100.0 | | ALL CAUSES..... | 53 | 100.0 |
| 1 | ACCIDENTS..... | 28 | 29.2 | 1 | ACCIDENTS..... | 9 | 17.0 |
| 2 | INTENTIONAL SELF-HARM (SUICIDE)..... | 13 | 13.5 | 2 | ASSAULT (HOMICIDE)..... | 6 | 11.3 |
| 3 | MALIGNANT NEOPLASMS..... | 12 | 12.5 | | | | |
| 4 | ASSAULT (HOMICIDE)..... | 7 | 7.3 | | | | |
| WHITE FEMALE, 25-44 YEARS | | | | BLACK FEMALE, 25-44 YEARS | | | |
| | ALL CAUSES..... | 505 | 100.0 | | ALL CAUSES..... | 352 | 100.0 |
| 1 | ACCIDENTS..... | 91 | 18.0 | 1 | MALIGNANT NEOPLASMS..... | 74 | 21.0 |
| 2 | MALIGNANT NEOPLASMS..... | 75 | 14.9 | 2 | DISEASES OF THE HEART..... | 50 | 14.2 |
| 3 | DISEASES OF THE HEART..... | 48 | 9.5 | 3 | ACCIDENTS..... | 44 | 12.5 |
| 4 | INTENTIONAL SELF-HARM (SUICIDE)..... | 23 | 4.6 | 4 | ASSAULT (HOMICIDE)..... | 22 | 6.3 |
| 5 | CHRONIC LIVER DISEASE AND CIRRHOSIS..... | 14 | 2.8 | 5 | DIABETES MELLITUS..... | 11 | 3.1 |
| 6 | DIABETES MELLITUS..... | 8 | 1.6 | 6 | CERBROVASCULAR DISEASES..... | 9 | 2.6 |
| 6 | ASSAULT (HOMICIDE)..... | 8 | 1.6 | 7 | SEPTICEMIA..... | 8 | 2.3 |
| 7 | INFLUENZA AND PNEUMONIA..... | 6 | 1.2 | 7 | HUMAN IMMUNODEFICIENCY VIRUS (HIV) DIS..... | 8 | 2.3 |
| 7 | CERBROVASCULAR DISEASES..... | 6 | 1.2 | | | | |
| WHITE FEMALE, 45-64 YEARS | | | | BLACK FEMALE, 45-64 YEARS | | | |
| | ALL CAUSES..... | 2,274 | 100.0 | | ALL CAUSES..... | 1,721 | 100.0 |
| 1 | MALIGNANT NEOPLASMS..... | 893 | 39.3 | 1 | MALIGNANT NEOPLASMS..... | 597 | 34.7 |
| 2 | DISEASES OF THE HEART..... | 366 | 16.1 | 2 | DISEASES OF THE HEART..... | 343 | 19.9 |
| 3 | CHRONIC LOWER RESPIRATORY DISEASES..... | 104 | 4.6 | 3 | DIABETES MELLITUS..... | 74 | 4.3 |
| 4 | ACCIDENTS..... | 101 | 4.4 | 4 | CERBROVASCULAR DISEASES..... | 73 | 4.2 |
| 5 | DIABETES MELLITUS..... | 64 | 2.8 | 4 | ACCIDENTS..... | 54 | 3.1 |
| 6 | CHRONIC LIVER DISEASE AND CIRRHOSIS..... | 60 | 2.6 | 6 | CHRONIC LOWER RESPIRATORY DISEASES..... | 47 | 2.7 |
| 7 | CERBROVASCULAR DISEASES..... | 49 | 2.2 | 7 | NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS | 40 | 2.3 |
| 8 | INTENTIONAL SELF-HARM (SUICIDE)..... | 39 | 1.7 | 8 | SEPTICEMIA..... | 37 | 2.1 |
| WHITE FEMALE, 65 YEARS AND OVER | | | | BLACK FEMALE, 65 YEARS AND OVER | | | |
| | ALL CAUSES..... | 13,728 | 100.0 | | ALL CAUSES..... | 4,401 | 100.0 |
| 1 | DISEASES OF THE HEART..... | 3,331 | 24.3 | 1 | DISEASES OF THE HEART..... | 1,062 | 24.1 |
| 2 | MALIGNANT NEOPLASMS..... | 2,635 | 19.2 | 2 | MALIGNANT NEOPLASMS..... | 928 | 21.1 |
| 3 | CERBROVASCULAR DISEASES..... | 1,068 | 7.8 | 3 | CERBROVASCULAR DISEASES..... | 386 | 8.8 |
| 4 | CHRONIC LOWER RESPIRATORY DISEASES..... | 866 | 6.3 | 4 | DIABETES MELLITUS..... | 175 | 4.0 |
| 5 | ALZHEIMER'S DISEASE..... | 615 | 4.5 | 5 | ALZHEIMER'S DISEASE..... | 153 | 3.5 |
| 6 | ACCIDENTS..... | 347 | 2.5 | 6 | CHRONIC LOWER RESPIRATORY DISEASES..... | 136 | 3.1 |
| 7 | INFLUENZA AND PNEUMONIA..... | 338 | 2.5 | 7 | NEPHRITIS, NEPHROTIC SYNDROME, NEPHROSIS | 121 | 2.7 |
| 8 | DIABETES MELLITUS..... | 259 | 1.9 | 8 | SEPTICEMIA..... | 113 | 2.6 |

*Leading causes are shown only if there were five or more deaths in a given category.

***Excludes sexes and/or races categorized as 'unknown' or 'other'.

**ICD-10 codes appear in appendix.

TABLE 44. LEADING CAUSES OF DEATH*, ****, ***** AMONG ADOLESCENTS BY AGE, RACE, HISPANIC ORIGIN AND SEX, MARYLAND, 2016**

| | NUMBER OF DEATHS BY RACE AND SEX | | | | | | | | | | | |
|--------------------------------------|----------------------------------|-------|--------|--------------------|-------|--------|--------------------|-------|--------|------------|-------|--------|
| | ALL RACES* | | | NON-HISPANIC WHITE | | | NON-HISPANIC BLACK | | | HISPANIC** | | |
| | BOTH SEXES | MALE | FEMALE | BOTH SEXES | MALE | FEMALE | BOTH SEXES | MALE | FEMALE | BOTH SEXES | MALE | FEMALE |
| 10-14 YEARS | | | | | | | | | | | | |
| ALL CAUSES..... | 54 | 31 | 23 | 18 | 10 | 8 | 28 | 18 | 10 | 5 | 1 | 4 |
| MALIGNANT NEOPLASMS..... | 11 | 4 | 7 | 5 | 0 | 5 | 5 | 3 | 2 | 1 | 1 | 0 |
| ACCIDENTS..... | 7 | 6 | 1 | 2 | 2 | 0 | 5 | 4 | 1 | 0 | 0 | 0 |
| MOTOR VEHICLE ACCIDENTS..... | 5 | 4 | 1 | 2 | 2 | 0 | 3 | 2 | 1 | 0 | 0 | 0 |
| INTENTIONAL SELF-HARM (SUICIDE)..... | 6 | 5 | 1 | 3 | 2 | 1 | 2 | 2 | 0 | 0 | 0 | 0 |
| 15-19 YEARS | | | | | | | | | | | | |
| ALL CAUSES..... | 200 | 140 | 60 | 76 | 48 | 28 | 89 | 70 | 19 | 25 | 18 | 7 |
| ACCIDENTS..... | 54 | 39 | 15 | 24 | 18 | 6 | 20 | 16 | 4 | 6 | 4 | 2 |
| MOTOR VEHICLE ACCIDENTS..... | 34 | 24 | 10 | 13 | 10 | 3 | 12 | 10 | 2 | 5 | 3 | 2 |
| ASSAULT (HOMICIDE)..... | 54 | 48 | 6 | 4 | 1 | 3 | 45 | 42 | 3 | 3 | 3 | 0 |
| INTENTIONAL SELF-HARM (SUICIDE)..... | 25 | 15 | 10 | 15 | 8 | 7 | 4 | 2 | 2 | 5 | 4 | 1 |
| MALIGNANT NEOPLASMS..... | 12 | 5 | 7 | 5 | 2 | 3 | 2 | 1 | 1 | 4 | 2 | 2 |
| DISEASES OF THE HEART..... | 9 | 6 | 3 | 6 | 4 | 2 | 1 | 1 | 0 | 1 | 1 | 0 |
| | DEATHS RATES BY RACE AND SEX | | | | | | | | | | | |
| | ALL RACES* | | | NON-HISPANIC WHITE | | | NON-HISPANIC BLACK | | | HISPANIC** | | |
| | BOTH SEXES | MALE | FEMALE | BOTH SEXES | MALE | FEMALE | BOTH SEXES | MALE | FEMALE | BOTH SEXES | MALE | FEMALE |
| 10-14 YEARS | | | | | | | | | | | | |
| ALL CAUSES..... | 14.4 | 16.3 | 12.5 | 10.3 | 11.2 | 9.4 | 22.7 | 28.8 | 16.5 | 25.0 | ***** | ***** |
| MALIGNANT NEOPLASMS..... | 2.9 | ***** | 3.8 | 2.9 | ***** | 5.9 | 4.1 | ***** | ***** | ***** | ***** | ***** |
| ACCIDENTS..... | 1.9 | 3.2 | ***** | ***** | ***** | ***** | 4.1 | ***** | ***** | ***** | ***** | ***** |
| MOTOR VEHICLE ACCIDENTS..... | 1.3 | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** |
| INTENTIONAL SELF-HARM (SUICIDE)..... | 1.6 | 2.6 | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** |
| 15-19 YEARS | | | | | | | | | | | | |
| ALL CAUSES..... | 51.8 | 71.2 | 31.7 | 40.6 | 50.0 | 30.3 | 69.0 | 107.9 | 29.6 | 57.9 | 80.3 | 31.2 |
| ACCIDENTS..... | 14.0 | 19.8 | 7.9 | 12.8 | 18.8 | 6.5 | 15.5 | 24.7 | ***** | 9.4 | ***** | ***** |
| MOTOR VEHICLE ACCIDENTS..... | 8.8 | 12.2 | 5.3 | 6.9 | 10.4 | ***** | 9.3 | 15.4 | ***** | 7.8 | ***** | ***** |
| ASSAULT (HOMICIDE)..... | 14.0 | 24.4 | 3.2 | ***** | ***** | ***** | 34.9 | 64.7 | ***** | ***** | ***** | ***** |
| INTENTIONAL SELF-HARM (SUICIDE)..... | 6.5 | 7.6 | 5.3 | 8.0 | 8.3 | 7.6 | ***** | ***** | ***** | 7.8 | ***** | ***** |
| MALIGNANT NEOPLASMS..... | 3.1 | 2.5 | 3.7 | 2.7 | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** |
| DISEASES OF THE HEART..... | 2.3 | 3.0 | ***** | 3.2 | ***** | ***** | ***** | ***** | ***** | ***** | ***** | ***** |

*Includes races categorized as 'unknown' or 'other'.

****Leading causes are shown only if there were five or more total deaths in a given age group.

**Includes persons of Hispanic origin of any race.

*****ICD-10 codes appear in appendix.

***Excludes sexes and/or races categorized as 'unknown' or 'other'.

*****Rates based on <5 events in the numerator are not presented since such rates are subject to instability.

TABLE 45. NUMBER OF VIOLENT DEATHS AMONG ADOLESCENTS AGES 10-19 YEARS BY CAUSE OF DEATH, AND RACE, HISPANIC ORIGIN, REGION AND POLITICAL SUBDIVISION, MARYLAND, 2016.

| REGION AND POLITICAL SUBDIVISION | ACCIDENTS | | | | ASSAULT (HOMICIDE) | | | | INTENTIONAL SELF-HARM (SUICIDE) | | | |
|----------------------------------|------------|--------------------|--------------------|------------|--------------------|--------------------|--------------------|------------|---------------------------------|--------------------|--------------------|------------|
| | ALL RACES* | NON-HISPANIC WHITE | NON-HISPANIC BLACK | HISPANIC** | ALL RACES* | NON-HISPANIC WHITE | NON-HISPANIC BLACK | HISPANIC** | ALL RACES* | NON-HISPANIC WHITE | NON-HISPANIC BLACK | HISPANIC** |
| MARYLAND | 61 | 26 | 25 | 6 | 57 | 4 | 47 | 4 | 31 | 18 | 6 | 5 |
| NORTHWEST AREA | 2 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 5 | 5 | 0 | 0 |
| GARRETT | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ALLEGANY | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| WASHINGTON | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 0 |
| FREDERICK | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 3 | 0 | 0 |
| BALTIMORE METRO AREA | 27 | 13 | 11 | 1 | 42 | 3 | 35 | 2 | 14 | 7 | 3 | 3 |
| BALTIMORE CITY | 10 | 2 | 8 | 0 | 24 | 0 | 23 | 1 | 2 | 0 | 2 | 0 |
| BALTIMORE COUNTY | 6 | 3 | 2 | 0 | 12 | 1 | 10 | 0 | 3 | 2 | 1 | 0 |
| ANNE ARUNDEL | 4 | 3 | 1 | 0 | 5 | 2 | 2 | 1 | 5 | 3 | 0 | 2 |
| CARROLL | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 1 | 0 | 1 |
| HOWARD | 4 | 2 | 0 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 |
| HARFORD | 2 | 2 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| NATIONAL CAPITAL AREA | 18 | 3 | 11 | 4 | 12 | 0 | 10 | 2 | 11 | 5 | 3 | 2 |
| MONTGOMERY | 9 | 3 | 4 | 2 | 1 | 0 | 0 | 1 | 8 | 5 | 0 | 2 |
| PRINCE GEORGE'S | 9 | 0 | 7 | 2 | 11 | 0 | 10 | 1 | 3 | 0 | 3 | 0 |
| SOUTHERN AREA | 5 | 3 | 1 | 0 | 2 | 0 | 2 | 0 | 1 | 1 | 0 | 0 |
| CALVERT | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 |
| CHARLES | 3 | 1 | 1 | 0 | 2 | 0 | 2 | 0 | 0 | 0 | 0 | 0 |
| SAINT MARY'S | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| EASTERN SHORE AREA | 9 | 6 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CECIL | 3 | 2 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| KENT | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| QUEEN ANNE'S | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CAROLINE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TALBOT | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DORCHESTER | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WICOMICO | 4 | 3 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| SOMERSET | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WORCESTER | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

*Includes races categorized as 'unknown' or 'other'.

**Includes all deaths to persons of Hispanic origin of any race.

TABLE 46. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY AGE, MARYLAND, 2016.

| CAUSES OF DEATH | DEATHS BY AGE | | | | | | | | | | | | |
|---|---------------|-----|-----|------|-------|-------|-------|-------|-------|-------|--------|-----------|------------|
| | ALL AGES | <1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85 & OVER | NOT STATED |
| ALL CAUSES | 48,884 | 478 | 65 | 95 | 679 | 1288 | 1,500 | 3,459 | 6,713 | 8,987 | 10,908 | 14,698 | 14 |
| SALMONELLA INFECTIONS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| SHIGELLOSIS AND AMEBIASIS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CERTAIN OTHER INTESTINAL INFECTIONS | 208 | 7 | 0 | 0 | 0 | 4 | 2 | 6 | 28 | 47 | 51 | 63 | 0 |
| TUBERCULOSIS, ALL FORMS | 8 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 4 | 0 |
| RESPIRATORY TUBERCULOSIS | 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 4 | 0 |
| OTHER TUBERCULOSIS | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| WHOOPING COUGH | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| SCARLET FEVER AND ERYSIPELAS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MENINGOCOCCAL INFECTION | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| SEPTICEMIA | 878 | 4 | 2 | 2 | 2 | 7 | 19 | 53 | 124 | 203 | 238 | 224 | 0 |
| SYPHILIS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ACUTE POLIOMYELITIS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ARTHROPOD-BORNE VIRAL ENCEPHALITIS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MEASLES | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| VIRAL HEPATITIS | 100 | 0 | 0 | 0 | 0 | 0 | 6 | 20 | 45 | 19 | 8 | 2 | 0 |
| HUMAN IMMUNODEFICIENCY VIRUS | 191 | 0 | 0 | 0 | 3 | 6 | 26 | 54 | 59 | 30 | 10 | 3 | 0 |
| MALARIA | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| OTHER INFECTIOUS AND PARASITIC DISEASES | 128 | 0 | 1 | 1 | 0 | 5 | 9 | 13 | 26 | 19 | 28 | 26 | 0 |
| MALIGNANT NEOPLASMS | 10,919 | 1 | 5 | 17 | 27 | 71 | 207 | 823 | 2,222 | 2,960 | 2,704 | 1,881 | 1 |
| LIP, ORAL CAVITY AND PHARYNX | 216 | 0 | 0 | 0 | 0 | 2 | 8 | 26 | 57 | 60 | 35 | 28 | 0 |
| ESOPHAGUS | 276 | 0 | 0 | 0 | 0 | 0 | 6 | 21 | 67 | 81 | 66 | 35 | 0 |
| STOMACH | 197 | 0 | 0 | 0 | 0 | 1 | 7 | 23 | 47 | 43 | 41 | 35 | 0 |

TABLE 46. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY AGE, MARYLAND, 2016. — Continued

| CAUSES OF DEATH | DEATHS BY AGE | | | | | | | | | | | | |
|--|---------------|----|-----|------|-------|-------|-------|-------|-------|-------|-------|-----------|------------|
| | ALL AGES | <1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85 & OVER | NOT STATED |
| COLON, RECTUM, AND ANUS | 976 | 0 | 0 | 0 | 2 | 5 | 28 | 106 | 218 | 193 | 245 | 179 | 0 |
| LIVER AND INTRAHEPATIC BILE DUCTS | 451 | 0 | 0 | 0 | 0 | 0 | 3 | 29 | 159 | 144 | 84 | 32 | 0 |
| PANCREAS | 782 | 0 | 0 | 0 | 0 | 1 | 9 | 65 | 159 | 230 | 203 | 115 | 0 |
| LARYNX | 74 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | 24 | 15 | 14 | 12 | 0 |
| TRACHEA, BRONCHUS AND LUNG | 2,644 | 0 | 0 | 0 | 0 | 4 | 18 | 150 | 547 | 829 | 707 | 388 | 1 |
| MELANOMA OF SKIN | 140 | 0 | 0 | 0 | 1 | 4 | 4 | 13 | 22 | 34 | 35 | 27 | 0 |
| BREAST | 841 | 0 | 0 | 0 | 0 | 7 | 44 | 118 | 194 | 217 | 131 | 130 | 0 |
| CERVIX UTERI | 76 | 0 | 0 | 0 | 0 | 3 | 7 | 16 | 19 | 18 | 6 | 7 | 0 |
| CORPUS UTERI AND OF UTERUS, PART UNSPECIFIED | 237 | 0 | 0 | 0 | 0 | 2 | 2 | 15 | 47 | 91 | 49 | 31 | 0 |
| OVARY | 274 | 0 | 0 | 0 | 0 | 0 | 5 | 25 | 67 | 86 | 56 | 35 | 0 |
| PROSTATE | 558 | 0 | 0 | 0 | 0 | 1 | 0 | 7 | 42 | 137 | 194 | 177 | 0 |
| KIDNEY AND RENAL PELVIS | 227 | 0 | 0 | 2 | 1 | 2 | 3 | 17 | 48 | 84 | 51 | 19 | 0 |
| BLADDER | 293 | 0 | 0 | 0 | 0 | 0 | 3 | 9 | 24 | 71 | 90 | 96 | 0 |
| MENINGES, BRAIN AND OTHER PARTS OF NERVOUS SYSTEM | 266 | 1 | 2 | 5 | 2 | 7 | 16 | 35 | 72 | 54 | 53 | 19 | 0 |
| LYMPHOID, HEMATOPOIETIC AND RELATED TISSUE | 1,057 | 0 | 1 | 6 | 8 | 14 | 18 | 43 | 149 | 240 | 321 | 257 | 0 |
| HODGKIN'S DISEASE | 17 | 0 | 0 | 0 | 0 | 0 | 3 | 1 | 1 | 2 | 8 | 2 | 0 |
| NON-HODGKIN'S LYMPHOMA | 330 | 0 | 0 | 1 | 2 | 6 | 6 | 12 | 46 | 64 | 107 | 86 | 0 |
| LEUKEMIA | 393 | 0 | 1 | 5 | 6 | 8 | 6 | 18 | 56 | 90 | 114 | 89 | 0 |
| MULTIPLE MYELOMA AND OTHER IMMUNOPROLIFERATIVE NEOPLASMS ... | 316 | 0 | 0 | 0 | 0 | 0 | 3 | 12 | 46 | 83 | 92 | 80 | 0 |
| OTHER AND UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID HEMATOPOIETIC AND RELATED TISSUE | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 |
| ALL OTHER AND UNSPECIFIED MALIGNANT NEOPLASMS | 1,334 | 0 | 2 | 4 | 13 | 18 | 26 | 96 | 260 | 333 | 323 | 259 | 0 |
| IN SITU NEOPLASMS, BENIGN NEOPLASMS AND NEOPLASMS OF UNCERTAIN BEHAVIOR | 281 | 1 | 1 | 3 | 2 | 1 | 5 | 11 | 25 | 46 | 87 | 99 | 0 |
| ANEMIAS | 98 | 1 | 0 | 0 | 4 | 7 | 2 | 3 | 9 | 12 | 23 | 37 | 0 |
| DIABETES MELLITUS | 1,357 | 0 | 1 | 1 | 1 | 13 | 34 | 117 | 244 | 347 | 321 | 278 | 0 |
| NUTRITIONAL DEFICIENCIES | 52 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 5 | 8 | 7 | 29 | 0 |
| MALNUTRITION | 49 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 5 | 7 | 6 | 28 | 0 |
| OTHER NUTRITIONAL DEFICIENCIES | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 |

TABLE 46. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY AGE, MARYLAND, 2016. — Continued

| CAUSES OF DEATH | DEATHS BY AGE | | | | | | | | | | | | |
|---|---------------|----|-----|------|-------|-------|-------|-------|-------|-------|-------|-----------|------------|
| | ALL AGES | <1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85 & OVER | NOT STATED |
| MENINGITIS | 8 | 1 | 1 | 1 | 0 | 0 | 0 | 0 | 3 | 0 | 1 | 1 | 0 |
| PARKINSON'S DISEASE | 499 | 0 | 0 | 0 | 0 | 0 | 0 | 3 | 17 | 81 | 208 | 190 | 0 |
| ALZHEIMER'S DISEASE | 1,178 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 18 | 77 | 331 | 752 | 0 |
| MAJOR CARDIOVASCULAR DISEASES | 15,238 | 7 | 3 | 2 | 39 | 101 | 250 | 838 | 1,856 | 2,691 | 3,567 | 5,882 | 2 |
| DISEASES OF HEART | 11,408 | 5 | 2 | 0 | 32 | 84 | 206 | 700 | 1,541 | 2,088 | 2,580 | 4,169 | 1 |
| ACUTE RHEUMATIC FEVER AND RHEUMATIC HEART DISEASES | 48 | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 6 | 7 | 9 | 22 | 0 |
| HYPERTENSIVE HEART DISEASE | 1,295 | 0 | 0 | 0 | 0 | 22 | 49 | 185 | 311 | 278 | 181 | 269 | 0 |
| HYPERTENSIVE HEART & RENAL DISEASE .. | 98 | 0 | 0 | 0 | 0 | 2 | 1 | 7 | 11 | 18 | 20 | 39 | 0 |
| ISCHEMIC HEART DISEASE | 6,425 | 0 | 0 | 0 | 6 | 16 | 73 | 324 | 868 | 1,260 | 1,540 | 2,337 | 1 |
| ACUTE MYOCARDIAL INFARCTION | 1,640 | 0 | 0 | 0 | 2 | 5 | 31 | 98 | 254 | 357 | 387 | 506 | 0 |
| OTHER ACUTE ISCHEMIC HEART DISEASE | 47 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 5 | 9 | 8 | 20 | 0 |
| OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE | 4,738 | 0 | 0 | 0 | 4 | 11 | 42 | 221 | 609 | 894 | 1,145 | 1,811 | 1 |
| ATHEROSCLEROTIC CARDIOVASCULAR DISEASE | 2,113 | 0 | 0 | 0 | 1 | 7 | 32 | 145 | 347 | 433 | 435 | 712 | 1 |
| ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE | 2,625 | 0 | 0 | 0 | 3 | 4 | 10 | 76 | 262 | 461 | 710 | 1,099 | 0 |
| OTHER HEART DISEASES | 3,542 | 5 | 2 | 0 | 26 | 43 | 83 | 181 | 345 | 525 | 830 | 1,502 | 0 |
| ACUTE AND SUBACUTE ENDOCARDITIS | 27 | 0 | 0 | 0 | 1 | 0 | 3 | 6 | 6 | 5 | 4 | 2 | 0 |
| DISEASES OF PERICARDIUM AND ACUTE MYOCARDITIS | 17 | 1 | 0 | 0 | 0 | 5 | 0 | 0 | 2 | 5 | 3 | 1 | 0 |
| HEART FAILURE | 903 | 0 | 0 | 0 | 1 | 1 | 2 | 13 | 39 | 101 | 236 | 510 | 0 |
| ALL OTHER FORMS OF HEART DISEASE | 2,595 | 4 | 2 | 0 | 24 | 37 | 78 | 162 | 298 | 414 | 587 | 989 | 0 |
| ESSENTIAL (PRIMARY) HYPERTENSION AND HYPERTENSIVE RENAL DISEASE | 557 | 0 | 0 | 0 | 1 | 1 | 5 | 20 | 58 | 101 | 127 | 244 | 0 |
| CEREBROVASCULAR DISEASES | 2,706 | 2 | 1 | 2 | 5 | 11 | 27 | 96 | 208 | 397 | 726 | 1,231 | 0 |
| ATHEROSCLEROSIS | 186 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 6 | 24 | 41 | 114 | 0 |
| OTHER DISEASES OF CIRCULATORY SYSTEM | 381 | 0 | 0 | 0 | 1 | 5 | 12 | 21 | 43 | 81 | 93 | 124 | 1 |
| AORTIC ANEURYSM AND DISSECTION | 166 | 0 | 0 | 0 | 1 | 2 | 10 | 10 | 23 | 38 | 37 | 44 | 1 |
| OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES | 215 | 0 | 0 | 0 | 0 | 3 | 2 | 11 | 20 | 43 | 56 | 80 | 0 |
| OTHER DISORDERS OF CIRCULATORY SYSTEM | 83 | 0 | 0 | 0 | 0 | 5 | 3 | 15 | 15 | 14 | 16 | 15 | 0 |

TABLE 46. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY AGE, MARYLAND, 2016. — Continued

| CAUSES OF DEATH | DEATHS BY AGE | | | | | | | | | | | | |
|---|---------------|----|-----|------|-------|-------|-------|-------|-------|-------|-------|-----------|------------|
| | ALL AGES | <1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85 & OVER | NOT STATED |
| INFLUENZA AND PNEUMONIA | 1,025 | 2 | 2 | 5 | 9 | 8 | 16 | 45 | 83 | 161 | 253 | 441 | 0 |
| INFLUENZA | 37 | 2 | 1 | 2 | 3 | 1 | 3 | 5 | 8 | 3 | 5 | 4 | 0 |
| PNEUMONIA | 988 | 0 | 1 | 3 | 6 | 7 | 13 | 40 | 75 | 158 | 248 | 437 | 0 |
| OTHER ACUTE LOWER RESPIRATORY | | | | | | | | | | | | | |
| INFECTIONS | 6 | 1 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 0 | 2 | 0 |
| ACUTE BRONCHITIS AND BRONCHIOLITIS | 3 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 1 | 0 |
| UNSPECIFIED ACUTE LOWER RESPIRATORY | | | | | | | | | | | | | |
| INFECTION | 3 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 0 | 1 | 0 |
| CHRONIC LOWER RESPIRATORY DISEASES | 2,073 | 0 | 0 | 2 | 4 | 8 | 7 | 71 | 207 | 481 | 658 | 635 | 0 |
| BRONCHITIS, CHRONIC AND UNSPECIFIED | 6 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 1 | 1 | 3 | 0 |
| EMPHYSEMA | 99 | 0 | 0 | 0 | 0 | 1 | 0 | 2 | 11 | 24 | 31 | 30 | 0 |
| ASTHMA | 79 | 0 | 0 | 2 | 3 | 7 | 6 | 20 | 11 | 15 | 8 | 7 | 0 |
| OTHER CHRONIC LOWER RESPIRATORY | | | | | | | | | | | | | |
| DISEASES | 1,889 | 0 | 0 | 0 | 1 | 0 | 1 | 48 | 185 | 441 | 618 | 595 | 0 |
| PNEUMOCONIOSES AND CHEMICAL EFFECTS | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 4 | 4 | 0 |
| PNEUMONITIS DUE TO SOLIDS AND LIQUIDS | 383 | 0 | 0 | 0 | 0 | 0 | 3 | 8 | 29 | 72 | 98 | 173 | 0 |
| OTHER DISEASES OF RESPIRATORY SYSTEM | 558 | 10 | 0 | 0 | 1 | 1 | 8 | 25 | 69 | 114 | 179 | 151 | 0 |
| PEPTIC ULCER | 45 | 0 | 0 | 0 | 0 | 0 | 1 | 3 | 4 | 10 | 19 | 8 | 0 |
| DISEASES OF APPENDIX | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 1 | 1 | 0 |
| HERNIA | 42 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 7 | 8 | 10 | 16 | 0 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS | 464 | 0 | 0 | 0 | 0 | 11 | 37 | 86 | 138 | 107 | 63 | 22 | 0 |
| ALCOHOLIC LIVER DISEASE | 185 | 0 | 0 | 0 | 0 | 6 | 26 | 51 | 62 | 29 | 8 | 3 | 0 |
| OTHER CHRONIC LIVER DISEASE AND | | | | | | | | | | | | | |
| CIRRHOSIS | 279 | 0 | 0 | 0 | 0 | 5 | 11 | 35 | 76 | 78 | 55 | 19 | 0 |
| CHOLELITHIASES AND OTHER DISORDERS OF | | | | | | | | | | | | | |
| THE GALLBLADDER | 71 | 0 | 0 | 1 | 0 | 1 | 1 | 0 | 14 | 14 | 22 | 18 | 0 |
| NEPHRITIS, NEPHROTIC SYNDROME AND | | | | | | | | | | | | | |
| NEPHROSIS | 824 | 2 | 1 | 0 | 0 | 5 | 10 | 35 | 100 | 155 | 246 | 270 | 0 |

TABLE 46. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY AGE, MARYLAND, 2016. — Continued

| CAUSES OF DEATH | DEATHS BY AGE | | | | | | | | | | | | |
|--|---------------|-----|-----|------|-------|-------|-------|-------|-------|-------|-------|-----------|------------|
| | ALL AGES | <1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85 & OVER | NOT STATED |
| ACUTE AND RAPIDLY PROGRESSIVE NEPHRITIC AND NEPHROTIC SYNDROME | 14 | 0 | 0 | 0 | 0 | 0 | 1 | 1 | 1 | 4 | 4 | 3 | 0 |
| CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHRITIS NOT SPECIFIED AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS UNSPECIFIED | 5 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 3 | 0 |
| RENAL FAILURES | 805 | 2 | 1 | 0 | 0 | 4 | 8 | 34 | 99 | 151 | 242 | 264 | 0 |
| OTHER DISORDERS OF KIDNEY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFECTIONS OF KIDNEY | 10 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 3 | 1 | 4 | 1 | 0 |
| HYPERPLASIA OF PROSTATE | 13 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 4 | 8 | 0 |
| INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 |
| PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM | 13 | 0 | 0 | 0 | 2 | 8 | 3 | 0 | 0 | 0 | 0 | 0 | 0 |
| PREGNANCY WITH ABORTIVE OUTCOME | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM | 13 | 0 | 0 | 0 | 2 | 8 | 3 | 0 | 0 | 0 | 0 | 0 | 0 |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD | 269 | 267 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 1 |
| CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES | 167 | 85 | 6 | 5 | 2 | 5 | 7 | 18 | 15 | 8 | 10 | 6 | 0 |
| SYMPTOMS, SIGNS, AND ABNORMAL CLINICAL AND LABORATORY FINDINGS, NOT ELSEWHERE CLASSIFIED** | 215 | 54 | 2 | 0 | 3 | 15 | 15 | 19 | 20 | 13 | 23 | 42 | 9 |
| ALL OTHER DISEASES (RESIDUAL) | 6,510 | 11 | 12 | 17 | 40 | 70 | 105 | 289 | 632 | 952 | 1,377 | 3,005 | 0 |
| ACCIDENTS | 2,282 | 9 | 18 | 22 | 176 | 298 | 249 | 351 | 287 | 218 | 270 | 384 | 0 |
| TRANSPORT ACCIDENTS | 626 | 1 | 6 | 14 | 115 | 117 | 76 | 106 | 72 | 59 | 45 | 15 | 0 |
| MOTOR VEHICLE ACCIDENTS | 569 | 1 | 6 | 14 | 106 | 103 | 72 | 94 | 64 | 53 | 41 | 15 | 0 |
| OTHER LAND TRANSPORT ACCIDENTS | 32 | 0 | 0 | 0 | 8 | 10 | 2 | 6 | 3 | 2 | 1 | 0 | 0 |

See footnotes at end of table.

TABLE 46. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY AGE, MARYLAND, 2016. — Continued

| CAUSES OF DEATH | DEATHS BY AGE | | | | | | | | | | | | |
|--|---------------|----|-----|------|-------|-------|-------|-------|-------|-------|-------|-----------|------------|
| | ALL AGES | <1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85 & OVER | NOT STATED |
| WATER, AIR AND SPACE, AND OTHER AND UNSPECIFIED TRANSPORT ACCIDENTS AND THEIR SEQUELAE | 25 | 0 | 0 | 0 | 1 | 4 | 2 | 6 | 5 | 4 | 3 | 0 | 0 |
| NONTRANSPORT ACCIDENTS | 1,656 | 8 | 12 | 8 | 61 | 181 | 173 | 245 | 215 | 159 | 225 | 369 | 0 |
| FALLS | 694 | 0 | 1 | 0 | 3 | 7 | 13 | 28 | 58 | 90 | 170 | 324 | 0 |
| DISCHARGE OF FIREARMS | 2 | 0 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| DROWNING AND SUBMERSION | 52 | 0 | 1 | 4 | 8 | 9 | 6 | 10 | 7 | 5 | 2 | 0 | 0 |
| EXPOSURE TO SMOKE, FIRE AND FLAMES POISONING AND EXPOSURE TO NOXIOUS SUBSTANCES | 44 | 2 | 5 | 1 | 2 | 1 | 3 | 7 | 7 | 9 | 3 | 4 | 0 |
| OTHER AND UNSPECIFIED NONTRANSPORT ACCIDENTS AND THEIR SEQUELAE | 629 | 0 | 0 | 0 | 42 | 148 | 138 | 163 | 113 | 18 | 2 | 5 | 0 |
| INTENTIONAL SELF-HARM (SUICIDE) | 235 | 6 | 4 | 3 | 5 | 16 | 13 | 37 | 30 | 37 | 48 | 36 | 0 |
| BY DISCHARGE OF FIREARMS | 581 | 0 | 0 | 6 | 66 | 91 | 85 | 121 | 100 | 58 | 40 | 14 | 0 |
| BY OTHER AND UNSPECIFIED MEANS AND THEIR SEQUELAE | 247 | 0 | 0 | 3 | 18 | 32 | 30 | 46 | 47 | 34 | 27 | 10 | 0 |
| ASSAULT (HOMICIDE) | 334 | 0 | 0 | 3 | 48 | 59 | 55 | 75 | 53 | 24 | 13 | 4 | 0 |
| BY DISCHARGE OF FIREARMS | 579 | 15 | 8 | 5 | 177 | 175 | 97 | 52 | 31 | 8 | 9 | 2 | 0 |
| BY OTHER AND UNSPECIFIED MEANS AND THEIR SEQUELAE | 435 | 0 | 1 | 3 | 161 | 148 | 71 | 35 | 10 | 5 | 1 | 0 | 0 |
| LEGAL INTERVENTION | 144 | 15 | 7 | 2 | 16 | 27 | 26 | 17 | 21 | 3 | 8 | 2 | 0 |
| EVENTS OF UNDETERMINED INTENT | 21 | 0 | 0 | 0 | 3 | 7 | 7 | 4 | 0 | 0 | 0 | 0 | 0 |
| DISCHARGE OF FIREARMS | 1,438 | 0 | 1 | 4 | 117 | 361 | 283 | 366 | 260 | 41 | 2 | 2 | 1 |
| OTHER AND UNSPECIFIED EVENTS AND THEIR SEQUELAE | 1 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| OPERATIONS OF WAR AND THEIR SEQUELAE | 1,437 | 0 | 1 | 4 | 117 | 360 | 283 | 366 | 260 | 41 | 2 | 2 | 1 |
| COMPLICATIONS OF MEDICAL/SURGICAL CARE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INJURY BY FIREARMS | 55 | 0 | 1 | 1 | 1 | 3 | 0 | 6 | 17 | 7 | 12 | 7 | 0 |
| DRUG-INDUCED DEATHS | 706 | 0 | 2 | 6 | 183 | 188 | 108 | 85 | 57 | 39 | 28 | 10 | 0 |
| | 2,085 | 0 | 1 | 1 | 166 | 499 | 428 | 539 | 371 | 69 | 5 | 5 | 1 |

See footnotes at end of table.

TABLE 46. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY AGE, MARYLAND, 2016. — Continued

| CAUSES OF DEATH | DEATHS BY AGE | | | | | | | | | | | | |
|------------------------------|---------------|----|-----|------|-------|-------|-------|-------|-------|-------|-------|-----------|------------|
| | ALL AGES | <1 | 1-4 | 5-14 | 15-24 | 25-34 | 35-44 | 45-54 | 55-64 | 65-74 | 75-84 | 85 & OVER | NOT STATED |
| ALCOHOL-INDUCED DEATHS | 355 | 0 | 0 | 0 | 2 | 22 | 50 | 96 | 114 | 51 | 14 | 6 | 0 |
| INJURY AT WORK | 103 | 0 | 0 | 0 | 5 | 23 | 16 | 22 | 20 | 12 | 4 | 1 | 0 |

**Includes Sudden Infant Death Syndrome.

TABLE 47. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY SEX, RACE, AND HISPANIC ORIGIN, MARYLAND, 2016.

| CAUSES OF DEATH | ALL RACES* | | | NON-HISPANIC WHITE | | | NON-HISPANIC BLACK | | | HISPANIC** | | |
|---|------------|--------|--------|--------------------|--------|--------|--------------------|-------|--------|------------|------|--------|
| | BOTH SEXES | MALE | FEMALE | BOTH SEXES | MALE | FEMALE | BOTH SEXES | MALE | FEMALE | BOTH SEXES | MALE | FEMALE |
| ALL CAUSES | 48,884 | 24,738 | 24,137 | 32,475 | 16,062 | 16,407 | 14,061 | 7,409 | 6,649 | 1040 | 584 | 456 |
| SALMONELLA INFECTIONS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| SHIGELLOSIS AND AMEBIASIS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| CERTAIN OTHER INTESTINAL INFECTIONS ... | 208 | 87 | 121 | 146 | 59 | 87 | 51 | 23 | 28 | 7 | 2 | 5 |
| TUBERCULOSIS, ALL FORMS | 8 | 5 | 3 | 3 | 1 | 2 | 3 | 2 | 1 | 0 | 0 | 0 |
| RESPIRATORY TUBERCULOSIS | 7 | 4 | 3 | 3 | 1 | 2 | 3 | 2 | 1 | 0 | 0 | 0 |
| OTHER TUBERCULOSIS | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| WHOOPING COUGH | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| SCARLET FEVER AND ERYSIPELAS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MENINGOCOCCAL INFECTION | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| SEPTICEMIA | 878 | 437 | 441 | 533 | 279 | 254 | 299 | 139 | 160 | 18 | 7 | 11 |
| SYPHILIS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ACUTE POLIOMYELITIS | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| ARTHROPOD-BORNE VIRAL ENCEPHALITIS .. | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| MEASLES | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| VIRAL HEPATITIS | 100 | 68 | 32 | 48 | 39 | 9 | 46 | 26 | 20 | 4 | 2 | 2 |
| HUMAN IMMUNODEFICIENCY VIRUS | 191 | 139 | 52 | 25 | 22 | 3 | 159 | 110 | 49 | 4 | 4 | 0 |
| MALARIA | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| OTHER INFECTIOUS AND PARASITIC DISEASES | 128 | 77 | 51 | 74 | 41 | 33 | 44 | 30 | 14 | 2 | 0 | 2 |
| MALIGNANT NEOPLASMS | 10,919 | 5,474 | 5,445 | 7,183 | 3,641 | 3,542 | 3,168 | 1,568 | 1,600 | 213 | 100 | 113 |
| LIP, ORAL CAVITY AND PHARYNX | 216 | 146 | 70 | 136 | 92 | 44 | 66 | 44 | 22 | 3 | 1 | 2 |
| ESOPHAGUS | 276 | 204 | 72 | 210 | 154 | 56 | 59 | 45 | 14 | 1 | 1 | 0 |
| STOMACH | 197 | 108 | 89 | 90 | 50 | 40 | 71 | 42 | 29 | 13 | 2 | 11 |
| COLON, RECTUM, AND ANUS | 976 | 496 | 480 | 629 | 315 | 314 | 300 | 157 | 143 | 18 | 12 | 6 |
| LIVER AND INTRAHEPATIC BILE DUCTS | 451 | 311 | 140 | 256 | 178 | 78 | 152 | 106 | 46 | 17 | 11 | 6 |
| PANCREAS | 782 | 398 | 384 | 511 | 265 | 246 | 229 | 114 | 115 | 18 | 7 | 11 |
| LARYNX | 74 | 57 | 17 | 45 | 37 | 8 | 27 | 18 | 9 | 0 | 0 | 0 |

See footnotes at end of table.

TABLE 47. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY SEX, RACE, AND HISPANIC ORIGIN, MARYLAND, 2016. — Continued

| CAUSES OF DEATH | ALL RACES* | | | NON-HISPANIC WHITE | | | NON-HISPANIC BLACK | | | HISPANIC** | | |
|--|------------|-------|--------|--------------------|------|--------|--------------------|------|--------|------------|------|--------|
| | BOTH SEXES | MALE | FEMALE | BOTH SEXES | MALE | FEMALE | BOTH SEXES | MALE | FEMALE | BOTH SEXES | MALE | FEMALE |
| TRACHEA, BRONCHUS AND LUNG | 2,644 | 1,377 | 1,267 | 1,861 | 955 | 906 | 685 | 364 | 321 | 30 | 20 | 10 |
| MELANOMA OF SKIN | 140 | 101 | 39 | 133 | 95 | 38 | 3 | 3 | 0 | 3 | 3 | 0 |
| BREAST | 841 | 12 | 829 | 486 | 9 | 477 | 303 | 2 | 301 | 21 | 1 | 20 |
| CERVIX UTERI | 76 | 0 | 76 | 36 | 0 | 36 | 32 | 0 | 32 | 4 | 0 | 4 |
| CORPUS UTERI AND OF UTERUS, PART UNSPECIFIED | 237 | 0 | 237 | 129 | 0 | 129 | 101 | 0 | 101 | 3 | 0 | 3 |
| OVARY | 274 | 0 | 274 | 180 | 0 | 180 | 76 | 0 | 76 | 5 | 0 | 5 |
| PROSTATE | 558 | 557 | 1 | 308 | 307 | 1 | 233 | 233 | 0 | 10 | 10 | 0 |
| KIDNEY AND RENAL PELVIS | 227 | 152 | 75 | 149 | 101 | 48 | 61 | 40 | 21 | 8 | 5 | 3 |
| BLADDER | 293 | 195 | 98 | 212 | 147 | 65 | 73 | 44 | 29 | 2 | 1 | 1 |
| MENINGES, BRAIN AND OTHER PARTS OF NERVOUS SYSTEM | 266 | 140 | 126 | 207 | 107 | 100 | 39 | 21 | 18 | 8 | 4 | 4 |
| LYMPHOID, HEMATOPOIETIC AND RELATED TISSUE | 1,057 | 573 | 484 | 721 | 389 | 332 | 275 | 155 | 120 | 24 | 11 | 13 |
| HODGKIN'S DISEASE | 17 | 8 | 9 | 12 | 6 | 6 | 3 | 2 | 1 | 0 | 0 | 0 |
| NON-HODGKIN'S LYMPHOMA | 330 | 180 | 150 | 243 | 132 | 111 | 62 | 36 | 26 | 10 | 5 | 5 |
| LEUKEMIA | 393 | 209 | 184 | 283 | 155 | 128 | 85 | 41 | 44 | 12 | 5 | 7 |
| MULTIPLE MYELOMA AND OTHER IMMUNOPROLIFERATIVE NEOPLASMS | 316 | 176 | 140 | 182 | 96 | 86 | 125 | 76 | 49 | 2 | 1 | 1 |
| OTHER AND UNSPECIFIED MALIGNANT NEOPLASMS OF LYMPHOID HEMATOPOIETIC AND RELATED TISSUE | 1 | 0 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| ALL OTHER AND UNSPECIFIED MALIGNANT NEOPLASMS | 1,334 | 647 | 687 | 884 | 440 | 444 | 383 | 180 | 203 | 25 | 11 | 14 |
| IN SITU NEOPLASMS, BENIGN NEOPLASMS AND NEOPLASMS OF UNCERTAIN BEHAVIOR | 281 | 165 | 116 | 215 | 129 | 86 | 47 | 24 | 23 | 8 | 5 | 3 |
| ANEMIAS | 98 | 38 | 60 | 55 | 22 | 33 | 41 | 16 | 25 | 1 | 0 | 1 |
| DIABETES MELLITUS | 1,357 | 736 | 621 | 737 | 418 | 319 | 538 | 277 | 261 | 40 | 21 | 19 |
| NUTRITIONAL DEFICIENCIES | 52 | 20 | 32 | 33 | 11 | 22 | 18 | 9 | 9 | 0 | 0 | 0 |
| MALNUTRITION | 49 | 19 | 30 | 30 | 10 | 20 | 18 | 9 | 9 | 0 | 0 | 0 |
| OTHER NUTRITIONAL DEFICIENCIES | 3 | 1 | 2 | 3 | 1 | 2 | 0 | 0 | 0 | 0 | 0 | 0 |
| MENINGITIS | 8 | 3 | 5 | 5 | 1 | 4 | 3 | 2 | 1 | 0 | 0 | 0 |
| PARKINSON'S DISEASE | 499 | 309 | 190 | 399 | 246 | 153 | 74 | 47 | 27 | 12 | 7 | 5 |
| ALZHEIMER'S DISEASE | 1,178 | 381 | 797 | 924 | 308 | 616 | 214 | 61 | 153 | 18 | 5 | 13 |

See footnotes at end of table.

TABLE 47. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY SEX, RACE, AND HISPANIC ORIGIN, MARYLAND, 2016. — Continued

| CAUSES OF DEATH | ALL RACES* | | | NON-HISPANIC WHITE | | | NON-HISPANIC BLACK | | | HISPANIC** | | |
|---|------------|-------|--------|--------------------|-------|--------|--------------------|-------|--------|------------|------|--------|
| | BOTH SEXES | MALE | FEMALE | BOTH SEXES | MALE | FEMALE | BOTH SEXES | MALE | FEMALE | BOTH SEXES | MALE | FEMALE |
| MAJOR CARDIOVASCULAR DISEASES | 15,238 | 7,650 | 7,588 | 10,239 | 5,046 | 5,193 | 4,383 | 2,265 | 2,118 | 239 | 135 | 104 |
| DISEASES OF HEART | 11,408 | 6,073 | 5,335 | 7,773 | 4,068 | 3,705 | 3,209 | 1,753 | 1,456 | 167 | 102 | 65 |
| ACUTE RHEUMATIC FEVER AND RHEUMATIC HEART DISEASES ... | 48 | 12 | 36 | 38 | 7 | 31 | 9 | 4 | 5 | 0 | 0 | 0 |
| HYPERTENSIVE HEART DISEASE | 1,295 | 732 | 563 | 747 | 400 | 347 | 508 | 305 | 203 | 17 | 13 | 4 |
| HYPERTENSIVE HEART & RENAL DISEASE | 98 | 56 | 42 | 42 | 19 | 23 | 49 | 32 | 17 | 5 | 4 | 1 |
| ISCHEMIC HEART DISEASE | 6,425 | 3,584 | 2,841 | 4,547 | 2,538 | 2,009 | 1,636 | 904 | 732 | 82 | 42 | 40 |
| ACUTE MYOCARDIAL INFARCTION | 1,640 | 927 | 713 | 1,130 | 637 | 493 | 428 | 246 | 182 | 23 | 11 | 12 |
| OTHER ACUTE ISCHEMIC HEART DISEASE | 47 | 28 | 19 | 32 | 22 | 10 | 13 | 4 | 9 | 0 | 0 | 0 |
| OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE .. | 4,738 | 2,629 | 2,109 | 3,385 | 1,879 | 1,506 | 1,195 | 654 | 541 | 59 | 31 | 28 |
| ATHEROSCLEROTIC CARDIOVASCULAR DISEASE | 2,113 | 1,174 | 939 | 1,428 | 781 | 647 | 608 | 346 | 262 | 27 | 14 | 13 |
| ALL OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE | 2,625 | 1,455 | 1,170 | 1,957 | 1,098 | 859 | 587 | 308 | 279 | 32 | 17 | 15 |
| OTHER HEART DISEASES | 3,542 | 1,689 | 1,853 | 2,399 | 1,104 | 1,295 | 1,007 | 508 | 499 | 63 | 43 | 20 |
| ACUTE AND SUBACUTE ENDOCARDITIS | 27 | 13 | 14 | 15 | 9 | 6 | 11 | 3 | 8 | 1 | 1 | 0 |
| DISEASES OF PERICARDIUM AND ACUTE MYOCARDITIS ... | 17 | 9 | 8 | 12 | 6 | 6 | 3 | 2 | 1 | 2 | 1 | 1 |
| HEART FAILURE | 903 | 420 | 483 | 675 | 312 | 363 | 193 | 88 | 105 | 17 | 13 | 4 |
| ALL OTHER FORMS OF HEART DISEASE | 2,595 | 1,247 | 1,348 | 1,697 | 777 | 920 | 800 | 415 | 385 | 43 | 28 | 15 |
| ESSENTIAL (PRIMARY) HYPERTENSION AND HYPERTENSIVE RENAL DISEASE | 557 | 249 | 308 | 313 | 128 | 185 | 216 | 110 | 106 | 14 | 5 | 9 |
| CEREBROVASCULAR DISEASES | 2,706 | 1,055 | 1,651 | 1,772 | 667 | 1,105 | 795 | 328 | 467 | 50 | 22 | 28 |
| ATHEROSCLEROSIS | 186 | 70 | 116 | 134 | 48 | 86 | 45 | 17 | 28 | 3 | 2 | 1 |
| OTHER DISEASES OF CIRCULATORY SYSTEM | 381 | 203 | 178 | 247 | 135 | 112 | 118 | 57 | 61 | 5 | 4 | 1 |
| AORTIC ANEURYSM AND DISSECTION | 166 | 101 | 65 | 123 | 72 | 51 | 32 | 19 | 13 | 4 | 4 | 0 |
| OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES | 215 | 102 | 113 | 124 | 63 | 61 | 86 | 38 | 48 | 1 | 0 | 1 |
| OTHER DISORDERS OF CIRCULATORY SYSTEM | 83 | 40 | 43 | 51 | 26 | 25 | 29 | 13 | 16 | 3 | 1 | 2 |
| INFLUENZA AND PNEUMONIA | 1,025 | 494 | 531 | 726 | 354 | 372 | 251 | 119 | 132 | 16 | 5 | 11 |

See footnotes at end of table.

TABLE 47. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY SEX, RACE, AND HISPANIC ORIGIN, MARYLAND, 2016. — Continued

| CAUSES OF DEATH | ALL RACES* | | | NON-HISPANIC WHITE | | | NON-HISPANIC BLACK | | | HISPANIC** | | |
|--|------------|------|--------|--------------------|------|--------|--------------------|------|--------|------------|------|--------|
| | BOTH SEXES | MALE | FEMALE | BOTH SEXES | MALE | FEMALE | BOTH SEXES | MALE | FEMALE | BOTH SEXES | MALE | FEMALE |
| INFLUENZA | 37 | 17 | 20 | 23 | 14 | 9 | 9 | 1 | 8 | 2 | 1 | 1 |
| PNEUMONIA | 988 | 477 | 511 | 703 | 340 | 363 | 242 | 118 | 124 | 14 | 4 | 10 |
| OTHER ACUTE LOWER RESPIRATORY INFECTIONS | 6 | 3 | 3 | 4 | 2 | 2 | 2 | 1 | 1 | 0 | 0 | 0 |
| ACUTE BRONCHITIS AND BRONCHIOLITIS | 3 | 2 | 1 | 2 | 2 | 0 | 1 | 0 | 1 | 0 | 0 | 0 |
| UNSPECIFIED ACUTE LOWER RESPIRATORY INFECTION | 3 | 1 | 2 | 2 | 0 | 2 | 1 | 1 | 0 | 0 | 0 | 0 |
| CHRONIC LOWER RESPIRATORY DISEASES BRONCHITIS, CHRONIC AND UNSPECIFIED | 2,073 | 900 | 1,173 | 1,677 | 706 | 971 | 363 | 174 | 189 | 14 | 8 | 6 |
| EMPHYSEMA | 6 | 3 | 3 | 4 | 2 | 2 | 1 | 1 | 0 | 1 | 0 | 1 |
| ASTHMA | 99 | 44 | 55 | 82 | 32 | 50 | 16 | 11 | 5 | 0 | 0 | 0 |
| OTHER CHRONIC LOWER RESPIRATORY DISEASES | 79 | 31 | 48 | 23 | 7 | 16 | 51 | 20 | 31 | 4 | 4 | 0 |
| | 1,889 | 822 | 1,067 | 1,568 | 665 | 903 | 295 | 142 | 153 | 9 | 4 | 5 |
| PNEUMOCOCCAL AND CHEMICAL EFFECTS | 9 | 9 | 0 | 9 | 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| PNEUMONITIS DUE TO SOLIDS AND LIQUIDS | 383 | 227 | 156 | 285 | 170 | 115 | 85 | 48 | 37 | 3 | 1 | 2 |
| OTHER DISEASES OF RESPIRATORY SYSTEM | 558 | 273 | 285 | 422 | 210 | 212 | 98 | 43 | 55 | 16 | 7 | 9 |
| PEPTIC ULCER | 45 | 28 | 17 | 29 | 17 | 12 | 11 | 7 | 4 | 2 | 2 | 0 |
| DISEASES OF APPENDIX | 4 | 1 | 3 | 3 | 1 | 2 | 1 | 0 | 1 | 0 | 0 | 0 |
| HERNIA | 42 | 17 | 25 | 28 | 8 | 20 | 12 | 8 | 4 | 2 | 1 | 1 |
| CHRONIC LIVER DISEASE AND CIRRHOSIS .. | 464 | 281 | 183 | 325 | 189 | 136 | 111 | 72 | 39 | 24 | 17 | 7 |
| ALCOHOLIC LIVER DISEASE | 185 | 115 | 70 | 134 | 79 | 55 | 35 | 22 | 13 | 14 | 12 | 2 |
| OTHER CHRONIC LIVER DISEASE AND CIRRHOSIS | 279 | 166 | 113 | 191 | 110 | 81 | 76 | 50 | 26 | 10 | 5 | 5 |
| CHOLELITHIASES AND OTHER DISORDERS OF THE GALLBLADDER | 71 | 32 | 39 | 43 | 22 | 21 | 25 | 9 | 16 | 2 | 1 | 1 |
| NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS | 824 | 430 | 394 | 472 | 256 | 216 | 319 | 153 | 166 | 13 | 8 | 5 |
| ACUTE AND RAPIDLY PROGRESSIVE NEPHRITIC AND NEPHROTIC SYNDROME | 14 | 7 | 7 | 9 | 6 | 3 | 4 | 1 | 3 | 1 | 0 | 1 |

See footnotes at end of table.

TABLE 47. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY SEX, RACE, AND HISPANIC ORIGIN, MARYLAND, 2016. — Continued

| CAUSES OF DEATH | ALL RACES* | | | NON-HISPANIC WHITE | | | NON-HISPANIC BLACK | | | HISPANIC** | | |
|--|------------|-------|--------|--------------------|-------|--------|--------------------|------|--------|------------|------|--------|
| | BOTH SEXES | MALE | FEMALE | BOTH SEXES | MALE | FEMALE | BOTH SEXES | MALE | FEMALE | BOTH SEXES | MALE | FEMALE |
| CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHRITIS NOT SPECIFIED AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS UNSPECIFIED | 5 | 1 | 4 | 2 | 1 | 1 | 3 | 0 | 3 | 0 | 0 | 0 |
| RENAL FAILURES | 805 | 422 | 383 | 461 | 249 | 212 | 312 | 152 | 160 | 12 | 8 | 4 |
| OTHER DISORDERS OF KIDNEY | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| INFECTIONS OF KIDNEY | 10 | 4 | 6 | 7 | 4 | 3 | 3 | 0 | 3 | 0 | 0 | 0 |
| HYPERPLASIA OF PROSTATE | 13 | 13 | 0 | 10 | 10 | 0 | 3 | 3 | 0 | 0 | 0 | 0 |
| INFLAMMATORY DISEASES OF FEMALE PELVIC ORGANS | 1 | 0 | 1 | 1 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 |
| PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM | 13 | 0 | 13 | 2 | 0 | 2 | 7 | 0 | 7 | 4 | 0 | 4 |
| PREGNANCY WITH ABORTIVE OUTCOME | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM | 13 | 0 | 13 | 2 | 0 | 2 | 7 | 0 | 7 | 4 | 0 | 4 |
| CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD | 269 | 150 | 119 | 67 | 36 | 31 | 153 | 84 | 69 | 27 | 14 | 13 |
| CONGENITAL MALFORMATIONS, DEFORMATIONS AND CHROMOSOMAL ABNORMALITIES | 167 | 80 | 87 | 76 | 31 | 45 | 54 | 27 | 27 | 28 | 17 | 11 |
| SYMPTOMS, SIGNS, AND ABNORMAL CLINICAL AND LABORATORY FINDINGS, NOT ELSEWHERE CLASSIFIED **** | 215 | 106 | 101 | 116 | 57 | 54 | 89 | 46 | 40 | 5 | 2 | 3 |
| ALL OTHER DISEASES (RESIDUAL) | 6,510 | 2,537 | 3,973 | 4,589 | 1,733 | 2,856 | 1,651 | 688 | 963 | 112 | 43 | 69 |
| ACCIDENTS | 2,282 | 1,482 | 800 | 1,454 | 899 | 555 | 643 | 449 | 194 | 117 | 98 | 19 |
| TRANSPORT ACCIDENTS | 626 | 461 | 165 | 346 | 254 | 92 | 208 | 157 | 51 | 49 | 40 | 9 |
| MOTOR VEHICLE ACCIDENTS | 569 | 419 | 150 | 306 | 225 | 81 | 195 | 147 | 48 | 46 | 37 | 9 |
| OTHER LAND TRANSPORT ACCIDENTS | 32 | 24 | 8 | 20 | 13 | 7 | 10 | 9 | 1 | 2 | 2 | 0 |
| WATER, AIR AND SPACE, AND OTHER AND UNSPECIFIED TRANSPORT ACCIDENTS AND THEIR SEQUELAE | 25 | 18 | 7 | 20 | 16 | 4 | 3 | 1 | 2 | 1 | 1 | 0 |

See footnotes at end of table.

TABLE 47. DEATHS FROM 113 SELECTED CAUSES, INJURY BY FIREARMS, DRUG-INDUCED DEATHS, ALCOHOL-INDUCED DEATHS, AND INJURY AT WORK BY SEX, RACE, AND HISPANIC ORIGIN, MARYLAND, 2016. — Continued

| CAUSES OF DEATH | ALL RACES* | | | NON-HISPANIC WHITE | | | NON-HISPANIC BLACK | | | HISPANIC** | | |
|---|------------|-------|--------|--------------------|------|--------|--------------------|------|--------|------------|------|--------|
| | BOTH SEXES | MALE | FEMALE | BOTH SEXES | MALE | FEMALE | BOTH SEXES | MALE | FEMALE | BOTH SEXES | MALE | FEMALE |
| NONTRANSPORT ACCIDENTS | 1,656 | 1,021 | 635 | 1,108 | 645 | 463 | 435 | 292 | 143 | 68 | 58 | 10 |
| FALLS | 694 | 342 | 352 | 530 | 253 | 277 | 121 | 64 | 57 | 14 | 11 | 3 |
| DISCHARGE OF FIREARMS | 2 | 2 | 0 | 0 | 0 | 0 | 2 | 2 | 0 | 0 | 0 | 0 |
| DROWNING AND SUBMERSION | 52 | 47 | 5 | 31 | 27 | 4 | 13 | 12 | 1 | 6 | 6 | 0 |
| EXPOSURE TO SMOKE, FIRE AND FLAMES | 44 | 29 | 15 | 23 | 15 | 8 | 18 | 11 | 7 | 3 | 3 | 0 |
| POISONING AND EXPOSURE TO NOXIOUS SUBSTANCES | 629 | 463 | 166 | 399 | 280 | 119 | 192 | 151 | 41 | 30 | 25 | 5 |
| OTHER AND UNSPECIFIED NONTRANSPORT ACCIDENTS AND THEIR SEQUELAE | 235 | 138 | 97 | 125 | 70 | 55 | 89 | 52 | 37 | 15 | 13 | 2 |
| INTENTIONAL SELF-HARM (SUICIDE) | 581 | 467 | 114 | 428 | 339 | 89 | 94 | 81 | 13 | 26 | 23 | 3 |
| BY DISCHARGE OF FIREARMS | 247 | 223 | 24 | 198 | 176 | 22 | 39 | 38 | 1 | 6 | 6 | 0 |
| BY OTHER AND UNSPECIFIED MEANS AND THEIR SEQUELAE | 334 | 244 | 90 | 230 | 163 | 67 | 55 | 43 | 12 | 20 | 17 | 3 |
| ASSAULT (HOMICIDE) | 579 | 487 | 92 | 71 | 39 | 32 | 473 | 422 | 51 | 25 | 19 | 6 |
| BY DISCHARGE OF FIREARMS | 435 | 391 | 44 | 30 | 17 | 13 | 387 | 360 | 27 | 12 | 10 | 2 |
| BY OTHER AND UNSPECIFIED MEANS AND THEIR SEQUELAE | 144 | 96 | 48 | 41 | 22 | 19 | 86 | 62 | 24 | 13 | 9 | 4 |
| LEGAL INTERVENTION | 21 | 18 | 3 | 10 | 8 | 2 | 11 | 10 | 1 | 0 | 0 | 0 |
| EVENTS OF UNDETERMINED INTENT | 1,438 | 1,040 | 397 | 921 | 655 | 265 | 463 | 343 | 120 | 34 | 29 | 5 |
| DISCHARGE OF FIREARMS | 1 | 1 | 0 | 0 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 |
| OTHER AND UNSPECIFIED EVENTS AND THEIR SEQUELAE | 1,437 | 1,039 | 397 | 921 | 655 | 265 | 462 | 342 | 120 | 34 | 29 | 5 |
| OPERATIONS OF WAR AND THEIR SEQUELAE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| COMPLICATIONS OF MEDICAL/SURGICAL CARE | 55 | 30 | 25 | 30 | 18 | 12 | 22 | 10 | 12 | 1 | 0 | 1 |
| INJURY BY FIREARMS | 706 | 635 | 71 | 238 | 201 | 37 | 440 | 411 | 29 | 18 | 16 | 2 |
| DRUG-INDUCED DEATHS | 2,085 | 1,476 | 608 | 1,351 | 929 | 421 | 654 | 486 | 168 | 53 | 43 | 10 |
| ALCOHOL-INDUCED DEATHS | 355 | 244 | 111 | 233 | 151 | 82 | 85 | 59 | 26 | 27 | 25 | 2 |
| INJURY AT WORK | 103 | 92 | 11 | 57 | 50 | 7 | 29 | 25 | 4 | 15 | 15 | 0 |

*Includes races categorized as 'unknown' or 'other'.

**Includes all deaths to persons of Hispanic origin of any race.

***Includes Sudden Infant Death Syndrome.

TABLE 48. DEATHS FROM SELECTED CAUSES BY REGION AND POLITICAL SUBDIVISION, MARYLAND, 2016.

| REGION AND POLITICAL SUBDIVISION | ALL CAUSES OF DEATH | TUBERCULOSIS | SEPTICEMIA | HUMAN IMMUNO-DEFICIENCY VIRUS (HIV) DISEASE |
|----------------------------------|---------------------|--------------|------------|---|
| MARYLAND | 48,884 | 8 | 878 | 191 |
| NORTHWEST AREA | 4,761 | 0 | 62 | 3 |
| GARRETT | 332 | 0 | 6 | 0 |
| ALLEGANY | 940 | 0 | 16 | 0 |
| WASHINGTON | 1,530 | 0 | 21 | 3 |
| FREDERICK | 1,959 | 0 | 19 | 0 |
| BALTIMORE METRO AREA | 24,891 | 2 | 509 | 129 |
| BALTIMORE CITY | 6,699 | 1 | 148 | 98 |
| BALTIMORE COUNTY | 8,436 | 1 | 170 | 20 |
| ANNE ARUNDEL | 4,380 | 0 | 90 | 5 |
| CARROLL | 1,599 | 0 | 52 | 0 |
| HOWARD | 1,587 | 0 | 24 | 1 |
| HARFORD | 2,190 | 0 | 25 | 5 |
| NATIONAL CAPITAL AREA | 11,967 | 4 | 210 | 49 |
| MONTGOMERY | 5,782 | 2 | 109 | 14 |
| PRINCE GEORGE'S | 6,185 | 2 | 101 | 35 |
| SOUTHERN AREA | 2,568 | 1 | 30 | 3 |
| CALVERT | 720 | 1 | 11 | 1 |
| CHARLES | 1,085 | 0 | 11 | 0 |
| SAINT MARY'S | 763 | 0 | 8 | 2 |
| EASTERN SHORE AREA | 4,697 | 1 | 67 | 7 |
| CECIL | 943 | 1 | 11 | 0 |
| KENT | 261 | 0 | 2 | 0 |
| QUEEN ANNE'S | 430 | 0 | 7 | 0 |
| CAROLINE | 336 | 0 | 3 | 2 |
| TALBOT | 396 | 0 | 4 | 0 |
| DORCHESTER | 409 | 0 | 5 | 2 |
| WICOMICO | 1,018 | 0 | 21 | 1 |
| SOMERSET | 258 | 0 | 4 | 0 |
| WORCESTER | 646 | 0 | 10 | 2 |

TABLE 48. DEATHS FROM SELECTED CAUSES BY REGION AND POLITICAL SUBDIVISION, MARYLAND, 2016. — Continued

| REGION AND POLITICAL SUBDIVISION | MALIGNANT NEOPLASMS | | | | | | | |
|----------------------------------|---------------------------|--------------------------------|---|---------------------------------|---|-------------------------------|---|---------------------------------|
| | TOTAL MALIGNANT NEOPLASMS | MALIGNANT NEOPLASMS OF STOMACH | MALIGNANT NEOPLASMS OF COLON, RECTUM AND ANUS | MALIGNANT NEOPLASMS OF PANCREAS | MALIGNANT NEOPLASMS OF TRACHEA, BRONCHUS AND LUNG | MALIGNANT NEOPLASMS OF BREAST | MALIGNANT NEOPLASMS OF CERVIX UTERI, CORPUS UTERI AND OVARY | MALIGNANT NEOPLASMS OF PROSTATE |
| MARYLAND | 10,919 | 197 | 976 | 782 | 2,644 | 841 | 587 | 558 |
| NORTHWEST AREA | 973 | 11 | 102 | 69 | 267 | 66 | 42 | 40 |
| GARRETT | 64 | 1 | 7 | 5 | 18 | 5 | 3 | 7 |
| ALLEGANY | 177 | 0 | 22 | 10 | 65 | 11 | 6 | 7 |
| WASHINGTON | 315 | 5 | 36 | 19 | 88 | 25 | 13 | 7 |
| FREDERICK | 417 | 5 | 37 | 35 | 96 | 25 | 20 | 19 |
| BALTIMORE METRO AREA | 5,449 | 106 | 494 | 385 | 1,364 | 384 | 288 | 268 |
| BALTIMORE CITY | 1,370 | 29 | 132 | 78 | 371 | 96 | 83 | 80 |
| BALTIMORE COUNTY | 1,860 | 35 | 154 | 141 | 459 | 142 | 102 | 83 |
| ANNE ARUNDEL | 994 | 21 | 83 | 70 | 248 | 70 | 51 | 37 |
| CARROLL | 341 | 3 | 41 | 31 | 84 | 15 | 11 | 22 |
| HOWARD | 358 | 11 | 37 | 24 | 69 | 24 | 17 | 28 |
| HARFORD | 526 | 7 | 47 | 41 | 133 | 37 | 24 | 18 |
| NATIONAL CAPITAL AREA | 2,808 | 56 | 236 | 249 | 551 | 261 | 185 | 166 |
| MONTGOMERY | 1,361 | 28 | 130 | 129 | 241 | 120 | 94 | 69 |
| PRINCE GEORGE'S | 1,447 | 28 | 106 | 120 | 310 | 141 | 91 | 97 |
| SOUTHERN AREA | 626 | 12 | 58 | 24 | 156 | 60 | 29 | 33 |
| CALVERT | 185 | 3 | 17 | 6 | 46 | 14 | 9 | 12 |
| CHARLES | 253 | 7 | 24 | 12 | 54 | 29 | 12 | 12 |
| SAINT MARY'S | 188 | 2 | 17 | 6 | 56 | 17 | 8 | 9 |
| EASTERN SHORE AREA | 1,063 | 12 | 86 | 55 | 306 | 70 | 43 | 51 |
| CECIL | 228 | 2 | 18 | 16 | 84 | 13 | 4 | 5 |
| KENT | 55 | 0 | 4 | 1 | 11 | 2 | 3 | 3 |
| QUEEN ANNE'S | 91 | 0 | 8 | 9 | 26 | 5 | 3 | 5 |
| CAROLINE | 72 | 2 | 3 | 1 | 16 | 6 | 4 | 3 |
| TALBOT | 79 | 3 | 2 | 4 | 17 | 3 | 6 | 5 |
| DORCHESTER | 93 | 1 | 11 | 5 | 20 | 8 | 1 | 5 |
| WICOMICO | 239 | 3 | 19 | 11 | 68 | 18 | 15 | 15 |
| SOMERSET | 50 | 1 | 3 | 2 | 19 | 2 | 0 | 2 |
| WORCESTER | 156 | 0 | 18 | 6 | 45 | 13 | 7 | 8 |

TABLE 48. DEATHS FROM SELECTED CAUSES BY REGION AND POLITICAL SUBDIVISION, MARYLAND, 2016. — Continued

| REGION AND POLITICAL SUBDIVISION | MALIGNANT NEOPLASMS | | | | DIABETES MELLITUS | ALZHEIMER'S DISEASE | MAJOR CARDIOVASCULAR DISEASES |
|----------------------------------|--------------------------------------|------------------------|----------|---------------------------|-------------------|---------------------|-------------------------------------|
| | MALIGNANT NEOPLASMS OF URINARY TRACT | NON-HODGKIN'S LYMPHOMA | LEUKEMIA | OTHER MALIGNANT NEOPLASMS | | | TOTAL MAJOR CARDIOVASCULAR DISEASES |
| MARYLAND | 545 | 330 | 393 | 3,066 | 1,357 | 1,178 | 15,238 |
| NORTHWEST AREA | 48 | 39 | 26 | 263 | 133 | 151 | 1,484 |
| GARRETT | 2 | 1 | 1 | 14 | 15 | 17 | 107 |
| ALLEGANY | 9 | 3 | 7 | 37 | 18 | 34 | 293 |
| WASHINGTON | 14 | 18 | 7 | 83 | 54 | 57 | 484 |
| FREDERICK | 23 | 17 | 11 | 129 | 46 | 43 | 600 |
| BALTIMORE METRO AREA | 281 | 150 | 186 | 1,543 | 664 | 555 | 7,595 |
| BALTIMORE CITY | 62 | 30 | 28 | 381 | 203 | 79 | 2,013 |
| BALTIMORE COUNTY | 108 | 58 | 75 | 503 | 222 | 209 | 2,690 |
| ANNE ARUNDEL | 44 | 19 | 29 | 322 | 122 | 107 | 1,330 |
| CARROLL | 16 | 12 | 20 | 86 | 36 | 42 | 463 |
| HOWARD | 14 | 14 | 17 | 103 | 25 | 63 | 472 |
| HARFORD | 37 | 17 | 17 | 148 | 56 | 55 | 627 |
| NATIONAL CAPITAL AREA | 144 | 92 | 116 | 752 | 370 | 294 | 3,772 |
| MONTGOMERY | 69 | 46 | 66 | 369 | 140 | 161 | 1,716 |
| PRINCE GEORGE'S | 75 | 46 | 50 | 383 | 230 | 133 | 2,056 |
| SOUTHERN AREA | 28 | 20 | 20 | 186 | 70 | 50 | 804 |
| CALVERT | 7 | 6 | 6 | 59 | 14 | 26 | 231 |
| CHARLES | 11 | 4 | 11 | 77 | 37 | 10 | 347 |
| SAINT MARY'S | 10 | 10 | 3 | 50 | 19 | 14 | 226 |
| EASTERN SHORE AREA | 44 | 29 | 45 | 322 | 120 | 128 | 1,583 |
| CECIL | 8 | 9 | 15 | 54 | 23 | 37 | 281 |
| KENT | 1 | 1 | 3 | 26 | 6 | 15 | 84 |
| QUEEN ANNE'S | 4 | 2 | 3 | 26 | 10 | 16 | 138 |
| CAROLINE | 4 | 1 | 2 | 30 | 9 | 9 | 103 |
| TALBOT | 9 | 1 | 2 | 27 | 8 | 12 | 124 |
| DORCHESTER | 5 | 3 | 5 | 29 | 18 | 6 | 147 |
| WICOMICO | 4 | 10 | 8 | 68 | 22 | 17 | 374 |
| SOMERSET | 1 | 1 | 3 | 16 | 4 | 5 | 103 |
| WORCESTER | 8 | 1 | 4 | 46 | 20 | 11 | 229 |

TABLE 48. DEATHS FROM SELECTED CAUSES BY REGION AND POLITICAL SUBDIVISION, MARYLAND, 2016. — Continued

| REGION AND POLITICAL SUBDIVISION | MAJOR CARDIOVASCULAR DISEASES | | | | | | | |
|----------------------------------|-------------------------------|----------------------------|------------------------|-------------------------|---|--------------------------|-----------------|--------------------------------------|
| | DISEASES OF HEART | | | | ESSENTIAL HYPERTENSION AND HYPERTENSIVE RENAL DISEASE | CEREBROVASCULAR DISEASES | ATHEROSCLEROSIS | OTHER DISEASES OF CIRCULATORY SYSTEM |
| | TOTAL DISEASES OF THE HEART | HYPERTENSIVE HEART DISEASE | ISCHEMIC HEART DISEASE | OTHER DISEASES OF HEART | | | | |
| MARYLAND | 11,408 | 1393 | 6,425 | 3,590 | 557 | 2,706 | 186 | 381 |
| NORTHWEST AREA | 1,141 | 126 | 717 | 298 | 48 | 240 | 22 | 33 |
| GARRETT | 84 | 6 | 61 | 17 | 3 | 17 | 0 | 3 |
| ALLEGANY | 242 | 29 | 165 | 48 | 3 | 40 | 2 | 6 |
| WASHINGTON | 364 | 54 | 208 | 102 | 23 | 84 | 4 | 9 |
| FREDERICK | 451 | 37 | 283 | 131 | 19 | 99 | 16 | 15 |
| BALTIMORE METRO AREA | 5,629 | 704 | 3,147 | 1,778 | 262 | 1,455 | 47 | 202 |
| BALTIMORE CITY | 1,517 | 308 | 806 | 403 | 79 | 347 | 12 | 58 |
| BALTIMORE COUNTY | 1,983 | 175 | 1,178 | 630 | 88 | 535 | 16 | 68 |
| ANNE ARUNDEL | 974 | 108 | 510 | 356 | 41 | 275 | 8 | 32 |
| CARROLL | 353 | 21 | 186 | 146 | 10 | 88 | 6 | 6 |
| HOWARD | 327 | 41 | 165 | 121 | 28 | 102 | 1 | 14 |
| HARFORD | 475 | 51 | 302 | 122 | 16 | 108 | 4 | 24 |
| NATIONAL CAPITAL AREA | 2,813 | 344 | 1,453 | 1,016 | 166 | 645 | 55 | 93 |
| MONTGOMERY | 1,270 | 126 | 701 | 443 | 71 | 292 | 33 | 50 |
| PRINCE GEORGE'S | 1,543 | 218 | 752 | 573 | 95 | 353 | 22 | 43 |
| SOUTHERN AREA | 603 | 74 | 345 | 184 | 35 | 104 | 46 | 16 |
| CALVERT | 189 | 21 | 110 | 58 | 5 | 31 | 2 | 4 |
| CHARLES | 241 | 37 | 133 | 71 | 20 | 37 | 42 | 7 |
| SAINT MARY'S | 173 | 16 | 102 | 55 | 10 | 36 | 2 | 5 |
| EASTERN SHORE AREA | 1,222 | 145 | 763 | 314 | 46 | 262 | 16 | 37 |
| CECIL | 208 | 33 | 127 | 48 | 5 | 58 | 2 | 8 |
| KENT | 66 | 4 | 46 | 16 | 5 | 7 | 3 | 3 |
| QUEEN ANNE'S | 110 | 12 | 61 | 37 | 5 | 22 | 0 | 1 |
| CAROLINE | 81 | 9 | 55 | 17 | 2 | 18 | 0 | 2 |
| TALBOT | 90 | 12 | 56 | 22 | 3 | 24 | 1 | 6 |
| DORCHESTER | 103 | 14 | 59 | 30 | 1 | 30 | 7 | 6 |
| WICOMICO | 287 | 29 | 182 | 76 | 16 | 62 | 2 | 7 |
| SOMERSET | 90 | 4 | 74 | 12 | 3 | 9 | 1 | 0 |
| WORCESTER | 187 | 28 | 103 | 56 | 6 | 32 | 0 | 4 |

TABLE 48. DEATHS FROM SELECTED CAUSES BY REGION AND POLITICAL SUBDIVISION, MARYLAND, 2016. — Continued

| REGION AND POLITICAL SUBDIVISION | INFLUENZA AND PNEUMONIA | CHRONIC LOWER RESPIRATORY DISEASES | PEPTIC ULCER | CHRONIC LIVER DISEASE AND CIRRHOSIS | NEPHRITIS, NEPHROTIC SYNDROME AND NEPHROSIS | PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM | CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD | CONGENITAL ABNORMALITIES |
|----------------------------------|-------------------------|------------------------------------|--------------|-------------------------------------|---|---|--|--------------------------|
| MARYLAND | 1,025 | 2,073 | 45 | 464 | 824 | 13 | 269 | 167 |
| NORTHWEST AREA | 121 | 294 | 5 | 47 | 87 | 1 | 8 | 16 |
| GARRETT | 6 | 19 | 0 | 4 | 7 | 0 | 0 | 2 |
| ALLEGANY | 27 | 58 | 2 | 6 | 18 | 0 | 0 | 3 |
| WASHINGTON | 23 | 115 | 1 | 14 | 23 | 0 | 4 | 5 |
| FREDERICK | 65 | 102 | 2 | 23 | 39 | 1 | 4 | 6 |
| BALTIMORE METRO AREA | 518 | 1,057 | 27 | 233 | 390 | 6 | 118 | 69 |
| BALTIMORE CITY | 119 | 246 | 7 | 78 | 112 | 1 | 48 | 18 |
| BALTIMORE COUNTY | 180 | 356 | 9 | 55 | 126 | 2 | 38 | 20 |
| ANNE ARUNDEL | 122 | 201 | 5 | 51 | 61 | 1 | 15 | 20 |
| CARROLL | 26 | 90 | 2 | 7 | 23 | 2 | 2 | 4 |
| HOWARD | 30 | 53 | 1 | 16 | 29 | 0 | 8 | 3 |
| HARFORD | 41 | 111 | 3 | 26 | 39 | 0 | 7 | 4 |
| NATIONAL CAPITAL AREA | 261 | 358 | 10 | 100 | 215 | 5 | 90 | 59 |
| MONTGOMERY | 141 | 192 | 5 | 46 | 93 | 3 | 38 | 33 |
| PRINCE GEORGE'S | 120 | 166 | 5 | 54 | 122 | 2 | 52 | 26 |
| SOUTHERN AREA | 39 | 115 | 1 | 37 | 34 | 0 | 22 | 14 |
| CALVERT | 8 | 38 | 1 | 7 | 10 | 0 | 5 | 2 |
| CHARLES | 19 | 37 | 0 | 17 | 14 | 0 | 11 | 9 |
| SAINT MARY'S | 12 | 40 | 0 | 13 | 10 | 0 | 6 | 3 |
| EASTERN SHORE AREA | 86 | 249 | 2 | 47 | 98 | 1 | 31 | 9 |
| CECIL | 15 | 71 | 0 | 9 | 17 | 0 | 4 | 0 |
| KENT | 6 | 12 | 0 | 4 | 6 | 0 | 2 | 0 |
| QUEEN ANNE'S | 9 | 22 | 1 | 1 | 4 | 0 | 0 | 1 |
| CAROLINE | 11 | 16 | 0 | 7 | 4 | 1 | 3 | 1 |
| TALBOT | 6 | 28 | 0 | 2 | 10 | 0 | 2 | 2 |
| DORCHESTER | 9 | 18 | 0 | 5 | 5 | 0 | 1 | 1 |
| WICOMICO | 10 | 41 | 0 | 11 | 29 | 0 | 7 | 4 |
| SOMERSET | 5 | 8 | 0 | 2 | 6 | 0 | 3 | 0 |
| WORCESTER | 15 | 33 | 1 | 6 | 17 | 0 | 9 | 0 |

TABLE 48. DEATHS FROM SELECTED CAUSES BY REGION AND POLITICAL SUBDIVISION, MARYLAND, 2016. — Continued

| REGION AND POLITICAL SUBDIVISION | SUDDEN INFANT DEATH SYNDROME | SYMPTOMS, SIGNS AND ABNORMAL CLINICAL AND LAB FINDINGS | ALL OTHER DISEASES (RESIDUAL) | EXTERNAL CAUSES | | | | |
|----------------------------------|------------------------------|--|-------------------------------|-------------------------|---------------------|---------------------------------|--------------------|---------------------------|
| | | | | ACCIDENTS | | INTENTIONAL SELF-HARM (SUICIDE) | ASSAULT (HOMICIDE) | ALL OTHER EXTERNAL CAUSES |
| | | | | MOTOR VEHICLE ACCIDENTS | ALL OTHER ACCIDENTS | | | |
| MARYLAND | 43 | 172 | 9,119 | 569 | 1713 | 581 | 579 | 1459 |
| NORTHWEST AREA | 5 | 12 | 905 | 59 | 160 | 74 | 11 | 150 |
| GARRETT | 0 | 0 | 57 | 9 | 9 | 8 | 0 | 2 |
| ALLEGANY | 2 | 2 | 188 | 18 | 26 | 12 | 4 | 36 |
| WASHINGTON | 2 | 2 | 271 | 17 | 41 | 27 | 5 | 46 |
| FREDERICK | 1 | 8 | 389 | 15 | 84 | 27 | 2 | 66 |
| BALTIMORE METRO AREA | 21 | 88 | 4,622 | 243 | 957 | 270 | 395 | 974 |
| BALTIMORE CITY | 6 | 32 | 1,054 | 66 | 269 | 53 | 276 | 402 |
| BALTIMORE COUNTY | 4 | 25 | 1,619 | 62 | 322 | 90 | 73 | 283 |
| ANNE ARUNDEL | 5 | 12 | 805 | 41 | 170 | 53 | 27 | 143 |
| CARROLL | 0 | 7 | 353 | 26 | 58 | 21 | 3 | 41 |
| HOWARD | 3 | 4 | 337 | 23 | 70 | 22 | 7 | 38 |
| HARFORD | 3 | 8 | 454 | 25 | 68 | 31 | 9 | 67 |
| NATIONAL CAPITAL AREA | 10 | 48 | 2,368 | 144 | 360 | 136 | 137 | 159 |
| MONTGOMERY | 3 | 27 | 1,318 | 53 | 155 | 82 | 16 | 74 |
| PRINCE GEORGE'S | 7 | 21 | 1,050 | 91 | 205 | 54 | 121 | 85 |
| SOUTHERN AREA | 2 | 5 | 457 | 52 | 90 | 37 | 15 | 64 |
| CALVERT | 0 | 0 | 103 | 14 | 28 | 13 | 2 | 20 |
| CHARLES | 2 | 2 | 194 | 23 | 41 | 19 | 9 | 30 |
| SAINT MARY'S | 0 | 3 | 160 | 15 | 21 | 5 | 4 | 14 |
| EASTERN SHORE AREA | 5 | 19 | 767 | 71 | 146 | 64 | 21 | 112 |
| CECIL | 3 | 6 | 141 | 17 | 36 | 16 | 3 | 24 |
| KENT | 0 | 3 | 40 | 3 | 14 | 4 | 0 | 5 |
| QUEEN ANNE'S | 0 | 1 | 83 | 12 | 17 | 7 | 1 | 9 |
| CAROLINE | 0 | 1 | 64 | 7 | 7 | 4 | 1 | 11 |
| TALBOT | 1 | 1 | 95 | 0 | 6 | 6 | 1 | 9 |
| DORCHESTER | 0 | 2 | 72 | 5 | 8 | 5 | 3 | 4 |
| WICOMICO | 1 | 3 | 147 | 18 | 28 | 10 | 7 | 28 |
| SOMERSET | 0 | 2 | 42 | 2 | 10 | 2 | 2 | 8 |
| WORCESTER | 0 | 0 | 83 | 7 | 20 | 10 | 3 | 14 |

TABLE 49. CRUDE DEATH RATES* FOR SELECTED CAUSES BY REGION AND POLITICAL SUBDIVISION, MARYLAND, 2016**

| REGION AND POLITICAL SUBDIVISION | ALL CAUSES OF DEATH | DISEASES OF THE HEART | MALIGNANT NEOPLASMS | CEREBRO-VASCULAR DISEASE | ACCIDENTS | CHRONIC LOWER RESPIRATORY DISEASE | DIABETES MELLITUS | ALZHEIMER'S DISEASE | INFLUENZA AND PNEUMONIA | SEPTICEMIA | NEPHRITIS, NEPHROTIC SYNDROME, & NEPHROSIS | ASSAULT (HOMICIDE) | INTENTIONAL SELF-HARM (SUICIDE) | HIV |
|----------------------------------|---------------------|-----------------------|---------------------|--------------------------|-----------|-----------------------------------|-------------------|---------------------|-------------------------|------------|--|--------------------|---------------------------------|------|
| MARYLAND..... | 812.5 | 189.6 | 181.5 | 45.0 | 37.9 | 34.5 | 22.6 | 19.6 | 17.0 | 14.6 | 13.7 | 9.6 | 9.7 | 3.2 |
| NORTHWEST AREA..... | 953.3 | 228.5 | 194.8 | 48.1 | 43.8 | 58.9 | 26.6 | 30.2 | 24.2 | 12.4 | 17.4 | *** | 14.8 | *** |
| GARRETT..... | 1128.3 | 285.5 | 217.5 | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** |
| ALLEGANY..... | 1285.4 | 330.9 | 242.0 | 54.7 | 60.2 | 79.3 | *** | 46.5 | 36.9 | *** | *** | *** | *** | *** |
| WASHINGTON..... | 1018.0 | 242.2 | 209.6 | 55.9 | 38.6 | 76.5 | 35.9 | 37.9 | 15.3 | 14.0 | 15.3 | *** | 18.0 | *** |
| FREDERICK..... | 791.2 | 182.2 | 168.4 | 40.0 | 40.0 | 41.2 | 18.6 | 17.4 | 26.3 | *** | 15.8 | *** | 10.9 | *** |
| BALTIMORE METRO AREA... | 905.1 | 204.7 | 198.1 | 52.9 | 43.6 | 38.4 | 24.1 | 20.2 | 18.8 | 18.5 | 14.2 | 14.4 | 9.8 | 4.7 |
| BALTIMORE CITY..... | 1089.9 | 246.8 | 222.9 | 56.5 | 54.5 | 40.0 | 33.0 | 12.9 | 19.4 | 24.1 | 18.2 | 44.9 | 8.6 | 15.9 |
| BALTIMORE COUNTY..... | 1015.1 | 238.6 | 223.8 | 64.4 | 46.2 | 42.8 | 26.7 | 25.1 | 21.7 | 20.5 | 15.2 | 8.8 | 10.8 | 2.4 |
| ANNE ARUNDEL..... | 770.7 | 171.4 | 174.9 | 48.4 | 37.1 | 35.4 | 21.5 | 18.8 | 21.5 | 15.8 | 10.7 | 4.8 | 9.3 | *** |
| CARROLL..... | 953.7 | 210.6 | 203.4 | 52.5 | 50.1 | 53.7 | 21.5 | 25.1 | 15.5 | 31.0 | 13.7 | *** | 12.5 | *** |
| HOWARD..... | 500.3 | 103.1 | 112.9 | 32.2 | 29.3 | 16.7 | 7.9 | 19.9 | 9.5 | 7.6 | 9.1 | *** | 6.9 | *** |
| HARFORD..... | 872.4 | 189.2 | 209.5 | 43.0 | 37.0 | 44.2 | 22.3 | 21.9 | 16.3 | 10.0 | 15.5 | *** | 12.3 | *** |
| NATIONAL CAPITAL AREA... | 613.1 | 144.1 | 143.9 | 33.0 | 25.8 | 18.3 | 19.0 | 15.1 | 13.4 | 10.8 | 11.0 | 7.0 | 7.0 | 2.5 |
| MONTGOMERY..... | 553.9 | 121.7 | 130.4 | 28.0 | 19.9 | 18.4 | 13.4 | 15.4 | 13.5 | 10.4 | 8.9 | *** | 7.9 | *** |
| PRINCE GEORGE'S..... | 681.1 | 169.9 | 159.4 | 38.9 | 32.6 | 18.3 | 25.3 | 14.6 | 13.2 | 11.1 | 13.4 | 13.3 | 5.9 | 3.9 |
| SOUTHERN AREA..... | 710.3 | 166.8 | 173.1 | 28.8 | 39.3 | 31.8 | 19.4 | 13.8 | 10.8 | 8.3 | 9.4 | *** | 10.2 | *** |
| CALVERT..... | 789.0 | 207.1 | 202.7 | 34.0 | 46.0 | 41.6 | *** | 28.5 | *** | *** | *** | *** | *** | *** |
| CHARLES..... | 688.0 | 152.8 | 160.4 | 23.5 | 40.6 | 23.5 | 23.5 | *** | *** | *** | *** | *** | *** | *** |
| SAINT MARY'S..... | 677.7 | 153.7 | 167.0 | 32.0 | 32.0 | 35.5 | *** | *** | *** | *** | *** | *** | *** | *** |
| EASTERN SHORE AREA..... | 1035.5 | 269.4 | 234.3 | 57.8 | 47.8 | 54.9 | 26.5 | 28.2 | 19.0 | 14.8 | 21.6 | 4.6 | 14.1 | *** |
| CECIL..... | 919.1 | 202.7 | 222.2 | 56.5 | 51.7 | 69.2 | 22.4 | 36.1 | *** | *** | *** | *** | *** | *** |
| KENT..... | 1322.9 | 334.5 | 278.8 | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** |
| QUEEN ANNE'S..... | 878.8 | 224.8 | 186.0 | 45.0 | 59.3 | 45.0 | *** | *** | *** | *** | *** | *** | *** | *** |
| CAROLINE..... | 1022.8 | 246.6 | 219.2 | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** |
| TALBOT..... | 1062.3 | 241.4 | 211.9 | 64.4 | *** | 75.1 | *** | *** | *** | *** | *** | *** | *** | *** |
| DORCHESTER..... | 1267.9 | 319.3 | 288.3 | 93.0 | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** |
| WICOMICO..... | 992.4 | 279.8 | 233.0 | 60.4 | 44.8 | 40.0 | 21.4 | *** | *** | 20.5 | 28.3 | *** | *** | *** |
| SOMERSET..... | 995.1 | 347.1 | 192.8 | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** |
| WORCESTER..... | 1255.7 | 363.5 | 303.2 | 62.2 | 52.5 | 64.1 | 38.9 | *** | *** | *** | *** | *** | *** | *** |

*Per 100,000 population.

**ICD-10 codes appear in appendix.

***Rates based on <20 events in the numerator are not presented since such rates are subject to instability.

TABLE 50. AGE-ADJUSTED** DEATH RATES* FOR SELECTED CAUSES** BY POLITICAL SUBDIVISION, MARYLAND, 2014-2016**

| REGION AND POLITICAL SUBDIVISION | ALL CAUSES OF DEATH | DISEASES OF THE HEART | MALIGNANT NEOPLASMS | CEREBRO-VASCULAR DISEASE | ACCIDENTS | CHRONIC LOWER RESPIRATORY DISEASE | DIABETES MELLITUS | ALZHEIMER'S DISEASE | INFLUENZA AND PNEUMONIA | SEPTICEMIA | NEPHRITIS, NEPHROTIC SYNDROME, & NEPHROSIS | ASSAULT (HOMICIDE) | INTENTIONAL SELF-HARM (SUICIDE) | HIV |
|----------------------------------|---------------------|-----------------------|---------------------|--------------------------|-----------|-----------------------------------|-------------------|---------------------|-------------------------|------------|--|--------------------|---------------------------------|------|
| MARYLAND..... | 706.7 | 166.9 | 157.4 | 38.4 | 30.5 | 30.2 | 19.2 | 16.1 | 16.1 | 13.9 | 12.0 | 9.0 | 9.2 | 2.8 |
| NORTHWEST AREA..... | 761.9 | 191.4 | 157.8 | 39.5 | 33.4 | 43.1 | 22.6 | 20.7 | 20.5 | 10.7 | 11.9 | *** | 12.1 | *** |
| GARRETT..... | 738.9 | 200.2 | 140.4 | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** |
| ALLEGANY..... | 895.9 | 246.7 | 171.3 | 40.9 | 38.2 | 44.1 | 23.3 | 31.1 | 29.9 | *** | *** | *** | *** | *** |
| WASHINGTON..... | 805.6 | 193.5 | 165.2 | 43.6 | 36.3 | 54.3 | 28.8 | 20.4 | 14.8 | 10.9 | *** | *** | 14.7 | *** |
| FREDERICK..... | 691.2 | 168.1 | 152.0 | 36.0 | 28.4 | 35.5 | 18.3 | 14.4 | 21.8 | 9.2 | 12.0 | *** | 9.6 | *** |
| BALTIMORE METRO AREA... | 771.7 | 178.4 | 169.0 | 43.6 | 34.0 | 32.8 | 19.6 | 16.0 | 18.0 | 16.6 | 12.2 | 13.3 | 9.9 | 4.0 |
| BALTIMORE CITY..... | 1001.7 | 236.3 | 205.5 | 52.5 | 42.0 | 34.5 | 29.8 | 13.4 | 20.8 | 24.7 | 17.3 | 39.1 | 8.6 | 14.8 |
| BALTIMORE COUNTY..... | 752.2 | 176.8 | 171.0 | 43.9 | 34.3 | 31.0 | 19.6 | 15.7 | 17.4 | 16.2 | 11.6 | 7.9 | 9.7 | *** |
| ANNE ARUNDEL..... | 712.4 | 160.5 | 159.6 | 41.2 | 29.7 | 35.7 | 17.6 | 15.0 | 20.2 | 14.6 | 10.6 | *** | 10.7 | *** |
| CARROLL..... | 760.1 | 176.4 | 156.2 | 46.3 | 41.0 | 40.9 | 16.1 | 20.2 | 13.8 | 19.7 | 11.2 | *** | 14.3 | *** |
| HOWARD..... | 544.8 | 116.4 | 119.9 | 33.3 | 22.7 | 20.2 | 9.5 | 19.2 | 14.7 | 9.9 | 10.1 | *** | 7.6 | *** |
| HARFORD..... | 732.0 | 166.1 | 169.1 | 37.2 | 32.0 | 37.4 | 16.6 | 19.0 | 15.8 | 9.9 | 11.5 | *** | 12.3 | *** |
| NATIONAL CAPITAL AREA... | 571.5 | 133.3 | 134.1 | 30.3 | 22.3 | 17.9 | 18.1 | 13.1 | 13.6 | 12.4 | 10.5 | 6.4 | 6.4 | 2.4 |
| MONTGOMERY..... | 478.4 | 103.7 | 115.9 | 23.7 | 18.1 | 16.3 | 11.6 | 12.4 | 12.6 | 11.0 | 7.9 | 2.4 | 7.2 | *** |
| PRINCE GEORGE'S..... | 694.5 | 174.0 | 157.6 | 40.1 | 27.2 | 19.8 | 27.0 | 14.7 | 14.8 | 14.1 | 14.1 | 10.6 | 5.4 | 3.8 |
| SOUTHERN AREA..... | 715.7 | 166.0 | 163.5 | 30.9 | 32.3 | 35.0 | 20.8 | 19.4 | 11.1 | 11.0 | 12.0 | *** | 12.1 | *** |
| CALVERT..... | 701.7 | 177.6 | 160.8 | 32.1 | 33.0 | 38.8 | *** | 24.6 | *** | *** | *** | *** | *** | *** |
| CHARLES..... | 722.0 | 165.2 | 158.3 | 26.9 | 33.0 | 29.7 | 24.5 | *** | *** | *** | *** | *** | *** | *** |
| SAINT MARY'S..... | 719.6 | 155.8 | 172.6 | 34.5 | 30.9 | 38.1 | *** | 22.8 | *** | *** | *** | *** | *** | *** |
| EASTERN SHORE AREA..... | 781.3 | 198.4 | 173.7 | 41.3 | 40.3 | 41.7 | 16.4 | 19.8 | 13.2 | 10.7 | 15.7 | *** | 11.8 | *** |
| CECIL..... | 849.8 | 200.0 | 184.3 | 54.0 | 42.9 | 61.2 | 17.3 | 32.2 | *** | *** | *** | *** | *** | *** |
| KENT..... | 708.9 | 152.1 | 147.8 | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** |
| QUEEN ANNE'S..... | 708.0 | 171.7 | 152.4 | *** | 47.2 | 35.4 | *** | *** | *** | *** | *** | *** | *** | *** |
| CAROLINE..... | 885.6 | 200.3 | 178.3 | *** | *** | 52.4 | *** | *** | *** | *** | *** | *** | *** | *** |
| TALBOT..... | 620.7 | 145.1 | 127.9 | 36.3 | *** | 34.1 | *** | *** | *** | *** | *** | *** | *** | *** |
| DORCHESTER..... | 852.4 | 204.6 | 196.9 | 47.4 | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** |
| WICOMICO..... | 843.5 | 245.1 | 197.8 | 40.5 | 39.2 | 42.6 | *** | *** | *** | 17.2 | 24.5 | *** | *** | *** |
| SOMERSET..... | 859.7 | 286.2 | 182.0 | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** | *** |
| WORCESTER..... | 730.9 | 186.9 | 173.7 | 37.3 | 34.8 | 35.8 | *** | *** | *** | *** | *** | *** | *** | *** |

*Per 100,000 population.

**ICD-10 codes appear in appendix.

***Rates based on <20 events in the numerator are not presented since such rates are subject to instability.

****Adjusted to the standard U.S. 2000 population by the direct method. These rates should only be compared with other rates age-adjusted to the same population.

TABLE 51. NUMBER OF DEATHS AMONG INFANTS, CHILDREN AND YOUNG ADULTS AGES 0-21 BY AGE GROUP, REGION AND POLITICAL SUBDIVISION, MARYLAND, 2016.

| REGION AND POLITICAL SUBDIVISION | 0-21 | <1 | 1-4 | 5-9 | 10-14 | 15-17 | 18-19 | 20-21 |
|----------------------------------|------|-----|-----|-----|-------|-------|-------|-------|
| MARYLAND | 987 | 478 | 65 | 41 | 54 | 68 | 132 | 149 |
| NORTHWEST AREA | 62 | 27 | 3 | 2 | 3 | 5 | 6 | 16 |
| GARRETT | 5 | 1 | 1 | 0 | 0 | 0 | 0 | 3 |
| ALLEGANY | 10 | 5 | 1 | 0 | 0 | 1 | 1 | 2 |
| WASHINGTON | 18 | 12 | 0 | 0 | 1 | 1 | 1 | 3 |
| FREDERICK | 29 | 9 | 1 | 2 | 2 | 3 | 4 | 8 |
| BALTIMORE METRO AREA | 466 | 207 | 32 | 17 | 29 | 30 | 79 | 72 |
| BALTIMORE CITY | 180 | 75 | 12 | 8 | 12 | 10 | 31 | 32 |
| BALTIMORE COUNTY | 129 | 58 | 8 | 5 | 6 | 7 | 23 | 22 |
| ANNE ARUNDEL | 77 | 39 | 4 | 2 | 7 | 5 | 12 | 8 |
| CARROLL | 17 | 5 | 0 | 1 | 2 | 1 | 5 | 3 |
| HOWARD | 35 | 17 | 4 | 1 | 0 | 3 | 5 | 5 |
| HARFORD | 28 | 13 | 4 | 0 | 2 | 4 | 3 | 2 |
| NATIONAL CAPITAL AREA | 316 | 167 | 21 | 15 | 14 | 21 | 35 | 43 |
| MONTGOMERY | 142 | 73 | 10 | 9 | 10 | 11 | 12 | 17 |
| PRINCE GEORGE'S | 174 | 94 | 11 | 6 | 4 | 10 | 23 | 26 |
| SOUTHERN AREA | 58 | 35 | 1 | 2 | 3 | 5 | 6 | 6 |
| CALVERT | 9 | 6 | 0 | 1 | 0 | 2 | 0 | 0 |
| CHARLES | 30 | 19 | 0 | 1 | 2 | 2 | 4 | 2 |
| SAINT MARY'S | 19 | 10 | 1 | 0 | 1 | 1 | 2 | 4 |
| EASTERN SHORE AREA | 85 | 42 | 8 | 5 | 5 | 7 | 6 | 12 |
| CECIL | 16 | 8 | 0 | 1 | 0 | 3 | 2 | 2 |
| KENT | 6 | 2 | 0 | 1 | 0 | 1 | 0 | 2 |
| QUEEN ANNE'S | 5 | 0 | 1 | 0 | 2 | 0 | 0 | 2 |
| CAROLINE | 7 | 4 | 0 | 2 | 0 | 0 | 0 | 1 |
| TALBOT | 3 | 3 | 0 | 0 | 0 | 0 | 0 | 0 |
| DORCHESTER | 4 | 1 | 2 | 0 | 1 | 0 | 0 | 0 |
| WICOMICO | 25 | 12 | 2 | 1 | 2 | 1 | 3 | 4 |
| SOMERSET | 7 | 4 | 1 | 0 | 0 | 1 | 0 | 1 |
| WORCESTER | 12 | 8 | 2 | 0 | 0 | 1 | 1 | 0 |

TABLE 52. DEATHS OCCURRING IN INSTITUTIONS BY RACE, REGION, AND POLITICAL SUBDIVISION, MARYLAND, 2016.

| REGION AND POLITICAL SUBDIVISION | NUMBER OF DEATHS OCCURRING IN HOSPITALS | | | | NUMBER OF DEATHS OCCURRING IN NURSING HOMES | | | | NUMBER OF DEATHS OCCURRING IN HOSPICES | | | |
|----------------------------------|---|--------------------|--------------------|------------|---|--------------------|--------------------|------------|--|--------------------|--------------------|------------|
| | ALL RACES* | NON-HISPANIC WHITE | NON-HISPANIC BLACK | HISPANIC** | ALL RACES* | NON-HISPANIC WHITE | NON-HISPANIC BLACK | HISPANIC** | ALL RACES* | NON-HISPANIC WHITE | NON-HISPANIC BLACK | HISPANIC** |
| MARYLAND | 16,688 | 9,623 | 6,023 | 463 | 7,638 | 5,585 | 1,822 | 83 | 5,758 | 4,051 | 1,511 | 81 |
| NORTHWEST AREA | 1,669 | 1,530 | 106 | 17 | 1,026 | 983 | 33 | 7 | 133 | 120 | 7 | 4 |
| GARRETT | 103 | 101 | 1 | 0 | 94 | 94 | 0 | 0 | 0 | 0 | 0 | 0 |
| ALLEGANY | 354 | 342 | 10 | 1 | 234 | 229 | 4 | 0 | 0 | 0 | 0 | 0 |
| WASHINGTON | 527 | 481 | 35 | 8 | 306 | 293 | 10 | 3 | 8 | 6 | 2 | 0 |
| FREDERICK | 685 | 606 | 60 | 8 | 392 | 367 | 19 | 4 | 125 | 114 | 5 | 4 |
| BALTIMORE METRO AREA .. | 7,835 | 4,546 | 2,981 | 112 | 3,625 | 2,647 | 896 | 24 | 4,040 | 2,838 | 1,115 | 24 |
| BALTIMORE CITY | 2,531 | 594 | 1,887 | 25 | 883 | 313 | 560 | 3 | 986 | 308 | 671 | 5 |
| BALTIMORE COUNTY | 2,226 | 1,519 | 618 | 28 | 1,399 | 1,160 | 217 | 6 | 1,848 | 1,478 | 326 | 10 |
| ANNE ARUNDEL | 1,580 | 1,241 | 276 | 31 | 528 | 450 | 61 | 5 | 372 | 319 | 41 | 4 |
| CARROLL | 365 | 341 | 13 | 6 | 332 | 324 | 5 | 2 | 303 | 293 | 9 | 0 |
| HOWARD | 473 | 299 | 92 | 19 | 233 | 179 | 32 | 4 | 241 | 179 | 42 | 2 |
| HARFORD | 660 | 552 | 95 | 3 | 250 | 221 | 21 | 4 | 290 | 261 | 26 | 3 |
| NATIONAL CAPITAL AREA .. | 4,790 | 1,825 | 2,335 | 298 | 1,828 | 1,037 | 661 | 47 | 745 | 390 | 263 | 47 |
| MONTGOMERY | 2,087 | 1,244 | 425 | 157 | 1,047 | 777 | 169 | 37 | 442 | 305 | 62 | 35 |
| PRINCE GEORGE'S | 2,703 | 581 | 1,910 | 141 | 781 | 260 | 492 | 10 | 303 | 85 | 201 | 12 |
| SOUTHERN AREA | 923 | 607 | 282 | 11 | 390 | 293 | 96 | 1 | 231 | 183 | 45 | 0 |
| CALVERT | 214 | 161 | 42 | 3 | 96 | 84 | 12 | 0 | 58 | 48 | 9 | 0 |
| CHARLES | 427 | 229 | 183 | 6 | 162 | 95 | 66 | 1 | 83 | 63 | 20 | 0 |
| SAINT MARY'S | 282 | 217 | 57 | 2 | 132 | 114 | 18 | 0 | 90 | 72 | 16 | 0 |
| EASTERN SHORE AREA | 1,471 | 1,115 | 319 | 25 | 769 | 625 | 136 | 4 | 609 | 520 | 81 | 6 |
| CECIL | 250 | 222 | 22 | 5 | 148 | 138 | 8 | 1 | 89 | 82 | 6 | 1 |
| KENT | 87 | 66 | 21 | 0 | 54 | 47 | 7 | 0 | 29 | 26 | 3 | 0 |
| QUEEN ANNE'S | 133 | 111 | 19 | 2 | 69 | 55 | 13 | 0 | 57 | 53 | 4 | 0 |
| CAROLINE | 123 | 91 | 28 | 3 | 53 | 44 | 8 | 1 | 40 | 33 | 6 | 1 |
| TALBOT | 109 | 90 | 17 | 1 | 72 | 66 | 6 | 0 | 55 | 53 | 1 | 1 |
| DORCHESTER | 149 | 98 | 49 | 1 | 101 | 67 | 34 | 0 | 29 | 22 | 6 | 0 |
| WICOMICO | 321 | 207 | 101 | 9 | 135 | 105 | 27 | 1 | 191 | 142 | 46 | 2 |
| SOMERSET | 95 | 63 | 30 | 2 | 55 | 39 | 16 | 0 | 24 | 21 | 2 | 1 |
| WORCESTER | 204 | 167 | 32 | 2 | 82 | 64 | 17 | 1 | 95 | 88 | 7 | 0 |

*Includes races categorized as 'unknown' or 'other'.

**Includes all deaths to persons of Hispanic origin of any race.

TABLE 53. DEATHS TO RESIDENTS OF MARYLAND BY PLACE OF RESIDENCE AND PLACE OF OCCURRENCE BY RACE, REGION AND POLITICAL SUBDIVISION, MARYLAND, 2016.

| REGION AND POLITICAL SUBDIVISION | DEATHS BY AREA OF RESIDENCE | | | | DEATHS WITHIN MARYLAND BY AREA OF OCCURRENCE | | | |
|----------------------------------|-----------------------------|--------------------|--------------------|------------|--|--------------------|--------------------|------------|
| | ALL RACES* | NON-HISPANIC WHITE | NON-HISPANIC BLACK | HISPANIC** | ALL RACES* | NON-HISPANIC WHITE | NON-HISPANIC BLACK | HISPANIC** |
| MARYLAND | 48,884 | 32,475 | 14,061 | 1040 | 45,806 | 30,861 | 12,822 | 910 |
| NORTHWEST AREA | 4,761 | 4,437 | 241 | 43 | 4,455 | 4,156 | 224 | 39 |
| GARRETT | 332 | 330 | 1 | 0 | 280 | 279 | 1 | 0 |
| ALLEGANY | 940 | 909 | 24 | 3 | 887 | 861 | 19 | 3 |
| WASHINGTON | 1,530 | 1,435 | 77 | 12 | 1,423 | 1,335 | 73 | 10 |
| FREDERICK | 1,959 | 1,763 | 139 | 28 | 1,865 | 1,681 | 131 | 26 |
| BALTIMORE METRO AREA | 24,891 | 16,709 | 7,422 | 278 | 24,374 | 16,320 | 7,323 | 263 |
| BALTIMORE CITY | 6,699 | 1,956 | 4,631 | 58 | 6,634 | 1,922 | 4,601 | 57 |
| BALTIMORE COUNTY | 8,436 | 6,535 | 1,667 | 75 | 8,281 | 6,414 | 1,638 | 73 |
| ANNE ARUNDEL | 4,380 | 3,626 | 595 | 78 | 4,239 | 3,515 | 574 | 72 |
| CARROLL | 1,599 | 1,534 | 42 | 12 | 1,536 | 1,476 | 40 | 9 |
| HOWARD | 1,587 | 1,140 | 260 | 35 | 1,543 | 1,114 | 250 | 33 |
| HARFORD | 2,190 | 1,918 | 227 | 20 | 2,141 | 1,879 | 220 | 19 |
| NATIONAL CAPITAL AREA | 11,967 | 5,612 | 5,004 | 638 | 10,426 | 5,186 | 4,051 | 542 |
| MONTGOMERY | 5,782 | 3,937 | 920 | 382 | 5,316 | 3,637 | 833 | 350 |
| PRINCE GEORGE'S | 6,185 | 1,675 | 4,084 | 256 | 5,110 | 1,549 | 3,218 | 192 |
| SOUTHERN AREA | 2,568 | 1,874 | 619 | 28 | 2,209 | 1,648 | 499 | 22 |
| CALVERT | 720 | 592 | 109 | 7 | 633 | 524 | 94 | 5 |
| CHARLES | 1,085 | 657 | 391 | 16 | 920 | 578 | 308 | 14 |
| SAINT MARY'S | 763 | 625 | 119 | 5 | 656 | 546 | 97 | 3 |
| EASTERN SHORE AREA | 4,697 | 3,843 | 775 | 53 | 4,342 | 3,551 | 725 | 44 |
| CECIL | 943 | 863 | 65 | 11 | 760 | 702 | 45 | 10 |
| KENT | 261 | 219 | 41 | 0 | 235 | 196 | 38 | 0 |
| QUEEN ANNE'S | 430 | 372 | 53 | 3 | 410 | 357 | 49 | 2 |
| CAROLINE | 336 | 269 | 58 | 8 | 297 | 239 | 53 | 5 |
| TALBOT | 396 | 353 | 38 | 3 | 392 | 350 | 37 | 3 |
| DORCHESTER | 409 | 287 | 118 | 2 | 400 | 281 | 116 | 2 |
| WICOMICO | 1,018 | 745 | 247 | 17 | 982 | 723 | 238 | 13 |
| SOMERSET | 258 | 187 | 65 | 5 | 245 | 176 | 63 | 5 |
| WORCESTER | 646 | 548 | 90 | 4 | 621 | 527 | 86 | 4 |

*Includes races categorized as 'unknown' or 'other'.

**Includes all deaths to persons of Hispanic origin of any race.

TABLE 54. DEATHS TO RESIDENTS OF MARYLAND BY AREA OF OCCURRENCE, MARYLAND, 2016.

| REGION AND POLITICAL SUBDIVISION | ALL AREAS OF OCCURRENCE | STATE OF MARYLAND | | | DISTRICT OF COLUMBIA | OTHER STATES |
|----------------------------------|-------------------------|-------------------|------------------------------|---------------------------------|----------------------|--------------|
| | | STATE TOTALS | MD. COUNTY SAME AS RESIDENCE | MD. COUNTY OTHER THAN RESIDENCE | | |
| MARYLAND | 48,884 | 45,806 | 36,582 | 9,224 | 1,534 | 1,544 |
| NORTHWEST AREA | 4,761 | 4,455 | 4,029 | 426 | 36 | 270 |
| GARRETT | 332 | 280 | 244 | 36 | 0 | 52 |
| ALLEGANY | 940 | 887 | 852 | 35 | 1 | 52 |
| WASHINGTON | 1,530 | 1,423 | 1,313 | 110 | 15 | 92 |
| FREDERICK | 1,959 | 1,865 | 1,620 | 245 | 20 | 74 |
| BALTIMORE METRO AREA | 24,891 | 24,374 | 18,868 | 5,506 | 80 | 437 |
| BALTIMORE CITY | 6,699 | 6,634 | 5,239 | 1,395 | 5 | 60 |
| BALTIMORE COUNTY | 8,436 | 8,281 | 6,139 | 2,142 | 16 | 139 |
| ANNE ARUNDEL | 4,380 | 4,239 | 3,499 | 740 | 40 | 101 |
| CARROLL | 1,599 | 1,536 | 1,260 | 276 | 2 | 61 |
| HOWARD | 1,587 | 1,543 | 1,097 | 446 | 14 | 30 |
| HARFORD | 2,190 | 2,141 | 1,634 | 507 | 3 | 46 |
| NATIONAL CAPITAL AREA | 11,967 | 10,426 | 8,668 | 1,758 | 1,123 | 418 |
| MONTGOMERY | 5,782 | 5,316 | 4,936 | 380 | 284 | 182 |
| PRINCE GEORGE'S | 6,185 | 5,110 | 3,732 | 1,378 | 839 | 236 |
| SOUTHERN AREA | 2,568 | 2,209 | 1,782 | 427 | 279 | 80 |
| CALVERT | 720 | 633 | 505 | 128 | 64 | 23 |
| CHARLES | 1,085 | 920 | 714 | 206 | 131 | 34 |
| SAINT MARY'S | 763 | 656 | 563 | 93 | 84 | 23 |
| EASTERN SHORE AREA | 4,697 | 4,342 | 3,235 | 1,107 | 16 | 339 |
| CECIL | 943 | 760 | 626 | 134 | 0 | 183 |
| KENT | 261 | 235 | 173 | 62 | 2 | 24 |
| QUEEN ANNE'S | 430 | 410 | 238 | 172 | 4 | 16 |
| CAROLINE | 336 | 297 | 152 | 145 | 1 | 38 |
| TALBOT | 396 | 392 | 345 | 47 | 1 | 3 |
| DORCHESTER | 409 | 400 | 277 | 123 | 0 | 9 |
| WICOMICO | 1,018 | 982 | 900 | 82 | 4 | 32 |
| SOMERSET | 258 | 245 | 126 | 119 | 2 | 11 |
| WORCESTER | 646 | 621 | 398 | 223 | 2 | 23 |

MARRIAGES

TABLE 55. MARRIAGES BY PREVIOUS MARITAL STATUS, MARYLAND, 2016.

| SPOUSE 1 | SPOUSE 2 | | | | |
|-------------------------|----------------|--------|-----------------------|---------|------------|
| | ALL MARRIAGES* | SINGLE | DIVORCED/ ANNULLED | WIDOWED | NOT STATED |
| ALL MARRIAGES* | 37,964 | 27,275 | 9,880 | 801 | 8 |
| SINGLE | 26,094 | 22,290 | 3,593 | 206 | 5 |
| DIVORCED/ANNULLED | 10,979 | 4,788 | 5,796 | 392 | 3 |
| WIDOWED | 890 | 196 | 491 | 203 | 0 |
| NOT STATED | 1 | 1 | 0 | 0 | 0 |

*Marriages refer to the number of ceremonies performed in Maryland, not the number of persons married.

TABLE 56. MARRIAGES BY RESIDENT STATUS AND REGION AND POLITICAL SUBDIVISION OF OCCURRENCE, MARYLAND, 2016.

| REGION AND POLITICAL SUBDIVISION | PLACE OF RESIDENCE | | | |
|----------------------------------|--------------------|----------------|-----------------|--------------------|
| | ALL MARRIAGES* | MD RESIDENTS** | NON-RESIDENT*** | % TO NON-RESIDENTS |
| MARYLAND | 37,964 | 33,405 | 4,559 | 12.0 |
| NORTHWEST AREA | 3,651 | 3,046 | 605 | 16.6 |
| GARRETT | 358 | 232 | 126 | 35.2 |
| ALLEGANY | 411 | 352 | 59 | 14.4 |
| WASHINGTON | 931 | 754 | 177 | 19.0 |
| FREDERICK | 1,951 | 1,708 | 243 | 12.5 |
| BALTIMORE METRO AREA | 16,954 | 15,589 | 1,365 | 8.1 |
| BALTIMORE CITY | 3,397 | 3,063 | 334 | 9.8 |
| BALTIMORE COUNTY | 5,084 | 4,806 | 278 | 5.5 |
| ANNE ARUNDEL | 4,166 | 3,733 | 433 | 10.4 |
| CARROLL | 869 | 744 | 125 | 14.4 |
| HOWARD | 1,976 | 1,903 | 73 | 3.7 |
| HARFORD | 1,462 | 1,340 | 122 | 8.3 |
| NATIONAL CAPITAL AREA | 10,762 | 9,720 | 1,042 | 9.7 |
| MONTGOMERY | 5,864 | 5,227 | 637 | 10.9 |
| PRINCE GEORGE'S | 4,898 | 4,493 | 405 | 8.3 |
| SOUTHERN AREA | 2,162 | 2,002 | 160 | 7.4 |
| CALVERT | 535 | 482 | 53 | 9.9 |
| CHARLES | 888 | 825 | 63 | 7.1 |
| ST MARY'S | 739 | 695 | 44 | 6.0 |
| EASTERN SHORE AREA | 4,435 | 3,048 | 1,387 | 31.3 |
| CECIL | 1,228 | 622 | 606 | 49.3 |
| KENT | 192 | 131 | 61 | 31.8 |
| QUEEN ANNE'S | 564 | 460 | 104 | 18.4 |
| CAROLINE | 184 | 158 | 26 | 14.1 |
| TALBOT | 427 | 315 | 112 | 26.2 |
| DORCHESTER | 276 | 243 | 33 | 12.0 |
| WICOMICO | 632 | 580 | 52 | 8.2 |
| SOMERSET | 98 | 92 | 6 | 6.1 |
| WORCESTER | 834 | 447 | 387 | 46.4 |

*Marriages refer to the number of ceremonies performed in Maryland, not the number of persons married.

**One or both partners were residents of Maryland.

***Both partners were non-residents of Maryland.

TABLE 57. MARRIAGES BY AGE, MARYLAND, 2016.

| AGE OF SPOUSE 1 | AGE OF SPOUSE 2 | | | | | | | | | | |
|----------------------|-----------------|-----|-------|-------|--------|-------|-------|-------|-------|-------|------------|
| | ALL MARRIAGES* | <18 | 18-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-54 | 55+ | NOT STATED |
| ALL MARRIAGES* | 37,964 | 57 | 565 | 5,134 | 10,397 | 7,446 | 4,489 | 2,881 | 4,371 | 2,614 | 10 |
| <18 | 28 | 10 | 13 | 4 | 0 | 1 | 0 | 0 | 0 | 0 | 0 |
| 18-19 | 316 | 21 | 135 | 122 | 30 | 4 | 3 | 0 | 1 | 0 | 0 |
| 20-24 | 4,221 | 16 | 310 | 2,567 | 1,015 | 213 | 69 | 19 | 10 | 1 | 1 |
| 25-29 | 9,555 | 5 | 70 | 1,729 | 5,613 | 1,577 | 389 | 106 | 56 | 7 | 3 |
| 30-34 | 7,735 | 3 | 21 | 459 | 2,572 | 3,234 | 1,000 | 285 | 143 | 18 | 0 |
| 35-39 | 4,649 | 2 | 9 | 148 | 746 | 1,491 | 1,427 | 532 | 265 | 28 | 1 |
| 40-44 | 3,120 | 0 | 2 | 57 | 217 | 527 | 927 | 771 | 562 | 56 | 1 |
| 45-54 | 4,914 | 0 | 5 | 37 | 170 | 345 | 577 | 951 | 2,265 | 561 | 3 |
| 55+ | 3,425 | 0 | 0 | 10 | 34 | 54 | 97 | 217 | 1,069 | 1,943 | 1 |
| NOT STATED | 1 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

*Marriages refer to the number of ceremonies performed in Maryland, not the number of persons married.

TABLE 58. MARRIAGES BY PLACE OF RESIDENCE, MARYLAND, 2016.

| SPOUSE 1 - PLACE OF RESIDENCE | SPOUSE 2 - PLACE OF RESIDENCE | | | | | | | | |
|------------------------------------|-------------------------------|----------|--------------|----------|----------------------|----------|------------------------------|-------------------|------------|
| | ALL MARRIAGES* | MARYLAND | PENNSYLVANIA | VIRGINIA | DISTRICT OF COLUMBIA | DELAWARE | OTHER STATES AND TERRITORIES | FOREIGN COUNTRIES | NOT STATED |
| ALL MARRIAGES* | 37,964 | 31,976 | 1,229 | 1,090 | 782 | 554 | 2,093 | 150 | 90 |
| MARYLAND | 32,136 | 30,707 | 169 | 286 | 229 | 82 | 514 | 85 | 64 |
| PENNSYLVANIA | 1,236 | 164 | 1,016 | 7 | 2 | 12 | 31 | 2 | 2 |
| VIRGINIA | 1,052 | 240 | 7 | 734 | 18 | 1 | 47 | 3 | 2 |
| DISTRICT OF COLUMBIA .. | 731 | 192 | 0 | 9 | 520 | 0 | 7 | 3 | 0 |
| DELAWARE | 548 | 78 | 8 | 1 | 1 | 445 | 15 | 0 | 0 |
| OTHER STATES AND TERRITORIES | 2,105 | 520 | 26 | 50 | 10 | 12 | 1,468 | 13 | 6 |
| FOREIGN COUNTRIES | 60 | 38 | 3 | 1 | 0 | 0 | 2 | 0 | 16 |
| NOT STATED | 96 | 37 | 0 | 2 | 2 | 2 | 9 | 44 | 0 |

*Marriages refer to the number of ceremonies performed in Maryland, not the number of persons married.

DIVORCES

**TABLE 59. ABSOLUTE DIVORCES AND
ANNULMENTS BY REGION AND POLITICAL
SUBDIVISION OF OCCURRENCE,
MARYLAND, 2016.**

| REGION AND POLITICAL SUBDIVISION | DIVORCES AND ANNULMENTS* |
|-------------------------------------|-----------------------------|
| MARYLAND | 16,167 |
| NORTHWEST AREA | 1,294 |
| GARRETT | 76 |
| ALLEGANY | 204 |
| WASHINGTON | 212 |
| FREDERICK | 802 |
| BALTIMORE METRO AREA | 7,765 |
| BALTIMORE CITY | 1,128 |
| BALTIMORE COUNTY | 2,681 |
| ANNE ARUNDEL | 1,796 |
| CARROLL | 543 |
| HOWARD | 844 |
| HARFORD | 773 |
| NATIONAL CAPITAL AREA | 5,302 |
| MONTGOMERY | 2,502 |
| PRINCE GEORGE'S | 2,800 |
| SOUTHERN AREA | 529 |
| CALVERT | 231 |
| CHARLES | 102 |
| ST MARY'S | 196 |
| EASTERN SHORE AREA | 1,277 |
| CECIL | 307 |
| KENT | 67 |
| QUEEN ANNE'S | 129 |
| CAROLINE | 0 |
| TALBOT | 106 |
| DORCHESTER | 132 |
| WICOMICO | 301 |
| SOMERSET | 78 |
| WORCESTER | 157 |

*Divorces refer to the number of decrees issued in Maryland, not the number of persons divorced.

TABLE 60. ABSOLUTE DIVORCES AND ANNULMENTS BY AGE, MARYLAND, 2016.

| AGE OF SPOUSE 1 | AGE OF SPOUSE 2 | | | | | | | | | |
|------------------------------------|------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|---------------|
| | ALL DIVORCES/ ANNULMENTS* | 18-19 | 20-24 | 25-29 | 30-34 | 35-39 | 40-44 | 45-54 | 55+ | NOT STATED |
| ALL DIVORCES/ ANNULMENTS* | 16,167 | 10 | 338 | 1,381 | 2,196 | 2,294 | 2,199 | 4,168 | 2,675 | 906 |
| 18-19 | 7 | 1 | 4 | 0 | 0 | 0 | 0 | 0 | 1 | 1 |
| 20-24 | 364 | 8 | 171 | 121 | 37 | 6 | 5 | 1 | 2 | 13 |
| 25-29 | 1,466 | 1 | 118 | 725 | 377 | 111 | 44 | 19 | 3 | 68 |
| 30-34 | 2,419 | 0 | 27 | 377 | 1,082 | 548 | 164 | 87 | 16 | 118 |
| 35-39 | 2,452 | 0 | 3 | 84 | 437 | 968 | 521 | 260 | 39 | 140 |
| 40-44 | 2,326 | 0 | 5 | 34 | 149 | 404 | 838 | 683 | 100 | 113 |
| 45-54 | 4,295 | 0 | 5 | 23 | 93 | 202 | 530 | 2,481 | 764 | 197 |
| 55+ | 2,596 | 0 | 1 | 6 | 11 | 41 | 79 | 615 | 1,729 | 114 |
| NOT STATED | 242 | 0 | 4 | 11 | 10 | 14 | 18 | 22 | 21 | 142 |

*Divorces refer to the number of decrees issued in Maryland, not the number of persons divorced.

TABLE 61. ABSOLUTE DIVORCES AND ANNULMENTS BY DURATION OF MARRIAGE AND REGION AND POLITICAL SUBDIVISION WHERE DECREE WAS GRANTED, MARYLAND, 2016.

| REGION AND POLITICAL SUBDIVISION | YEARS OF MARRIAGE | | | | | | | | | | |
|----------------------------------|------------------------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|---------------|
| | ALL DIVORCES/ ANNULMENTS* | <2 | 2-3 | 4-5 | 6-7 | 8-9 | 10-14 | 15-19 | 20-24 | 25+ | NOT STATED |
| MARYLAND | 16,167 | 693 | 1,826 | 2,036 | 1,730 | 1,366 | 2,838 | 1,840 | 1,293 | 1,854 | 691 |
| NORTHWEST AREA | 1,294 | 62 | 179 | 138 | 135 | 89 | 230 | 151 | 119 | 141 | 50 |
| GARRETT | 76 | 4 | 12 | 6 | 6 | 3 | 16 | 1 | 6 | 16 | 6 |
| ALLEGANY | 204 | 14 | 31 | 27 | 28 | 15 | 24 | 15 | 14 | 15 | 21 |
| WASHINGTON | 212 | 8 | 26 | 32 | 22 | 13 | 37 | 32 | 19 | 15 | 8 |
| FREDERICK | 802 | 36 | 110 | 73 | 79 | 58 | 153 | 103 | 80 | 95 | 15 |
| BALTIMORE METRO AREA | 7,765 | 307 | 839 | 970 | 837 | 688 | 1,440 | 904 | 644 | 894 | 242 |
| BALTIMORE CITY | 1,128 | 40 | 148 | 171 | 141 | 110 | 204 | 110 | 69 | 94 | 41 |
| BALTIMORE COUNTY | 2,681 | 97 | 290 | 337 | 293 | 237 | 493 | 333 | 210 | 290 | 101 |
| ANNE ARUNDEL | 1,796 | 78 | 189 | 214 | 176 | 165 | 359 | 197 | 156 | 212 | 50 |
| CARROLL | 543 | 18 | 51 | 58 | 56 | 42 | 78 | 86 | 68 | 77 | 9 |
| HOWARD | 844 | 35 | 96 | 101 | 81 | 71 | 159 | 76 | 81 | 116 | 28 |
| HARFORD | 773 | 39 | 65 | 89 | 90 | 63 | 147 | 102 | 60 | 105 | 13 |
| NATIONAL CAPITAL AREA | 5,302 | 226 | 596 | 721 | 603 | 441 | 863 | 569 | 362 | 569 | 352 |
| MONTGOMERY | 2,502 | 123 | 281 | 358 | 313 | 184 | 395 | 264 | 193 | 325 | 66 |
| PRINCE GEORGE'S | 2,800 | 103 | 315 | 363 | 290 | 257 | 468 | 305 | 169 | 244 | 286 |
| SOUTHERN AREA | 529 | 24 | 47 | 65 | 52 | 33 | 91 | 61 | 58 | 90 | 8 |
| CALVERT | 231 | 10 | 22 | 27 | 25 | 15 | 45 | 17 | 26 | 42 | 2 |
| CHARLES | 102 | 4 | 8 | 12 | 11 | 3 | 14 | 12 | 15 | 19 | 4 |
| ST MARY'S | 196 | 10 | 17 | 26 | 16 | 15 | 32 | 32 | 17 | 29 | 2 |
| EASTERN SHORE AREA | 1,277 | 74 | 165 | 142 | 103 | 115 | 214 | 155 | 110 | 160 | 39 |
| CECIL | 307 | 15 | 40 | 29 | 19 | 37 | 49 | 34 | 31 | 46 | 7 |
| KENT | 67 | 6 | 8 | 8 | 9 | 3 | 7 | 9 | 5 | 11 | 1 |
| QUEEN ANNE'S | 129 | 8 | 13 | 16 | 11 | 10 | 19 | 14 | 15 | 16 | 7 |
| CAROLINE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TALBOT | 106 | 8 | 18 | 9 | 7 | 6 | 10 | 15 | 14 | 17 | 2 |
| DORCHESTER | 132 | 6 | 18 | 16 | 6 | 15 | 28 | 18 | 10 | 12 | 3 |
| WICOMICO | 301 | 20 | 37 | 36 | 28 | 22 | 54 | 42 | 20 | 31 | 11 |
| SOMERSET | 78 | 5 | 11 | 7 | 4 | 6 | 13 | 8 | 5 | 13 | 6 |
| WORCESTER | 157 | 6 | 20 | 21 | 19 | 16 | 34 | 15 | 10 | 14 | 2 |

*Divorces refer to the number of decrees issued in Maryland, not the number of persons divorced.

TABLE 62. ABSOLUTE DIVORCES AND ANNULMENTS BY NUMBER OF CHILDREN UNDER THE AGE OF 18 YEARS AND DURATION OF MARRIAGE, MARYLAND, 2016.

| NUMBER OF MINOR CHILDREN | YEARS OF MARRIAGE | | | | | | | | | | |
|-----------------------------------|------------------------------|-----|-------|-------|-------|-------|-------|-------|-------|-------|---------------|
| | ALL DIVORCES/ ANNULMENTS* | <2 | 2-3 | 4-5 | 6-7 | 8-9 | 10-14 | 15-19 | 20-24 | 25+ | NOT STATED |
| ALL DIVORCES/ ANNULMENTS | 16,167 | 693 | 1,826 | 2,036 | 1,730 | 1,366 | 2,838 | 1,840 | 1,293 | 1,854 | 691 |
| 0 | 9,422 | 607 | 1,396 | 1,381 | 978 | 655 | 1,156 | 674 | 616 | 1,474 | 485 |
| 1 | 3,075 | 54 | 266 | 371 | 370 | 309 | 626 | 423 | 329 | 234 | 93 |
| 2 | 2,579 | 19 | 111 | 211 | 284 | 297 | 732 | 504 | 249 | 96 | 76 |
| 3 | 815 | 10 | 35 | 49 | 77 | 83 | 250 | 181 | 74 | 32 | 24 |
| 4 | 185 | 1 | 5 | 17 | 16 | 14 | 57 | 38 | 19 | 11 | 7 |
| 5 | 52 | 1 | 5 | 3 | 4 | 4 | 11 | 14 | 2 | 3 | 5 |
| 6+ | 21 | 1 | 5 | 1 | 1 | 1 | 2 | 5 | 3 | 2 | 0 |
| NOT STATED | 18 | 0 | 3 | 3 | 0 | 3 | 4 | 1 | 1 | 2 | 1 |

*Divorces refer to the number of decrees issued in Maryland, not the number of persons divorced.

***COMPARATIVE
VITAL
STATISTICS***

TABLE 63. SELECTED NATALITY DATA BY RACE AND HISPANIC ORIGIN FOR MARYLAND AND THE UNITED STATES, 2007-2016

| YEAR | BIRTH RATE PER 1,000 POPULATION | | | | | |
|-----------|---------------------------------|------|--------------------|------|--------------------|------|
| | ALL BIRTHS | | NON-HISPANIC WHITE | | NON-HISPANIC BLACK | |
| | MARYLAND | U.S. | MARYLAND | U.S. | MARYLAND | U.S. |
| 2007..... | 13.9 | 14.3 | 10.9 | 11.6 | 15.7 | 16.6 |
| 2008..... | 13.7 | 14.0 | 10.8 | 11.3 | 15.6 | 16.4 |
| 2009..... | 13.2 | 13.5 | 10.4 | 11.0 | 14.8 | 15.8 |
| 2010..... | 12.8 | 13.0 | 10.5 | 10.9 | 14.2 | 15.1 |
| 2011..... | 12.5 | 12.7 | 10.3 | 10.8 | 13.7 | 14.7 |
| 2012..... | 12.4 | 12.6 | 10.3 | 10.7 | 13.5 | 14.6 |
| 2013..... | 12.1 | 12.4 | 10.1 | 10.7 | 13.1 | 14.4 |
| 2014..... | 12.3 | 12.5 | 10.3 | 10.8 | 13.3 | 14.4 |
| 2015..... | 12.2 | 12.4 | 10.2 | 10.7 | 13.0 | 14.2 |
| 2016..... | 12.1 | * | 10.1 | * | 12.8 | * |

| YEAR | FERTILITY RATES PER 1,000 WOMEN AGE 15 - 44 | | | | | |
|-----------|---|--------|--------------------|------|--------------------|------|
| | ALL BIRTHS | | NON-HISPANIC WHITE | | NON-HISPANIC BLACK | |
| | MARYLAND | U.S. | MARYLAND | U.S. | MARYLAND | U.S. |
| 2007..... | 64.5 | 69.5 | 56.3 | 60.1 | 66.1 | 71.6 |
| 2008..... | 65.4 | 68.6 | 56.2 | 59.4 | 65.7 | 71.1 |
| 2009..... | 63.8 | 66.7 | 55.2 | 58.4 | 63.6 | 68.9 |
| 2010..... | 61.8 | 64.1 | 56.8 | 58.7 | 61.4 | 66.6 |
| 2011..... | 61.3 | 63.2 | 56.6 | 58.7 | 60.3 | 65.4 |
| 2012..... | 60.7 | 63.0 | 56.5 | 58.6 | 60.0 | 65.0 |
| 2013..... | 60.0 | 62.5 | 55.9 | 58.7 | 58.7 | 64.6 |
| 2014..... | 61.3 | 62.9 | 57.2 | 59.5 | 59.9 | 64.5 |
| 2015..... | 61.0 | 62.5 | 56.8 | 59.3 | 58.6 | 64.1 |
| 2016..... | 61.2 | 62.0** | 56.6 | * | 58.6 | * |

| YEAR | PERCENT LOW BIRTH WEIGHT*** | | | | | |
|-----------|-----------------------------|-------|--------------------|-------|--------------------|--------|
| | ALL BIRTHS | | NON-HISPANIC WHITE | | NON-HISPANIC BLACK | |
| | MARYLAND | U.S. | MARYLAND | U.S. | MARYLAND | U.S. |
| 2007..... | 9.1 | 8.2 | 7.1 | 7.3 | 13.0 | 13.9 |
| 2008..... | 9.3 | 8.2 | 7.2 | 7.2 | 13.2 | 13.7 |
| 2009..... | 9.2 | 8.2 | 7.2 | 7.2 | 13.1 | 13.6 |
| 2010..... | 8.8 | 8.2 | 6.9 | 7.1 | 12.1 | 13.5 |
| 2011..... | 8.9 | 8.1 | 6.7 | 7.1 | 12.6 | 13.3 |
| 2012..... | 8.8 | 8.0 | 6.8 | 7.0 | 12.6 | 13.2 |
| 2013..... | 8.5 | 8.0 | 6.6 | 7.0 | 12.0 | 13.1 |
| 2014..... | 8.6 | 8.0 | 6.6 | 7.0 | 12.1 | 13.2 |
| 2015..... | 8.6 | 8.1 | 6.7 | 6.9 | 11.9 | 13.3 |
| 2016..... | 8.6 | 8.2** | 6.6 | 7.0** | 12.1 | 13.7** |

See footnotes at end of table.

TABLE 63. SELECTED NATALITY DATA BY RACE AND HISPANIC ORIGIN FOR MARYLAND AND THE UNITED STATES, 2007-2016
- Continued

| YEAR | PERCENTAGE OF BIRTHS TO UNMARRIED WOMEN | | | | | |
|-----------|---|--------|--------------------|--------|--------------------|--------|
| | ALL BIRTHS | | NON-HISPANIC WHITE | | NON-HISPANIC BLACK | |
| | MARYLAND | U.S. | MARYLAND | U.S. | MARYLAND | U.S. |
| 2007..... | 40.9 | 39.7 | 25.3 | 27.8 | 62.9 | 71.6 |
| 2008..... | 42.3 | 40.6 | 26.5 | 28.7 | 64.2 | 72.3 |
| 2009..... | 42.8 | 41.0 | 27.5 | 29.0 | 64.7 | 72.8 |
| 2010..... | 41.7 | 40.8 | 26.0 | 29.0 | 64.1 | 72.5 |
| 2011..... | 41.1 | 40.7 | 25.7 | 29.0 | 63.2 | 72.3 |
| 2012..... | 40.7 | 40.7 | 25.8 | 29.3 | 62.9 | 72.1 |
| 2013..... | 40.3 | 40.6 | 25.2 | 29.3 | 62.1 | 71.5 |
| 2014..... | 39.8 | 40.2 | 25.2 | 29.2 | 60.8 | 70.9 |
| 2015..... | 40.0 | 40.3 | 24.7 | 29.2 | 61.2 | 70.6 |
| 2016..... | 39.5 | 39.7** | 24.2 | 28.4** | 60.8 | 69.7** |

| YEAR | PERCENTAGE OF BIRTHS OF FOURTH OR HIGHER ORDER | | | | | |
|-----------|--|------|--------------------|------|--------------------|------|
| | ALL BIRTHS | | NON-HISPANIC WHITE | | NON-HISPANIC BLACK | |
| | MARYLAND | U.S. | MARYLAND | U.S. | MARYLAND | U.S. |
| 2007..... | 10.2 | 11.3 | 8.2 | 9.1 | 12.9 | 15.1 |
| 2008..... | 10.3 | 11.4 | 8.3 | 9.4 | 13.0 | 15.2 |
| 2009..... | 10.3 | 11.5 | 8.2 | 9.3 | 12.8 | 15.1 |
| 2010..... | 9.9 | 11.6 | 8.2 | 9.4 | 12.8 | 15.2 |
| 2011..... | 9.9 | 11.7 | 7.8 | 9.5 | 12.2 | 15.4 |
| 2012..... | 10.2 | 11.8 | 7.7 | 9.7 | 12.9 | 15.6 |
| 2013..... | 10.1 | 12.0 | 7.9 | 9.8 | 12.5 | 15.8 |
| 2014..... | 10.5 | 12.2 | 8.0 | 9.9 | 12.8 | 16.2 |
| 2015..... | 10.7 | 12.4 | 8.5 | 10.2 | 13.0 | 16.5 |
| 2016..... | 10.8 | * | 8.6 | * | 12.8 | * |

Note: Data listed before and after 2010 are not comparable.

*Data for U.S. has not yet been released.

**Preliminary data.

***Births weighing less than 2,500 grams.

TABLE 64. SELECTED MORTALITY DATA BY RACE FOR MARYLAND AND THE UNITED STATES, 2007-2016

| AGE ADJUSTED DEATH RATES PER 1,000 POPULATION*** | | | | | | |
|--|------------|------|----------|------|----------|------|
| YEAR | ALL DEATHS | | WHITE | | BLACK | |
| | MARYLAND | U.S. | MARYLAND | U.S. | MARYLAND | U.S. |
| 2007..... | 7.8 | 7.8 | 7.4 | 7.6 | 9.3 | 9.7 |
| 2008..... | 7.7 | 7.7 | 7.4 | 7.7 | 9.2 | 9.5 |
| 2009..... | 7.6 | 7.5 | 7.3 | 7.4 | 9.0 | 9.1 |
| 2010..... | 7.3 | 7.5 | 7.0 | 7.4 | 8.5 | 9.0 |
| 2011..... | 7.1 | 7.4 | 6.9 | 7.4 | 8.1 | 8.8 |
| 2012..... | 7.0 | 7.3 | 6.8 | 7.3 | 8.0 | 8.6 |
| 2013..... | 7.1 | 7.3 | 6.9 | 7.3 | 8.0 | 8.6 |
| 2014..... | 7.0 | 7.2 | 6.9 | 7.3 | 7.8 | 8.5 |
| 2015..... | 7.1 | 7.2 | 6.9 | 7.3 | 8.1 | 8.5 |
| 2016..... | 7.2 | * | 7.0 | * | 8.1 | * |

| INFANT MORTALITY RATES PER 1,000 LIVE BIRTHS | | | | | | |
|--|------------|-------|----------|------|----------|------|
| YEAR | ALL DEATHS | | WHITE | | BLACK | |
| | MARYLAND | U.S. | MARYLAND | U.S. | MARYLAND | U.S. |
| 2007..... | 8.0 | 6.8 | 4.6 | 5.6 | 14.0 | 13.2 |
| 2008..... | 8.0 | 6.6 | 5.2 | 5.6 | 13.4 | 12.7 |
| 2009..... | 7.2 | 6.4 | 4.1 | 5.3 | 13.6 | 12.6 |
| 2010..... | 6.7 | 6.2 | 4.1 | 5.2 | 11.8 | 11.6 |
| 2011..... | 6.7 | 6.1 | 4.0 | 5.1 | 12.0 | 11.5 |
| 2012..... | 6.3 | 6.0 | 4.1 | 5.1 | 10.3 | 11.2 |
| 2013..... | 6.6 | 6.0 | 4.5 | 5.1 | 10.5 | 11.2 |
| 2014..... | 6.5 | 5.8 | 4.2 | 4.9 | 10.6 | 11.1 |
| 2015..... | 6.7 | 5.9 | 4.3 | 4.9 | 11.2 | 11.4 |
| 2016..... | 6.5 | 5.9** | 4.3 | * | 10.4 | * |

| NEONATAL MORTALITY RATES PER 1,000 LIVE BIRTHS | | | | | | |
|--|-----------|------|----------|------|----------|------|
| YEAR | ALL RACES | | WHITE | | BLACK | |
| | MARYLAND | U.S. | MARYLAND | U.S. | MARYLAND | U.S. |
| 2007..... | 5.8 | 4.4 | 3.4 | 3.7 | 10.0 | 8.7 |
| 2008..... | 5.8 | 4.3 | 3.6 | 3.6 | 9.9 | 8.2 |
| 2009..... | 5.1 | 4.2 | 2.8 | 3.5 | 9.8 | 8.2 |
| 2010..... | 4.7 | 4.1 | 2.8 | 3.5 | 8.4 | 7.5 |
| 2011..... | 5.1 | 4.1 | 3.1 | 3.5 | 8.7 | 7.5 |
| 2012..... | 4.7 | 4.0 | 3.0 | 3.5 | 4.7 | 7.3 |
| 2013..... | 4.5 | 4.0 | 3.1 | 3.5 | 7.3 | 7.4 |
| 2014..... | 4.6 | 3.9 | 2.8 | 3.4 | 7.7 | 7.3 |
| 2015..... | 4.9 | 3.9 | 3.1 | 3.3 | 8.3 | 7.4 |
| 2016..... | 4.7 | * | 2.9 | * | 7.4 | * |

*Data for U.S. has not yet been released.

**Preliminary data.

***Age-adjusted to the 2000 U.S. population.

APPENDIX

List of 113 selected causes, Injury by firearms, Drug-induced deaths, Alcohol-induced deaths, Injury at work, and Enterocolitis due to *Clostridium difficile*

Cause of death (Based on the *International Classification of Diseases, Tenth Revision, Second Edition, 2004*)

All causes

Salmonella infections (A01-A02)
Shigellosis and amebiasis (A03,A06)
Certain other intestinal infections (A04,A07-A09)¹
Tuberculosis (A16-A19)
 Respiratory tuberculosis (A16)
 Other tuberculosis (A17-A19)
Whooping cough (A37)
Scarlet fever and erysipelas (A38,A46)
Meningococcal infection (A39)
Septicemia (A40-A41)
Syphilis (A50-A53)
Acute poliomyelitis (A80)
Arthropod-borne viral encephalitis (A83-A84,A85.2)
Measles (B05)
Viral hepatitis (B15-B19)
Human immunodeficiency virus (HIV) disease (B20-B24)
Malaria (B50-B54)
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44, A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)
Malignant neoplasms (C00-C97)
 Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)
 Malignant neoplasm of esophagus (C15)
 Malignant neoplasm of stomach (C16)
 Malignant neoplasms of colon, rectum and anus (C18-C21)
 Malignant neoplasms of liver and intrahepatic bile ducts (C22)
 Malignant neoplasms of trachea, bronchus and lung (C33-C34)
 Malignant melanoma of skin (C43)
 Malignant neoplasm of breast (C50)
 Malignant neoplasm of cervix uteri (C53)
 Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)
 Malignant neoplasm of ovary (C56)
 Malignant neoplasm of prostate (C61)
 Malignant neoplasms of kidney and renal pelvis (C64-C65)
 Malignant neoplasm of bladder (C67)
 Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)
 Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)
 Hodgkin's disease (C81)
 Non-Hodgkin's lymphoma (C82-C85)
 Leukemia (C91-C95)
 Multiple myeloma and immunoproliferative neoplasms (C88,C90)
 Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)

List of 113 selected causes, Injury by firearms, Drug-induced deaths, Alcohol-induced deaths, Injury at work, and Enterocolitis due to *Clostridium difficile*

Cause of death (Based on the *International Classification of Diseases, Tenth Revision, Second Edition, 2004*)

- All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)
- In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)
- Anemias (D50-D64)
- Diabetes mellitus (E10-E14)
- Nutritional deficiencies (E40-E64)
 - Malnutrition (E40-E46)
 - Other nutritional deficiencies (E50-E64)
- Meningitis (G00,G03)
- Parkinson's disease (G20-G21)
- Alzheimer's disease (G30)
- Major cardiovascular diseases (I00-I78)
 - Diseases of heart (I00-I09,I11,I13,I20-I51)
 - Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)
 - Hypertensive heart disease (I11)
 - Hypertensive heart and renal disease (I13)
 - Ischemic heart diseases (I20-I25)
 - Acute myocardial infarction (I21-I22)
 - Other acute ischemic heart diseases (I24)
 - Other forms of chronic ischemic heart disease (I20,I25)
 - Atherosclerotic cardiovascular disease, so described (I25.0)
 - All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)
 - Other heart diseases (I26-I51)
 - Acute and subacute endocarditis (I33)
 - Diseases of pericardium and acute myocarditis (I30-I31,I40)
 - Heart failure (I50)
 - All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)
- Essential hypertension and hypertensive renal disease (I10,I12,I15)
- Cerebrovascular diseases (I60-I69)
- Atherosclerosis (I70)
- Other diseases of circulatory system (I71-I78)
 - Aortic aneurysm and dissection (I71)
 - Other diseases of arteries, arterioles and capillaries (I72-I78)
- Other disorders of circulatory system (I80-I99)
- Influenza and pneumonia (J09-J18)
 - Influenza (J09-J11)
 - Pneumonia (J12-J18)
- Other acute lower respiratory infections (J20-J22,U04)
 - Acute bronchitis and bronchiolitis (J20-J21)
 - Other and unspecified acute lower respiratory infections (J22,U04)
- Chronic lower respiratory diseases (J40-J47)
 - Bronchitis, chronic and unspecified (J40-J42)
 - Emphysema (J43)
 - Asthma (J45-J46)
 - Other chronic lower respiratory diseases (J44,J47)

List of 113 selected causes, Injury by firearms, Drug-induced deaths, Alcohol-induced deaths, Injury at work, and Enterocolitis due to *Clostridium difficile*

Cause of death (Based on the *International Classification of Diseases, Tenth Revision, Second Edition, 2004*)

- Pneumoconioses and chemical effects (J60-J66,J68)
- Pneumonitis due to solids and liquids (J69)
- Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)
- Peptic ulcer (K25-K28)
- Diseases of appendix (K35-K38)
- Hernia (K40-K46)
- Chronic liver disease and cirrhosis (K70,K73-K74)
 - Alcoholic liver disease (K70)
 - Other chronic liver disease and cirrhosis (K73-K74)
- Cholelithiasis and other disorders of gallbladder (K80-K82)
- Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)
 - Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)
 - Chronic glomerulonephritis, nephrosis and nephropathy not specified as acute or chronic, and renal sclerosis unspecified (N02-N03,N05-N07,N26)
 - Renal failure (N17-N19)
 - Other disorders of kidney (N25,N27)
- Infections of kidney (N10-N12,N13.6,N15.1)
- Hyperplasia of prostate (N40)
- Inflammatory diseases of female pelvic organs (N70-N76)
- Pregnancy, childbirth and the puerperium (O00-099)
 - Pregnancy with abortive outcome (O00-O07)
 - Other complications of pregnancy, childbirth and the puerperium (O10-O99)
- Certain conditions originating in the perinatal period (P00-P96)
- Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)
- Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)
- All other diseases (Residual)
- Accidents (unintentional injuries) (V01-X59,Y85-Y86)
 - Transport accidents (V01-V99,Y85)
 - Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)
 - Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)
 - Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)
 - Nontransport accidents (W00-X59,Y86)
 - Falls (W00-W19)
 - Accidental discharge of firearms (W32-W34)
 - Accidental drowning and submersion (W65-W74)
 - Accidental exposure to smoke, fire and flames (X00-X09)
 - Accidental poisoning and exposure to noxious substances (X40-X49)
 - Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)
- Intentional self-harm (suicide) (U03,X60-X84,Y87.0)
 - Intentional self-harm (suicide) by discharge of firearms (X72-X74)

List of 113 selected causes, Injury by firearms, Drug-induced deaths, Alcohol-induced deaths, Injury at work, and Enterocolitis due to *Clostridium difficile*

Cause of death (Based on the *International Classification of Diseases, Tenth Revision, Second Edition, 2004*)

Intentional self-harm (suicide) by other and unspecified means and their sequelae (U03,X60-X71,X75-X84,Y87.0)
Assault (homicide) (U01-U02,X85-Y09,Y87.1)
 Assault (homicide) by discharge of firearms (U01.4,X93-X95)
 Assault (homicide) by other and unspecified means and their sequelae (U01.0-U01.3,U01.5-U01.9,U02,X85-X92,X96-Y09,Y87.1)
Legal intervention (Y35,Y89.0)
Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)
 Discharge of firearms, undetermined intent (Y22-Y24)
 Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)
Operations of war and their sequelae (Y36,Y89.1)

Complications of medical and surgical care (Y40-Y84,Y88)
Injury by firearms (U01.4,W32-W34,X72-X74,X93-X95,Y22-Y24,Y35.0)
Drug-induced deaths (D52.1,D59.0,D59.2,D61.1,D64.2,E06.4,E16.0,E23.1,E24.2,E27.3,E66.1,F11.0-F11.5,F11.7-F11.9,F12.1-F12.5,F12.7-F12.9,F13.1-F13.5,F13.7-F13.9,F14.1-F14.5,F14.7-F14.9,F15.1-F15.5,F15.7-F15.9,F16.1-F16.5,F16.7-F16.9,F17.3-F17.5,F17.7-F17.9,F18.0-F18.5,F18.7-18.9,F19.0-F19.5,F19.7-F19.9,G21.1,G24.0,G25.1,G25.4,G25.6,G44.4,G62.0,G72.0,I95.2,J70.2-J70.4,K85.3,L10.5,L27.0-L27.1,M10.2,M32.0,M80.4,M81.4,M83.5,M87.1,R50.2,R78.1-R78.5,X40-X44,X60-X64,X85,Y10-14)
Alcohol-induced deaths (E24.4,F10,G31.2,G62.1,G72.1,I42.6,K29.2,K70,K85.2,K86.0,R78.0,X45,X65,Y15)
Enterocolitis due to *Clostridium difficile* (A04.7)

Injury at work (checkbox on death certificate)