

INVENTORY FORM FOR STATE HISTORIC SITES SURVEY

1 NAME

HISTORIC Lock #8, Lockhouse and Log Houses

AND/OR COMMON

2 LOCATION

STREET & NUMBER

CITY, TOWN

Cabin John

— VICINITY OF

8
CONGRESSIONAL DISTRICT

STATE

Maryland

COUNTY

Montgomery

3 CLASSIFICATION a/ lock b/ lockhouse c/ loghouses

CATEGORY	OWNERSHIP	STATUS	PRESENT USE
<input type="checkbox"/> DISTRICT	<input checked="" type="checkbox"/> a, b PUBLIC	<input checked="" type="checkbox"/> OCCUPIED	<input type="checkbox"/> AGRICULTURE <input type="checkbox"/> MUSEUM
<input checked="" type="checkbox"/> b, c BUILDING(S)	<input checked="" type="checkbox"/> c PRIVATE	<input checked="" type="checkbox"/> a, b UNOCCUPIED	<input type="checkbox"/> COMMERCIAL <input checked="" type="checkbox"/> a, b PARK
<input checked="" type="checkbox"/> a STRUCTURE	<input type="checkbox"/> — BOTH	<input type="checkbox"/> — WORK IN PROGRESS	<input type="checkbox"/> EDUCATIONAL <input checked="" type="checkbox"/> c PRIVATE RESIDENCE
<input type="checkbox"/> — SITE	PUBLIC ACQUISITION	ACCESSIBLE	<input type="checkbox"/> ENTERTAINMENT <input type="checkbox"/> RELIGIOUS
<input type="checkbox"/> — OBJECT	<input type="checkbox"/> — IN PROCESS	<input checked="" type="checkbox"/> b YES: RESTRICTED	<input type="checkbox"/> GOVERNMENT <input type="checkbox"/> SCIENTIFIC
	<input type="checkbox"/> — BEING CONSIDERED	<input checked="" type="checkbox"/> a YES: UNRESTRICTED	<input type="checkbox"/> INDUSTRIAL <input type="checkbox"/> TRANSPORTATION
		<input checked="" type="checkbox"/> c NO	<input type="checkbox"/> MILITARY <input type="checkbox"/> OTHER

4 OWNER OF PROPERTY National Park Service
Dept. of Interior

NAME Lock 8 & Lockhouses - Washington, D.C. Telephone #:

STREET & NUMBER

Dr. Charles W. Thompson

Loghouses - 7906 Riverside Drive (Phone) 229-1865

CITY, TOWN

Cabin John, Md. 20731

STATE, zip code

— VICINITY OF

5 LOCATION OF LEGAL DESCRIPTION

COURTHOUSE,
REGISTRY OF DEEDS, ETC.

Montgomery

Lock 8 } Liber #: BS3
Lockhs. } Folio #: 264

STREET & NUMBER

Loghouses - { Liber #1859
Folio # 366

CITY, TOWN

Rockville

STATE

Maryland

6 REPRESENTATION IN EXISTING SURVEYS

TITLE

Locational Atlas & Index of Historic Sites in Mont. Co., Md.

DATE

October, 1976

FEDERAL STATE COUNTY LOCAL

DEPOSITORY FOR
SURVEY RECORDS

Park Historian's Office

CITY, TOWN

Rockville

STATE

Maryland 20855

7 DESCRIPTION

M:35/21

CONDITION		CHECK ONE	CHECK ONE Lock and
<input type="checkbox"/> EXCELLENT	<input type="checkbox"/> DETERIORATED	<input type="checkbox"/> UNALTERED	<input checked="" type="checkbox"/> ORIGINAL SITE Lockhous
<input type="checkbox"/> GOOD	<input type="checkbox"/> RUINS	<input checked="" type="checkbox"/> ALTERED	<input checked="" type="checkbox"/> MOVED DATE <u>1935-36</u>
<input checked="" type="checkbox"/> FAIR	<input type="checkbox"/> UNEXPOSED		Log Houses

DESCRIBE THE PRESENT AND ORIGINAL (IF KNOWN) PHYSICAL APPEARANCE

In 1828 specifications for the dimensions and appearance of lockhouses to be erected along the C & O Canal were stipulated by the C & O Canal Company. Despite these specifications, each lockhouse had its own individuality.

Lockhouse number 8 is located on a roughly triangular piece of land, bounded on the south by the C & O Canal, and on the northeast and northwest by a channeled stream. It is one and a half stories of whitewashed uncoursed rubblestone, three bays across and one bay deep. The original "masonry" specifications required that the lockhouse measure 30' x 18', the cellar walls were to be 22" thick, "principal story" walls, 18" thick. All windows were closed by vertical board shutters. However, each window had stone lintels and sills. There are two shingled dormer windows with gable roofs set into the north-wall and extending up into the roof. The gable roof is covered by wooden shingles. There is a central stone chimney. On the north elevation there is a porch built on stone foundations with a pent roof supported by square wooden posts. There is a doorway to the north porch and another door on the south elevation. Six stone steps lead to the south (front) door.

CONTINUE ON SEPARATE SHEET IF NECESSARY

8 SIGNIFICANCE

M: 35-21

PERIOD	AREAS OF SIGNIFICANCE -- CHECK AND JUSTIFY BELOW			
<input type="checkbox"/> PREHISTORIC	<input type="checkbox"/> ARCHEOLOGY-PREHISTORIC	<input type="checkbox"/> COMMUNITY PLANNING	<input type="checkbox"/> LANDSCAPE ARCHITECTURE	<input type="checkbox"/> RELIGION
<input type="checkbox"/> 1400-1499	<input type="checkbox"/> ARCHEOLOGY-HISTORIC	<input type="checkbox"/> CONSERVATION	<input type="checkbox"/> LAW	<input type="checkbox"/> SCIENCE
<input type="checkbox"/> 1500-1599	<input type="checkbox"/> AGRICULTURE	<input type="checkbox"/> ECONOMICS	<input type="checkbox"/> LITERATURE	<input type="checkbox"/> SCULPTURE
<input type="checkbox"/> 1600-1699	<input checked="" type="checkbox"/> ARCHITECTURE	<input type="checkbox"/> EDUCATION	<input type="checkbox"/> MILITARY	<input type="checkbox"/> SOCIAL/HUMANITARIAN
<input type="checkbox"/> 1700-1799	<input type="checkbox"/> ART	<input checked="" type="checkbox"/> ENGINEERING	<input type="checkbox"/> MUSIC	<input type="checkbox"/> THEATER
<input checked="" type="checkbox"/> 1800-1899	<input type="checkbox"/> COMMERCE	<input type="checkbox"/> EXPLORATION/SETTLEMENT	<input type="checkbox"/> PHILOSOPHY	<input checked="" type="checkbox"/> TRANSPORTATION
<input checked="" type="checkbox"/> 1900-	<input type="checkbox"/> COMMUNICATIONS	<input checked="" type="checkbox"/> INDUSTRY	<input type="checkbox"/> POLITICS/GOVERNMENT	<input type="checkbox"/> OTHER (SPECIFY)
		<input type="checkbox"/> INVENTION		

SPECIFIC DATES October, 1828

BUILDER/ARCHITECT Knapp
Clark & Clements, and
Thornhill & McKennie

STATEMENT OF SIGNIFICANCE

Lock and Lockhouse:

Land for the lock and house was obtained through the condemnation process. In 1830 Mrs. Lucy White, widow, Joseph G. White (probably her son) and John Busey (who claimed a leasehold interest) were paid a total of \$1,755.01 for the stone, earth, and land needed by the C&O Canal Company. Mrs. White took the case to court, stating that the price paid to her was most unreasonable, but later she withdrew her caveat. Despite the difficulty in obtaining title to the land, the contract for Lock 8 was granted in October, 1828, and the lock completed in July, 1830, at a cost of \$9,043.14. Abram Knapp & Company was the construction firm.

Lock #8 and its lockhouse were included in Section #7 of the canal, built by the general contractors Clark and Clements, at a cost of \$13,001.28. This lock is very close to the Potomac, so Clark and Clements placed a stone wall from the river bank to the top of the canal embankment in order to protect this part of the canal from severe damage due to floods. Despite this precaution, the towpath here was flooded in 1836, April and September of 1843, and 1924. A disastrous flood in 1889 washed out the lockhouse and carried away the gate, nearly destroying the lock.

Thornhill and McKennie were granted the contract to build the house in 1829 for \$785.75. It was completed in May, 1830.

Not much information is available concerning the lockhouse residents. When first completed, the house was probably used by resident engineers of the Canal Company. In 1830 Solomon Drew was appointed first lock-keeper, at an annual salary of \$100 and use of the house.

Log Houses:

Roscoe L. Wood, AIA, bought parts of Lots 70 and 71 in Block 6, Section 4 of Cabin John Park in 1935 and '36. He designed a "completely modern House" as a scholarship project at Columbia University for the site but never constructed it because of "impossibly high bids". Wood purchased two old abandoned houses in Fredericksburg, Pa., one for \$16 and one for \$25. These structures had been put to use as gasoline stations. Mr. Wood numbered the logs, trucked them to Cabin John, and used them to build the larger house. Subsequently he bought the logs for the smaller building.

Wood built a private suspension bridge from the larger house to an island opposite his porch; it was high above both canal and towpath.

CONTINUE ON SEPARATE SHEET IF NECESSARY

M:35-21

9 MAJOR BIBLIOGRAPHICAL REFERENCES

See Continuation Sheet

CONTINUE ON SEPARATE SHEET IF NECESSARY

10 GEOGRAPHICAL DATA

ACREAGE OF NOMINATED PROPERTY _____

VERBAL BOUNDARY DESCRIPTION

Parts of Lots numbered 70 and 71, in block numbered 6 in Section 4 in a subdivision known as "Cabin John Park" as per plat recorded in Plat Book #2, Plat 156.

LIST ALL STATES AND COUNTIES FOR PROPERTIES OVERLAPPING STATE OR COUNTY BOUNDARIES

STATE	COUNTY
STATE	COUNTY

11 FORM PREPARED BY

NAME / TITLE

Candy Reed - Architechural Description

Jim Pond/Volunteer

ORGANIZATION

Sugarloaf Regional Trails

DATE

926-4510

STREET & NUMBER

Box 87

TELEPHONE

CITY OR TOWN

Dickerson

STATE

Maryland 20753

The Maryland Historic Sites Inventory was officially created by an Act of the Maryland Legislature, to be found in the Annotated Code of Maryland, Article 41, Section 181 KA, 1974 Supplement.

The Survey and Inventory are being prepared for information and record purposes only and do not constitute any infringement of individual property rights.

RETURN TO: ~~Maryland Historical Trust
The Shaw House, 21 State Circle
Annapolis, Maryland 21401
(301) 267-1438~~

SUGARLOAF REGIONAL TRAIL
Box 87, Stronghold
Dickerson, Md. 20753
(301) 926-4510

Statement of Significance

Wood sold a portion of his property to the US Government in 1941 and the part with the two houses on it to Clarence and Georgia Riner 6 months later. The Riners in turn sold the property to Charles Waters and Elizabeth Ann Thompson, November 6, 1953, subject to their life tenancy in the Gate House (smaller house); the Riners agreed to pay for repairs and improvements needed.

The log houses have no historical connection with Lock #8 or the C&O Canal.

Major Bibliographical References

Primary Sources:

Courthouse Records:

Land Records Liber BS 3/264 (Lockhouse); 1859/366, 828/143, 812/478,
608/462, 634/385 (Log Houses)

Orphans Court Docket 2, Folio 49.

Chesapeake and Ohio Canal; Proceedings of the President and Directors,
1867-1872.

Congressional Report; House Report #414, 23rd Congress, first session,
1830-31.

Maps:

Martenet and Bond, 1865.

Hopkins, 1878.

Property Map of the Chesapeake & Ohio Canal from the District Line to
Lock 22 (RG 66, File #110, 2-3, National Archives), (c.1896).

Secondary Sources:

Hahn, Thomas, Towpath Guide to the Chesapeake and Ohio Canal, American
Canal and Transportation Center, 1974.

Staff, Branch of Architecture, National Capital Office of Design and
Construction; Historic Structures Report, Cultural Resources Management
Division at the Department of the Interior; 1963.

Unrau, Harlan, "A Chronological Description of the Construction of the C&O
Canal, 1828-1850."

-----"Historic Structure Report, the Lockhouses," April, 1975.

-----"The Major Floods of the Potomac River & Effect on the C&O Canal,
1828-1936."

Young, Rogers, "Preliminary Historical Memorandum on the General Dimensions
and Construction of the C&O Canal from Rock Creek to Seneca
Creek," Cultural Resources Management Division, Department
of the Interior, 1939.

Interview with Mrs. Nattie May Burgess
6109 Broad St., Brookmont
229-2414
90 years old

Letter from Roscoe L. Wood, AIA
15 Narcissa Drive
Portuguese Bend, Calif. 90274

APPENDIX A

"Specification of a Lock Keepers house the outlines of which are exhibited on the accompanying plan and positions of the respective houses noted on the line of the Canal. /C. December 1828/

"Masonry

"The building to be of Stone and to be 30 by 18 feet over the walls, with a cellar under the kitchen part 6 feet in the clear, with a floor of earth, the walls to be 22 inches thick, and have a projection on the outside of six inches all round, and at least one course of stone high the cellar door to have stone steps, and a locust frame with grooves to receive the doors, which are to have substantial strap hinges and be fastened in the usual way with a Padlock; there will be a window on each side consisting of a single sash each of 10x 12 glass & 3 lights in width, each to shut in a oaken frame, the sash, to have hinges, to open upwards.

"Principal Story

"The floor to be 2 feet above the surface of the ground; the walls to be 20 inches thick, and that part not over the cellar to have a footing of stone all around of 6 inches more, one course of stone high, the space between the ground and the bottom of floor to have 3 slits in each side, 9x4 inches, to be covered with perforated Iron or Copper plates, to exclude vermin, and admit air, under the end where there is no cellar; the height in the clear of the story to be 6 feet between floor & ceiling.

"Attic Story

"The walls to be 18 inches thick and three feet high from the top of floors to the square; the peak of the roof to be 6 feet above side walls: The Stone to be laid in Clay mortar excepting 3 inches on the outside of the walls above ground and the inside of the cellar which 3 inches to be good lime mortar and well pointed.

" Chimney Stalk /Stack?/"

"To be begun as near the surface of the ground as a good foundation can be obtained, one side to be supported by the cross wall of the cellar, the foundation to be of Stone 8x4 feet to top of arch of oven where it will be 6x4 feet the stalk may be of brick or stone; if built of Stone, the openings of the fireplaces, the insides of the flues /flues?/, & the Oven should be of brick; and the top above the roof should be hammered; or built of hard bricks, and good mortar: The Kitchen flue to be 13 x 12 and that of the parlour 12 x 12 inches after they are plastered - The outside doors to have Stone Sills, and Stone Steps the window sills should be of Stone, or Locust painted and sanded all the lintels of doors & windows to be of stone.

M.35/21
Lock 8

'Carpenter Work

"Joists of first floor to be 3 x 9 inches: Of 2d floor 3x3 inches- Floors, to be of 1 1/2 heart heart pine planed and tongued and grooved - Doors to be of 1 1/2 heart pine not to exceed 6 inches in width to be let into and fastened with wrought nails the outside doors, to have Jamb casings of 2 inch hart pine, let into the Sills and framed at the top the outside doors to have substantial strap hinges put on with screws, the front door to have a good Stock lock, and the kitchen door an inside belt, the parlour door to be furnished with a good 7 inch nob lock, all the rest of the doors to have thumb latches-

'WINDOWS Those in the principal story to have 10x12 Glass, those in the upper story to have 6x6 Glass: the casings to be 1 1/2 inch yellow pine plank.

A Sash of 10x12 glass to be put over the front door to light the entry.

'Roof

"To have 10 pairs of Rafter, 4 inches deep at top and 6 inches at lower end three inches thick to be framed together at top and be secured by a brace at a point on the rafter that will afford a clear head way of 6 feet 4 inches in the attick story; the horizontal slope of feet of rafters to project 6 inches over the face of the wall and to have a plancier or casing, spiked to them, to extend to face of wall, the shingles to project 4 inches over that, making in all 10 wall plate, and spiked to it; said wall plate to be 4 inches thick, and spiked to pieces of 3 x4 Scantling; built angling into top of wall, a rafter of 1 1/2 inch plank to be built in the centre of Gables to project like the others: Sheeting to be 3/4 boards, laid close, the Shingles to be cypress, of good quality 12 inches long, & to show 5 1/2 Inches to the weather & not less than 4 inches wide /here a word is missing, due to torn ms., but it is probably/ and 5/8 thick.

'Carpenter work of inside

"The inside doors to have plain Jamb casings; the wainscote and surface to be plain, only single beaded, the mantle pieces to have plain pilasters, and mouldings to support the shelf; The spaces to the right & left of front entry to have stud partitions, the space between chimney stalk & Back wall to have a two inch plank partition, the space between the fireplace and door of stairway to be stud partition the stair to be plain with a noscing. The partition separating the rooms in attic story, to be 1 1/2 Inch plank: the small closet to be finished in a plain manner.

M: 35/21
Lock 8

"Plastering

"The ceilings, and stud partitions, to be lathed and
plastered, as well as the walls to be finished with three coats of
good lime mortar, made with glue and proportions of good clean sand.

"I propose to erect House No. according to the above
Specifications and the plan therein referred to - and to complete the
Same, by the day of 18 furnishing all the materials -
for Dollars."

1608684422

MARYLAND HISTORICAL TRUST WORKSHEET

NOMINATION FORM

for the
NATIONAL REGISTER OF HISTORIC PLACES, NATIONAL PARKS SERVICE

SEE INSTRUCTIONS

1. NAME				
COMMON: Canal Log House -- Lock 8				
AND/OR HISTORIC:				
2. LOCATION				
STREET AND NUMBER: 7906 Riverside Drive				
CITY OR TOWN: Cabin John				
STATE: Maryland			COUNTY: Montgomery	
3. CLASSIFICATION				
CATEGORY <i>(Check One)</i>		OWNERSHIP		STATUS
<input type="checkbox"/> District <input type="checkbox"/> Building <input type="checkbox"/> Site <input type="checkbox"/> Structure <input type="checkbox"/> Object		<input type="checkbox"/> Public <input type="checkbox"/> Private <input type="checkbox"/> Both		Public Acquisition: <input type="checkbox"/> In-Process <input type="checkbox"/> Being Considered
				<input type="checkbox"/> Occupied <input type="checkbox"/> Unoccupied <input type="checkbox"/> Preservation work in progress
ACCESSIBLE TO THE PUBLIC				
Yes:				
<input type="checkbox"/> Restricted <input type="checkbox"/> Unrestricted <input type="checkbox"/> No				
PRESENT USE <i>(Check One or More as Appropriate)</i>				
<input type="checkbox"/> Agricultural <input type="checkbox"/> Commercial <input type="checkbox"/> Educational <input type="checkbox"/> Entertainment		<input type="checkbox"/> Government <input type="checkbox"/> Industrial <input type="checkbox"/> Military <input type="checkbox"/> Museum		<input type="checkbox"/> Park <input type="checkbox"/> Private Residence <input type="checkbox"/> Religious <input type="checkbox"/> Scientific
				<input type="checkbox"/> Transportation <input type="checkbox"/> Other <i>(Specify)</i> _____ _____
Comments _____ _____				
4. OWNER OF PROPERTY				
OWNER'S NAME: Toby Thompson (229-1865 or 229-2094)				
STREET AND NUMBER: 7906 Riverside Drive (at C & O Canal and GWMP)				
CITY OR TOWN: Cabin John			STATE: Maryland	
5. LOCATION OF LEGAL DESCRIPTION				
COURTHOUSE, REGISTRY OF DEEDS, ETC: Montgomery County Courthouse				
STREET AND NUMBER:				
CITY OR TOWN: Rockville			STATE: Maryland	
Title Reference of Current Deed (Book & Pg. #):				
6. REPRESENTATION IN EXISTING SURVEYS				
TITLE OF SURVEY: None				
DATE OF SURVEY: <input type="checkbox"/> Federal <input type="checkbox"/> State <input type="checkbox"/> County <input type="checkbox"/> Local				
DEPOSITORY FOR SURVEY RECORDS:				
STREET AND NUMBER:				
CITY OR TOWN:			STATE:	

7. DESCRIPTION

CONDITION	(Check One)					
	<input type="checkbox"/> Excellent	<input type="checkbox"/> Good	<input type="checkbox"/> Fair	<input type="checkbox"/> Deteriorated	<input type="checkbox"/> Ruins	<input type="checkbox"/> Unexposed
	(Check One)			(Check One)		
	<input type="checkbox"/> Altered	<input type="checkbox"/> Unaltered		<input type="checkbox"/> Moved	<input type="checkbox"/> Original Site	

DESCRIBE THE PRESENT AND ORIGINAL (if known) PHYSICAL APPEARANCE

The house is a two-part, log cabin that sits on a bluff above the C & O Canal. The main (west) section is slightly taller than the south wing although there are living-space lofts above each. The main part is a three-bay cabin with a central entrance, while the southern part looks as though it might have been a kitchen at one time. There are two "eyebrow" windows under the eaves in this section. Fireplaces are internal although there are some newer external chimneys on the south. The house was apparently remodeled in the early 1900's, but it is most unusual in that all the exterior log walls are still exposed. Most log building in the county have now been weather-boarded.

Behind the house is another log building that has been converted to a studio of some type.

Just east of this location along the C & O Canal is a small stone lock-keepers house (Lock #8.)

SEE INSTRUCTIONS

B SIGNIFICANCE

PERIOD (Check One or More as Appropriate)

- | | | | |
|--|---------------------------------------|---------------------------------------|---------------------------------------|
| <input type="checkbox"/> Pre-Columbian | <input type="checkbox"/> 16th Century | <input type="checkbox"/> 18th Century | <input type="checkbox"/> 20th Century |
| <input type="checkbox"/> 15th Century | <input type="checkbox"/> 17th Century | <input type="checkbox"/> 19th Century | |

SPECIFIC DATE(S) (If Applicable and Known)

AREAS OF SIGNIFICANCE (Check One or More as Appropriate)

- | | | | |
|---|--------------------------------------|---|--|
| <input type="checkbox"/> Aboriginal | <input type="checkbox"/> Education | <input type="checkbox"/> Political | <input type="checkbox"/> Urban Planning |
| <input type="checkbox"/> Prehistoric | <input type="checkbox"/> Engineering | <input type="checkbox"/> Religion/Phi- | <input type="checkbox"/> Other (Specify) |
| <input type="checkbox"/> Historic | <input type="checkbox"/> Industry | losaphy | _____ |
| <input type="checkbox"/> Agriculture | <input type="checkbox"/> Invention | <input type="checkbox"/> Science | _____ |
| <input type="checkbox"/> Architecture | <input type="checkbox"/> Landscape | <input type="checkbox"/> Sculpture | _____ |
| <input type="checkbox"/> Art | Architecture | <input type="checkbox"/> Social/Human- | _____ |
| <input type="checkbox"/> Commerce | <input type="checkbox"/> Literature | itorian | _____ |
| <input type="checkbox"/> Communications | <input type="checkbox"/> Military | <input type="checkbox"/> Theater | _____ |
| <input type="checkbox"/> Conservation | <input type="checkbox"/> Music | <input type="checkbox"/> Transportation | _____ |

STATEMENT OF SIGNIFICANCE

[Empty space for statement of significance]

SEE INSTRUCTIONS

M:35-21

9. MAJOR BIBLIOGRAPHICAL REFERENCES

10. GEOGRAPHICAL DATA

LATITUDE AND LONGITUDE COORDINATES DEFINING A RECTANGLE LOCATING THE PROPERTY			O R	LATITUDE AND LONGITUDE COORDINATES DEFINING THE CENTER POINT OF A PROPERTY OF LESS THAN TEN ACRES		
CORNER	LATITUDE	LONGITUDE		LATITUDE	LONGITUDE	
	Degrees Minutes Seconds	Degrees Minutes Seconds		Degrees Minutes Seconds	Degrees Minutes Seconds	
NW	° ' "	° ' "		° ' "	° ' "	
NE	° ' "	° ' "		° ' "	° ' "	
SE	° ' "	° ' "		° ' "	° ' "	
SW	° ' "	° ' "		° ' "	° ' "	

APPROXIMATE ACREAGE OF NOMINATED PROPERTY:

Acreage Justification:

SEE INSTRUCTIONS

11. FORM PREPARED BY

NAME AND TITLE:
Michael F. Dwyer, Park Historian

ORGANIZATION: MNCPPC

DATE: 4/22/75

STREET AND NUMBER:
8787 Georgia Avenue

CITY OR TOWN: Silver Spring

STATE: Maryland

12. State Liaison Officer Review: (Office Use Only)

Significance of this property is:

National State Local

Signature _____

FALLS CHURCH QUADRANGLE

VIRGINIA—MARYLAND


7.5 MINUTE SERIES (TOPOGRAPHIC)

LELANDS CORNER 1.6 MI.
760 000 FEET (MD.)

77°07'30"

39°00'

SENECA 11 MI.
POTOMAC 2.2 MI.



M: 35-21
 C&O Canal Lock #8, Lockhouse, and Log Houses
 Falls Church Quad, 1935

U S BUREAU OF PUBLIC ROADS
 (RESEARCH STATION)

EDGEMOND 1.5 MI.
 2.7 MI. TO U.S. 240
 420 000 (MD.)
 D.C. LINE 2.2 MI.
 TENLEY CIRCLE, D.C. 3.2 MI.
 WESTMERE LAND CIRCLE 1.8 MI.
 DUFFNT CIRCLE, D.C. 6 MI.
 57'30"

0.9 MI.
 4.6 MI.



#35-21

NAME LOG HOUSE AT LOCK 8

LOCATION C+O CANAL CABIN JOHN, Md

FACADE N

PHOTO TAKEN 4/22/75 MOWVER



35-21

NAME LOCK-KEEPERS HOUSE AT LOCK # 8

LOCATION C+O CANAL, CABIN JOHN, MD.

FACADE NW

PHOTO TAKEN 4/22/75

M. DWYER