

TYPICAL UNDERDRAIN INTERCEPTOR


no scale

SEDIMENT CONTROL NOTES

- All erosion and sediment control measures are to be constructed and maintained in accordance with applicable published "Standards and Specifications for Soil Erosion and Sediment Control in Urbanizing Areas."
- A approval of the sediment control plan for this project is conditional upon the approval of a sediment control plan for off-site waste and/or borrow areas. Before the final award of the contract, the contractor must submit the plans approved by the Sediment Control Section, Department of Environmental Protection, for conformance to the Sediment Control Ordinance, Chapter 83 A, Montgomery County Code 1965, as amended, for all off-site waste or borrow areas.
- All points of construction ingress and egress will be protected to prevent tracking of mud onto public ways.
- Trench widths shall be kept to a minimum to safeguard trees and minimize grading. A maximum of 50 feet of excavated trench may be left open at one time.
- All seeding and mulching and/or sodding shall be done in accordance with the above-mentioned standards and specifications.
- All sediment will be prevented from entering any constructed storm drainage system (i.e., through use of sand bags, gravel, boards or other applicable method).

Developer/Builders Certification:
 "I/We hereby certify that all clearing, grading, construction, and/or development will be done pursuant to this plan."

2/13/74
 Date
 [Signature]
 Developer/Builder



TYPICAL UNDERDRAIN SECTION AT DRIVEWAYS


No Scale

DESIGN CERTIFICATION

I hereby certify that the Sediment control plan for this project has been prepared in accordance with "Standards and Specifications for Soil Erosion and Sediment Control in Urbanizing Areas" and Montgomery County Department of Transportation Interim storm drain criteria dated July 1, 1968, and that the total amount of excess excavation as shown on these plans has been computed to be approximately cubic yards of cut and cubic yards of fill.

2/12/74
 Date
 [Signature]
 Designer

P.E. Registration No. 7932



TYPICAL UNDERDRAIN INTERCEPTOR

No Scale

FOR LOCATION OF UTILITIES
 CALL 24 HOURS A DAY 559-0100
 48 HOURS IN ADVANCE OF ANY
 WORK IN THIS VICINITY

W.S.S.C. P.N. 2212
 IN PUBLIC SPACE SUBJECT TO PRIOR
 APPROVAL OF WATER & SEWER AND PAYMENT
 FOR ANY W.S.S.C. STRUCTURES AFFECTED.

APPROVED FOR SEDIMENT CONTROL BY
 MONTGOMERY SOIL CONSERVATION DISTRICT
 [Signature]
 SUPERVISOR

DES. R.H.J. DR. R.H.J. CHK. S.M.	MONTGOMERY COUNTY MARYLAND DEPARTMENT OF TRANSPORTATION ROCKVILLE, MD.
REVISIONS	ESTELLE RD. & ESTELLE TER. UNDERDRAIN
	APPROVED 2/13/74 [Signature] DIRECTOR/DEPT. OF TRANS. PROJECT: 748817 DWG: 1 OF 1

NUMBER	REVISION	DATE
1	Deleted all work in existing roadway. install 30° bends at locations where future underdrain extensions will extend into roadway.	4/30/74

217NW3

SD FILE NO. 91

CE 487-90 -1