

PIPE SCHEDULE		
SIZE	TYPE	LGTH
15"	R.C.P.	70'
18"	"	70'
36"	C.M.P.	207'

STRUCTURE SCHEDULE				
#	TYPE	TOP EL	REMARKS	
I-1	S.O. Inlet	271.16	SKI NOSE 0.5' E.	
I-2	"	271.16	" "	
I-3	"	271.16	" "	
I-4	"	271.16	" "	
I-5	"	271.16	" "	
T-1	Field Conn.			15" CMP
T-2	"			18" CMP
T-3	"			15" CMP
M-1	Bx. 11	385.62		12' x 32'
Ex. I-1	Remove		Fill & revise w/	24" x 15'
Elevations to be based on Sta. 4+00				



GENERAL NOTES

1. All storm drains shall be constructed in accordance with the General Specifications of the Montgomery Suburban Sanitary Commission, latest edition.
2. Type of structures refer to the Maryland Standard Highway Details in use at the time of bidding.
3. Pipe shall be provided with a minimum cover of 2' in accordance with the Maryland Standard Detail.
4. The contractor is responsible for all utilities. Prior to excavation he must determine the exact location and elevation of the mains, conduits, etc. in the area of work. If any of the utilities are found to be in conflict with the proposed improvements, the contractor shall immediately notify the Engineer.

SD # D-26, 61092-Y

MAY 26, 1961

DES.	MONTGOMERY COUNTY MARYLAND	
CHK.	DEPARTMENT OF PUBLIC WORKS	
DR.	ROCKVILLE, MD. 603	
CODE REG.	Storm Drain Extension	
STORM DRAINS	BRADMOOR DRIVE	
RIGHT OF WAY	Alt. Vicin. Dist.	
UTILITIES	Scale 1" = 20'	April 1961
CONTRACT	APPROVED	
	CHIEF, HIGHWAY ENG. DIV.	DIRECTOR, DEPT. OF PUB. WKS.
	PROJ.	FILE / DWG.

NUMBER	REVISION	DATE

CE487-595-1

SD FILE NO. 603