


GENERAL NOTES
FOR STORM DRAIN CONSTRUCTION


1. All storm drains shall be constructed in accordance with the General Specifications of the Washington Suburban Sanitary Commission, adopted September 30, 1954.
2. Types of structures refer to the Washington Suburban Sanitary Commission's Standard Storm Drainage Details unless otherwise noted.
3. Information concerning underground utilities was obtained from available records, but the Contractor must determine the exact location and elevation of the mains by digging test pits by hand at all utility crossings well in advance of trenching. If clearances are less than shown on this plan or six (6) inches, whichever is less, contact the Storm Drain Section of the Washington Suburban Sanitary Commission before proceeding with construction.
4. All inlets are to be placed 3' off curb fillets unless otherwise shown.
5. This system will be accepted & maintained by Montgomery County Dept. of Public Works at the time of improvement of Aspen Hill Road providing upon inspection existing construction meets with County Standards & necessary easements are granted.



| PIPE SCHEDULE | | |
|---------------|------|--------|
| SIZE | TYPE | LENGTH |
| 66" | RCCP | 225 |

| STRUCTURE SCHEDULE | | |
|--------------------|-------------|-------------------|
| No. | TYPE | REMARKS |
| 1 | Cutoff Wall | W.S.S.C. Standard |
| 2 | " | " |

| CURVE DATA | | | | |
|------------|-------|------|----------|------|
| NO. | RAD. | TAN | ARC CHD. | Δ |
| A | 160.0 | 25.0 | 49.9 | 49.7 |



SD# D-28, 62034-Y
WASHINGTON SUBURBAN SANITARY COMMISSION
APPROVED MARCH 2, 1962
FOR STORM DRAINS ONLY
SUBJECT TO PRIOR INSTALLATION OF WATER & SEWER AND PAYMENT FOR MOVING ANY W.S.S.C. STRUCTURES AFFECTED.
THE STORM DRAINAGE STRUCTURES SHOWN ON THIS PLAN ARE APPROVED AS TO DESIGN AS A COMPONENT PART OF THE STORM DRAINAGE SYSTEM FOR THIS DRAINAGE AREA. THIS COMMISSION ASSUMES NO RESPONSIBILITY WHATSOEVER FOR ANY DAMAGE WHICH MAY BE CAUSED TO ADJACENT PROPERTY OWNERS, OR TO OWNERS DOWNSTREAM, BY REASON OF THE INSTALLATION OF THE DRAINAGE STRUCTURES SHOWN HEREON.
John A. Marx
SENIOR DESIGNING ENGINEER
THE W.S.S.C. CONSTRUCTION DIVISION SHALL BE NOTIFIED THREE DAYS IN ADVANCE OF BEGINNING CONSTRUCTION.

| | | | | | | | | | |
|------|----------|-----------|---|--|--|-------------------|------------------|---------------|---------------------|
| DATE | REVISION | Design JZ | Thomas G. Oyster & Associates, Inc. Engineers & Surveyors Wheaton, Maryland | DONLEY CONSTRUCTION 1001 EAST MONTGOMERY AVE ROCKVILLE MD. | STORM DRAIN PLAN CITIES SERVICE OIL CO. | SCALE AS SHOWN | DATE JAN 1962 | SHEET OF 1 | JOB No. 889 DT-8 |
|------|----------|-----------|---|--|--|-------------------|------------------|---------------|---------------------|

CE487-1020-1
643

SD FILE NO. 654

6
5
4
3
2
1
Maryland State Archives