



PAVING SECTION.

SCALE: 1"=10'



2" Asph. Conc. Surf. Art. C-32
4" Asph. Conc. Base Art. C-25-34

S.D. #D-33, 63206-Y

WASHINGTON SUBURBAN SANITARY COMMISSION
* APPROVED November 4, 1963
FOR STORM DRAINS ONLY

SUBJECT TO PRIOR INSTALLATION OF WATER & SEWER AND PAYMENT FOR MOVING ANY WELLS, STRUCTURES AFFECTED.
THE STORM DRAINAGE STRUCTURES SHOWN ON THIS PLAN ARE APPROVED AS TO DESIGN AS A COMPONENT PART OF THE STORM DRAINAGE SYSTEM FOR THIS DRAINAGE AREA. THIS COMMISSION ASSUMES NO RESPONSIBILITY WHATSOEVER FOR ANY DAMAGE WHICH MAY BE CAUSED TO ADJACENT PROPERTY OWNERS OR TO OWNERS DOWNSTREAM, BY REASON OF THE INSTALLATION OF THE DRAINAGE STRUCTURES SHOWN HEREON.

John A. Mary
SENIOR DESIGN ENGINEER

* As temporary construction

Owner: Robert W. Catlin
715 Highland Ave
Glen Ellyn, Ill.

Note: 1071.42 Sq. yds. paving
1854.18 " Sod.

GENERAL NOTES

1.- All storm drains shall be constructed in accordance with the General Specifications of the W.S.S.C. adopted September 20, 1954.
2.- Types of structures refer to the W.S.S.C.'s standard storm drainage Details unless otherwise noted.
3.- Information concerning underground utilities was obtained from available records, but the contractor must determine the exact location and elevation of the mains by digging test pits by hand at all utility crossings well in advance of trenching. If clearances are less, than shown on this plan, or six (6) inches, whichever is less, contact the storm Drain Section of the Washington Suburban Sanitary Commission before proceeding with Construction.
4.- Storm drainage shown on this plan shall be maintained by Montgomery County.

PIPE SCHEDULE		
Dia.	Length	Remarks
15" ACCMP	44'	16 Gage: Asph Coated w/Paved Invert.



Scale: 1"=50' Hor.
1"=5' Vert.

PAVING PLAN
SPOTSWOOD DRIVE
CATLIN'S ADD. TO BERNHARD ACRES
COLESVILLE DISTRICT
MONTGOMERY COUNTY, MARYLAND

SCALE: 1"=50' JUNE, 1963

I hereby certify that the plan shown hereon is based on an actual field Survey.

ELWOOD L. RENN
Reg. L.S. Md #3383

BY- RENN SURVEYS
BOX 55
DAMASCUS, MD.
PHONE: 253-9553

773-1
CE487- [redacted]

SD FILE NO. 787