STORM DRAIN NOTES

1. All Storm Drains shall be constructed in accordance with the latest edition of the General Specifications of the Washington Suburban Sanitary Commission.

2. Types of Structures refer to the Standard Storm Drainage Details of the Washington Suburban Sanitary Commission unless otherwise noted.

3. Information concerning underground utilities was obtained from available records, but the contractor must determine the exact location and elevation of mains by digging test pits by hand at all utilitie crossings well in advance of trenching. If clearances are less than shown on plans or 6" (six inches), whichever is less, contact the Storm Drain Section at W.S.S.C. before proceeding with construction.

4. Have developer set all property pipes necessary to stake out this construction.

5. All storm drainage shown on this plan to be maintained by Montgomery County.

6. All inlets situated at intersections to be 3.00' uphill from P.C. of Curb Fillet.

PAVING NOTES

1. All construction shall be in accordance with the Montgomery County Road Code and Standard Specifications.

2. No work shall be done in the R/w until the proper permits have been obtained.

3. All graded areas within the street R/w including back-slopes to be sodded.

4. All paving fillet radii shall be 25', use Montgomery County standard type 10-A curb and gutter with 20' transitions at the intersections.

5. Montgomery County Std. 23-B residential driveway will be built at each lot at the direction of the Engineer or the owners.

6. Bench Marks:

B.M. #2 El. 378.50
RR Spike in 18" Oak tree

Feb. 15 '65

Congress Dr. From Ex. P.I.
To N.Line Lot 3 Bk. 21.
Dowlais Dr. From Congress Dr.
To S.W. Cor. Lot 2 Bk. 20 Castaway Dr.
From Dowlais Dr. To W. Line Lot 2 Bk. 30
& Dowlais Dr. From Lot 2 Block 20
To Lot 8 Block 30, Castaway Dr.
Lot 2 Block 30 To Lot 25 Block 30
& Shippers Lane. 2-25-65

PRELIMINARY STORM DRAIN PLAN

This plan is satisfactory as to storm drainage design subject to revisions necessary to coordinate with other utilities. The plans must be completed and submitted to W.S.S.C. for approval prior to construction after water and sewer plans are completed.

1/25/65 — Date
Senior Designing Engineer

Structures #2 and 160' of pipe North of structure 2

SD FILE NO. 919

50* D-37, 65227-Y

WASHINGTON SUBURBAN SANITARY COMMISSION
*APPROVED NOV. 2, 1965
FOR STORM DRAINS ONLY

SUBJECT TO PRIOR INSTALLATION OF WATER & SEWER AND PAYMENT FOR MOVING ANY WSSC STRUCTURES AFFECTED.
THE STORM DRAINAGE STRUCTURES SHOWN ON THIS PLAN ARE APPROVED AS TO DESIGN AS A COMPONENT PART OF THE STORM DRAINAGE SYSTEM FOR THIS DRAINAGE AREA. THIS COMMISSION ASSUMES NO RESPONSIBILITY WHATSOEVER FOR ANY DAMAGE WHICH MAY BE CAUSED TO ADJACENT PROPERTY OWNERS, OR TO OWNERS DOWNSTREAM, BY REASON OF THE INSTALLATION OF THE DRAINAGE STRUCTURES SHOWN HEREON.

SENIOR DESIGNING ENGINEER

*Subject to issuance of permit by Maryland State Department of Health


MATCH LINE See Sheet 2 of 3
MATCH LINE See Sheet 2 of 3
CASTAWAY DRIVE
CASTAWAY LANE
SHIPPERS
DOWLAIS
DRIVE
CONGRESS
DRIVE
10 Post Barricade @ 5'%
Limit of Dedication
Limit of Dedication
Limit of Requested Easement
Sta. 6+30.96 Shippers Lane
Sta. 2+65.25 Castaway Drive
Sta. 5+41.85
Sta. 3+78.28 Dowlais
Sta. 0+00 Castaway Drive
17+61.46 Congress Drive
43+43.65 Dowlais Drive
P.C. 5+30.42
P.C. 5+12.65
P.T. 4+46.25
P.T. 3+84.44
P.C. 3+23.61
P.T. 2+45.61
P.C. 0+55
P.T. 0+38
P.C. 39+72.69
P.T. 41+06.45
P.C. 45+41.74
P.T. 44+03.84
P.C. 17+23.46
P.T. 17+06.46
P.C. 14+88.65
P.T. 14+02.94
P.C. 18+16.46
P.T. 17+99.46
P.C. 14+88.65
P.T. 14+02.94
P.C. 11+39.27
P.T. 11+25.27
P.C. 10+39.27
P.T. 9+84.33
P.C. 9+23.61
P.T. 8+72.83
P.C. 8+59.11
P.T. 8+39.84
P.C. 7+77.48
P.T. 7+27.48
P.C. 12+25.00
P.T. 12+19.37
P.C. 2+50.08
P.T. 2+39.46
P.C. 1+77.24
P.T. 1+67.24
P.C. 1+45.61
P.T. 1+25.00
P.C. 0+55
P.T. 0+38
M-12368
M-12367
M-12365
M-12357
M-12356
M-12370
M-12369
10-A
6" B.C. Curb
8" W.
12" RCP
18" RCP
24" RCP
Sod
Sod
Sod

SD# D-37, 65227-Y

APPROVED Nov. 2, 1965
FOR STORM DRAINS ONLY

SUBJECT TO FIELD INSPECTION OF WATER & SEWER AND PAVING AND WHERE ARE ROAD STRUCTURES INVOLVED.
THE STORM DRAINAGE STRUCTURES SHOWN ON THIS PLAN ARE APPROVED AS BEING ADEQUATE & COMPONENT PART OF THE STORM DRAINAGE SYSTEM FOR THIS SUBDIVISION. FINAL ENGINEERING APPROVAL AND ACCEPTANCE BY THE COMMISSION WILL BE WITHHELD UNTIL ALL IMPROVEMENTS AND EASEMENTS SHOWN ON THIS PLAN HAVE BEEN COMPLETED IN ACCORDANCE WITH THE SUBDIVISION REGULATIONS AND TO OWNERS CERTIFICATION AS TO PASSAGE OF TIME SINCE INSTALLATION OF SUCH IMPROVEMENTS AS HEREINAFTER SHOWN HEREON.

John A. Marx
DIRECTOR OF ENGINEERING

*STRUCTURES 3 THROUGH 10, 12, 13 AND CONNECTING PIPES

S.D. Ditch Curve Data
R = 75.00'
Δ = 30°00'00"
T = 20.10'
L = 39.26'

Easement for Construction, Operation & Maintenance of Storm Drains & San. Sewers.

Provide 5' Transition from 1½:1 Slopes on paved channel to 2:1 Sloped on Seeded Outfall Ditch.

Seed & Mulch all disturbed areas

Fill to be placed in site grading operations to insure positive drainage to the storm.

S.D. CURVE DATA
R = 437.40
Δ = 24°47'44"
Lc = 210.93
T = 107.14
Min. Pipe L = 6'

S.D. CURVE DATA
R = 437.40
Δ = 12°28'46"
Lc = 106.16
T = 53.28
Min. Pipe L = 6'

Remove Ex. 15" Pav. Chan. & Vel. Checks. Lay new 42" R.C.P. to meet Ex. 42" S.D. on line & grade.

Conf. by Others

B.M. #1 El. 341.17
R.R. Spike in 20" Beech Tree

MATCH LINE
See Sheet 1 of 3

MATCH LINE
See Sheet 1 of 3

SD FILE NO. 919

PAVING & DRAINAGE PLAN

BEL-PRE FOREST

MONTGOMERY COUNTY, MARYLAND

SCALE 1"=50' DATE July, 1964

HANSON & ASSOCIATES
LAND SURVEYORS
LAND PLANNING CONSULTANTS
156 CONGRESSIONAL AIRPORT LANE
ROCKVILLE, MARYLAND
Phone 427-7670

DESIGNED	DRAWN	OWNER	JOB NUMBER
F.M. Steadman	F.A. SPINETTA C.E.B.	Admiral Homes, Inc.	122
CHECKED	APPROVED	SD FILE NO. 919	
K.E. den Outer			

STATE OF MARYLAND
RODNEY LOUIS HANSON
NO. 3344
REGISTERED
LAND SURVEYOR

Rodney L. Hanson

CE487-903-2

919

Maryland State Archives

STRUCTURE SCHEDULE			
Nº	TYPE	ELEVS	REMARKS
1	B-15	369.83 370.08	W.S.S.C. Inlet, W=2.5
2	B-10	371.12 371.36	" " W=2.5
3	B-10	364.18 364.42	" " W=4.0'
4	B-48	357.0	" MH
5	B-48	345.0	" "
6	B-10	334.28 334.57	" Inlet W=2.5
7	B-10	334.78 335.33	" " W=2.5'
8	B-10	334.35 334.60	" " W=4.0'
9	F.C.	—	Meet Ex. Pipe
10	B-54	332.50	W.S.S.C. MH
12	B-10	327.73 327.98	W.S.S.C. Inlet W=4.5
13	Endwall	327.50	" Std.

PIPE SCHEDULE			
SIZE	TYPE	CLASS	LENGTH
15"	R.C.P.	IV	116'
15"	R.C.P.	V	30'
18"	R.C.P.	IV	54'
18"	R.C.P.	V	132'
21"	R.C.P.	IV	56'
42"	R.C.P.	II	142'
42"	R.C.P.	III	346

STREET GRADES APPROVED BY M.N.C.P.P.C.

DOWLAIS DRIVE	#6766	7-27-64
CONGRESS DRIVE	#7760	7-27-64
RIM ROCK ROAD	#8624	7-27-64
FLINT ROCK ROAD	#7422	7-27-64



Note: For Dimensions and Details of Endwall, see W.S.S.C. Std. Dft. #60.43

OUTFALL DITCH @ STR. #13
SPECIAL VELOCITY CHECK DETAIL
No Scale



PRELIMINARY STORM DRAIN PLAN

This plan is satisfactory as to storm drainage design subject to revisions necessary to coordinate with other utilities. The plan must be completed and submitted to W.S.S.C. for approval prior to construction after water and sewer plans are approved.

1/25/65 — Date

Senior Designing Engineer

Structures #1 & #2 and 160' of pipe North of Structure #2

50* D-37, 65227-Y

APPROVED NOV. 2, 1965
FOR STORM DRAINS ONLY

SUBJECT TO PRIOR INSTALLATION OF WATER & SEWER AND PAYMENT FOR MOVING ANY WSSC STRUCTURES AFFECTED.
THE STORM DRAINAGE STRUCTURES SHOWN ON THIS PLAN ARE APPROVED AS TO DESIGN AS A COMPONENT PART OF THE STORM DRAINAGE SYSTEM FOR THE DRAINAGE AREA. THIS COMMISSION ASSUMES NO RESPONSIBILITY WHATSOEVER FOR ANY DAMAGE WHICH MAY BE CAUSED TO ADJACENT PROPERTY OWNERS, OR TO OWNERS GENERALLY, BY REASON OF THE INSTALLATION OF THE DRAINAGE STRUCTURES SHOWN HEREON.

SENIOR DESIGNING ENGINEER





TYPICAL SECTION
SOD LINED OUTFALL DITCH
NO SCALE

PROFILE SCALE

HORIZONTAL	1"=50'
VERTICAL	1"=5'

STATE OF MARYLAND — RODNEY L. HANSON — No. 1001 — REGISTERED LAND SURVEYOR

Rodney L. Hanson

CE487-903-3

SD FILE NO. 919

STORM DRAIN PROFILES
BEL PRE FOREST
MONTGOMERY COUNTY, MARYLAND

SCALE AS SHOWN — DATE NOV. 1964

HANSON & ASSOCIATES
LAND SURVEYORS
LAND PLANNING CONSULTANTS
156 CONGRESSIONAL AIRPORT LANE
ROCKVILLE, MARYLAND
Phone 427-7070

DESIGNED	DRAWN	OWNER	JOB NUMBER
F.M. Steadman	F.M. Steadman	Admiral Homes, Inc. 449 Courthouse Sta. Rockville Md.	122-01
CHECKED	APPROVED		
K.E. den Outer			

SD FILE NO. 919