

PLANNED IN SUCH PROXIMITY TO THE UNDERGROUND FACILITY THAT THE FACILITY MAY BE DISTURBED OR DAMAGED;

(VI) USE THE FOLLOWING COLOR CODE WHEN MARKING THE LOCATION OF AN UNDERGROUND FACILITY:

UTILITY TYPE AND PRODUCT

SPECIFIC GROUP

IDENTIFYING COLOR

~~UTILITY TYPE AND PRODUCT~~

~~SPECIFIC GROUP~~

~~IDENTIFYING COLOR~~

ELECTRIC POWER DISTRIBUTION
AND TRANSMISSION
MUNICIPAL ELECTRIC SYSTEMS
GAS DISTRIBUTION AND
TRANSMISSION

SAFETY RED

SAFETY RED
HIGH VISIBILITY SAFETY
YELLOW

~~UTILITY TYPE AND PRODUCT~~

~~SPECIFIC GROUP~~

~~IDENTIFYING COLOR~~

OIL DISTRIBUTION AND
TRANSMISSION
DANGEROUS MATERIALS,
PRODUCT LINES;

HIGH VISIBILITY SAFETY
YELLOW
HIGH VISIBILITY SAFETY
YELLOW

AND STEAM LINES

TELEPHONE AND
TELECOMMUNICATIONS
CABLE TELEVISION

SAFETY ALERT ORANGE

SAFETY ALERT ORANGE
SAFETY PRECAUTION BLUE
SAFETY GREEN;

WATER SYSTEMS

SEWER LINES ~~AND STORM~~

~~DRAINS~~

(VII) NOTIFY THE CONTRACTOR OF THE DATE AND TIME WHEN A LOCATION WILL BE ~~WORKED~~ MARKED IF THE MARKING CANNOT BE COMPLETED WITHIN ~~2 WORKING DAYS~~ 48 HOURS (EXCLUDING SATURDAYS, SUNDAYS, AND LEGAL HOLIDAYS);

(VIII) EXCAVATE AROUND AN UNDERGROUND FACILITY IN A TIMELY MANNER IF THE OWNER ELECTS TO PERFORM A PROPOSED EXCAVATION ITSELF; AND

(IX) NOTIFY THE CONTRACTOR WITHIN ~~2 WORKING DAYS~~ 48 HOURS (EXCLUDING SATURDAYS, SUNDAYS, AND LEGAL HOLIDAYS) OF NOTIFICATION REQUIRED BY SUBSECTION (E) OF THIS SECTION THAT MARKING IS UNNECESSARY IF:

1. THE OWNER DOES NOT HAVE AN UNDERGROUND FACILITY AT THE LOCATION STATED IN THE NOTICE; ~~OR~~

2. THE PROPOSED EXCAVATION IS NOT PLANNED