

time and lighted at night with 25 watt lamps at intervals of 100 feet located approximately 15 feet from the ground.

(d) Walkways not less than two feet wide shall be provided from the trailer coach spaces to the service buildings. The walkways shall be hard surfaced, well marked in the daytime and lighted at night with 25 watt lamps at intervals of 100 feet located approximately 15 feet from the ground.

(e) Each park shall provide service buildings to house toilet facilities, bathing facilities, laundry facilities and other sanitary facilities as hereinafter more particularly prescribed and comply in all respects to State and County requirements.

(f) An electrical outlet supplying at least 110 volts shall be provided for each trailer coach space.

302. (Location.) Trailer coach parks must be zoned for trailer coach park use. Each boundary of the park must be at least 200 feet from any permanent residential building located outside the park unless separated therefrom by a natural or artificial barrier, or unless a majority of the property owners according to area within said 200 feet, consent in writing to the establishment of the park.

303. (water Supply.) An adequate supply of pure water for drinking and domestic purposes shall be supplied to meet the requirements of the State and County. The water supply shall be obtained from faucets only. No common drinking cups shall be permitted. Cold water supply faucets shall be located on each trailer coach space. An adequate supply of hot water shall be provided at all times in the service buildings for bathing, washing and laundry facilities.

304. (Sanitation Facilities.) Each park shall be provided with toilets, baths or showers, slop sinks and other sanitation facilities which shall conform to the following requirements:

(a) Toilet facilities for men and women shall be either in separate buildings at least 20 feet apart or shall be separated, if in the same building, by a sound-proof wall.

(b) Toilet facilities for women shall consist of not less than one flush toilet for every 10 trailer coach spaces, one shower or bath tub for every 10 trailer coach spaces and one lavatory for every 20 trailer coach spaces. Each toilet, shower and bath tub shall be in a private compartment.