

vals of 100 feet located approximately 15 feet from the ground.

(e) Each park shall provide service buildings to house toilet facilities, bathing facilities, laundry facilities and other sanitary facilities as hereinafter more particularly prescribed.

(f) An electrical outlet supplying at least 110 volts shall be provided for each trailer coach space.

*751. (Location.)*

*Trailer coach parks may be located in any district which is zoned for trailer parks. Each boundary of the park must*

751F. (LOCATION.) AFTER THE ENACTMENT OF ZONING ORDINANCES AND REGULATIONS BY THE COUNTY COMMISSIONERS OF FREDERICK COUNTY, TRAILER PARKS MAY BE LOCATED ONLY IN SUCH DISTRICTS AS MAY BE ZONED FOR TRAILER PARKS, AND UNTIL THE ADOPTION OF SUCH ZONING ORDINANCES AND REGULATIONS, TRAILER COACH PARKS MAY BE LOCATED IN ANY DISTRICT OR LOCATION EXCEPT THAT EACH BOUNDARY OF THE PARK MUST be at least 200 feet from any permanent residential building located outside the park, unless a majority of the property owners according to area within said 200 feet consent in writing to the establishment of the park, PROVIDED, HOWEVER, THAT NO TRAILER COACH PARK ALREADY IN OPERATION AT THE TIME OF THE ENACTMENT OF THIS SECTION SHALL BE REQUIRED TO CHANGE ITS EXISTING PARK PLAN TO COMPLY WITH THE PROVISIONS OF THIS SUB-SECTION.

*751G. (Water Supply.)*

An adequate supply of pure water for drinking and domestic purposes shall be supplied to meet the requirements of the park. The water supply shall be obtained from faucets only. No common drinking cups shall be permitted. Each trailer coach space shall be provided with a cold water tap at least four inches above the ground. An adequate supply of hot water shall be provided at all times in the service buildings for all bathing, washing, cleansing and laundry facilities.

*751H. (Sanitation Facilities.)*

Each park shall be provided with toilets, baths or showers, slop sinks and other sanitation facilities which shall conform to the following requirements: