

*machine for every 20 trailer coach spaces, OR PORTION THEREOF OCCUPIED. An electrical outlet shall be provided supplying current sufficient to operate each washing machine. Drying spaces shall be provided sufficient to accommodate the laundry of the trailer coach occupants. The service building housing the laundry facilities shall be a permanent structure complying with all applicable ordinances and statutes regulating buildings, electrical installations and plumbing and sanitation systems.*

*751J. (Sewage and Refuse Disposal.)*

*Waste from showers, bath tubs, flush toilets, urinals, lavatories, slop sinks and laundries in service and other buildings within the park shall be discharged into a public sewer system in compliance with applicable ordinances or into a private sewer and disposal plant or septic tank system of such construction and in such manner as will present no health hazard. Each trailer coach space shall be provided with a trapped sewer at least four inches in diameter, which shall be connected to receive the waste from the shower, bath tub, flush toilet, lavatory and kitchen sink of the trailer coach harbored in such space and having any or all of such facilities. The trapped sewer in each space shall be connected to discharge the trailer coach waste into a public sewer system in compliance with applicable ordinances or into a private sewer and disposal plant or septic tank system of such construction and in such manner as will present no health hazard.*

*751K. (Garbage Receptacles.)*

*Tightly covered metal garbage cans shall be provided for each trailer. The cans shall be kept in sanitary condition at all times. Garbage and rubbish shall be collected and disposed of as frequently as may be necessary to insure that the garbage cans shall not overflow.*

*751L. (Fire Protection.)*

*Every park shall be equipped at all times with one fire extinguisher in good working order for every 10 trailer coach spaces, OR PORTION THEREOF OCCUPIED, located not farther than 200 feet from each trailer coach space. No open fires shall be permitted at any place which would endanger life or property. No fires shall be left unattended at any time.*