

## ANNE ARUNDEL COUNTY

APPLIANCES AND EQUIPMENT NOR THE ACCEPTANCE OF THE CERTIFICATES AND LABELS OF INSPECTION BY AUTHORITATIVE NATIONAL INSPECTION AGENCIES. PROVISIONS OF THE 'BOARD OF BOILER RULES' OF THE STATE OF MARYLAND SHALL BE FOLLOWED."

(38) Strike all of Section 1102.0 and insert a new Section 1102.0 in lieu thereof, to stand in the place of the section so stricken, and to read as follows:

"SECTION 1102.0. PLANS AND SPECIFICATIONS

"PLANS AND SPECIFICATIONS FOR THE INSTALLATION, REPAIR, EXTENSION OR REMOVAL OF ANY HEATING APPLIANCE HEREIN DEFINED OR OF A HEATING, BLOWER OR EXHAUST SYSTEM SHALL BE SUBMITTED TO THE BUILDING OFFICIAL AND A PERMIT SHALL BE SECURED PRIOR TO THE COMMENCEMENT OF ANY INSTALLATION, EXCEPT AS HEREIN PROVIDED. ONE (1) AND TWO (2) FAMILY DWELLINGS AS DESCRIBED IN USE GROUP L-3 SHALL BE EXEMPT FROM THE PROVISIONS OF THIS SECTION, AND SUBSECTIONS 1102.1 AND 1102.2."

(39) Strike all of Subsection 1103.1 and insert a new Subsection 1103.1 in lieu thereof, to stand in the place of the subsection so stricken, and to read as follows:

"SUBSECTION 1103.1. PERIODIC INSPECTIONS OF HEATING EQUIPMENT: ALL BOILERS AND UNFIRED PRESSURE VESSELS SUBJECT TO THE PROVISIONS OF THIS SUBTITLE SHALL BE INSPECTED IN ACCORDANCE WITH THE REQUIREMENTS OF THE BOARD OF BOILER RULES OF THE STATE OF MARYLAND."

(40) Strike all of Subsection 1103.4.

(41) Strike all of Subsection 1211.2.

(42) Strike all of Section 1213.17 and insert a new Section 1213.17 in lieu thereof, to stand in the place of the section so stricken, and to read as follows:

"SECTION 1213.17. COMBUSTIBLE CONTENTS: ALL BUILDINGS AND STRUCTURES USED FOR THE MANUFACTURE, SALE OR STORAGE OF COMBUSTIBLE MATERIALS AND PRODUCTS (USE GROUP A & B-1) SHALL BE EQUIPPED WITH AN APPROVED AUTOMATIC SPRINKLER SYSTEM. WHEN MORE THAN THREE (3)