

ANNE ARUNDEL COUNTY

STEEL PIPE (SEAMLESS)
AND WELDED, BLACK
AND ZINC COATED) B36.20-
(GALV.) 1966

A 120-66 NONE NONE

UNIONS; MALLEABLE
IRON OR STEEL
300 LBS.

NONE NONE WW-U-536 (1)-
1933 CS7-29

WROUGHT-IRON
PIPE

B36.2-1966 A72-66 NONE NONE

VALVES, CAST IRON,
GATE, 125 & 250
LB. THREADED
AND FLANGED

NONE NONE WW-V-58A-1966 NONE

PIPE FITTINGS,
BRONZE & FERROUS
(BUSHINGS, PLUGS
AND LOCKNUTS);
THREADED

NONE NONE WW-P-471A (2)-
1964 NONE

NIPPLES, PIPE,
THREADED

NONE NONE WW-N-351B-
1967 CS5-69

NON-METALLIC PIPE AND FITTINGS

ASBESTOS CEMENT NON-
PRESSURE (SEWER)
PIPE CLASS 2400

NONE NONE SS-P-331C-1967 NONE

ASBESTOS CEMENT
PRESSURE (WATER)
PIPE

NONE C-296-65T SS-P-351A-
1953 AWWA
C400-65

BITUMINIZED FIBER
SEWER PIPE
AND FITTINGS

NONE D1861-64
D1862-64 SS-P-356-1955 NONE

PERFORATED BITU-
MINIZED FIBER PIPE
FOR SEPTIC TANK
DISPOSAL FIELDS

NONE D2312-65
D2313-65 SS-P-358A-1960 NONE

CLAY DRAIN TILE A6.1-1963

C4-62 NONE NONE

CONCRETE SEWER
PIPE, REINFORCED

NONE C76-67 NONE NONE

CONCRETE SEWER PIPE
NON-REINFORCED

NONE C14-67 NONE NONE

CONCRETE PIPE,
PRESSURE REINFOR-