

(9) Except as otherwise indicated herein, moneys derived from the sale of bonds authorized by this Act shall be used only for capital improvements and for no other purpose. In determining whether an expenditure represents a capital improvement, the Board of Public Works shall be guided by the principle that a capital improvement is an improvement, the useful life of which shall be at least equal to the life of the bonds by which it is financed.

(10) For any project listed in Section 1 of this Act which authorizes preliminary planning funds and for which the program required by Section 10(b) of Article 88C of the Annotated Code (1969 Replacement Volume and 1976 Supplement) has not been prepared, the appropriate State agency is required to submit a program to the Department of State Planning for approval before the authorization may be expended. For any project listed in Section 1 of this Act which authorizes funds for construction and for which the preliminary plans and outline specifications required by Section 10 of Article 15A of the Annotated Code (1976 Replacement Volume and 1976 Supplement) have not been prepared, the appropriate State agency is required to submit the plans and outline specifications to the Department of State Planning for approval before the construction authorization may be expended.

SECTION 2. AND BE IT FURTHER ENACTED, That Section 5 (P) (2) (f) of Chapter 195 of the Acts of 1973, as amended by Chapter 321 of the Acts of 1975, be and it is hereby repealed and reenacted, with amendments, to read as follows:

Chapter 195 of the Acts of 1973, as amended  
by Chapter 321 of the Acts of 1975  
(General Construction Loan of 1973)

5.

(P) State Colleges:

(2) Bowie State College  
(Prince George's County):

(f) Construction of a library:

Construction, to include the construction of instructional space (classrooms, laboratories, and faculty offices) for the Division of Social Sciences.....	[6,546,500]
	6,146,500
Utilities.....	130,000
Site Improvements.....	85,000
CAPITAL EQUIPMENT.....	400,000