

~~(iii)--The member of the committee assigned to review the request and the chairman OF THE JOINT COMMITTEE, or if he is unavailable, then the vice chairman CHAIRMAN FROM THE OTHER HOUSE.~~

~~(2)--Approval may be secured by the committee staff either in writing, personally, or by telephone.~~

~~(3)-(i)--If any member of the committee objects to the emergency adoption of the rule, approval may not be given to the adopting agency until a public hearing is held.~~

~~(ii)--If such a public hearing is held, then BOTH a majority of a quorum THE SENATE MEMBERS present and voting AND A MAJORITY OF THE HOUSE MEMBERS PRESENT AND VOTING shall approve the emergency request before it may be permitted to be implemented.~~

~~(4)-(i)--The emergency approval may be made subject to one or more conditions including, but not limited to, a time limit.~~

~~(ii)--Upon expiration of the time limit, if final adoption of the emergency measure in accordance with procedures specified in Article 41, § 256, has not been accomplished, the text of a regulation affected by the emergency measure reverts to its original language, as if the emergency measure had not been approved.~~

~~(5)--The emergency approval may be rescinded, after it has been granted, by a majority of a quorum present and voting at a public meeting.~~

~~(g) (6) [Six] SEVEN NINE members of the committee shall constitute a quorum at any meeting, OF WHOM AT LEAST 1 SHALL BE A SENATE MEMBER.~~

~~(7)--ACTIONS TAKEN BY THE COMMITTEE SHALL REQUIRE APPROVAL BY BOTH A MAJORITY OF THE SENATE MEMBERS PRESENT AND VOTING AND BY A MAJORITY OF THE DELEGATE MEMBERS PRESENT AND VOTING.~~

SECTION 2. AND BE IT FURTHER ENACTED, That this Act is hereby declared to be an emergency measure and necessary for the immediate preservation of the public health and safety and having been passed by a yea and nay vote supported by three-fifths of all the members elected to each of the two Houses of the General Assembly, the same shall take effect from the date of its passage.

Approved May 24, 1983.

-----