

INDEX

	Chapter	Page
	JR 4	2942
Residential boarding education programs for at-risk youth and Board of Trustees of Residential Boarding Education Programs, provisions added	397	2143
Checks --		
Social Security number, printing on employee's wage payment check or other wage payment documents, prohibited	458	2355
Chemical Tests --		
Commercial fertilizer retail outlets, display of signs that advise customers of damaging effects of fertilizer overuse and recommend soil analysis, provisions added	165	851
Drunk and drugged driving, refusal to take test to determine blood alcohol content or test results indicating high blood alcohol content, two-tier system of administrative penalties established for results from .08 to .15 and from .15 to .2; Ignition Interlock Program participation, provisions altered	461	2361
Elevated blood lead, testing provisions altered	418	2211
Chesapeake Bay --		
Bay Restoration Fund --		
Capital appropriation for septic systems	216	1156
Capital appropriation for wastewater	216	1156
Repair or replacement of failing onsite sewage disposal systems, use of fund for, and priority for grants and loans, provisions altered	462	2374
Biological Nutrient Removal Program, capital appropriation	216	988
Chesapeake and Atlantic Coastal Bays Critical Area Protection Program amendments and refinements, guidelines for local jurisdictions, Critical Area Commission approval process, and local jurisdiction growth allocation requests, provisions altered .	55	367
Chesapeake Bay Maritime Museum --		
Appropriation to	216	1121
Bond funds for	46	316 332
Critical Area Commission, appropriation to	216	1044 1199
Federal funding for cleanup and restoration efforts, maintenance of current levels urged	JR 5	2944
Foundation, appropriation to	216	1120
Water Quality Project Funds, bond funds for grants for nutrient removal at publicly-owned sewage treatment works, sewage plant construction costs, including one in Willards area, small creek and estuary water quality cleanup activities, and nonpoint source stormwater pollution control	46	292