

institutional facilities for the purpose of storing food products, ice, or other perishable items at specified temperatures and that may be configured with either solid or transparent doors as a:

1. reach-in cabinet;
2. pass-through cabinet;
3. roll-in cabinet; or
4. roll-through cabinet.

(ii) "Commercial refrigeration cabinet" does not include:

1. a product with 85 cubic feet or more of internal volume;
2. a walk-in refrigerator or walk-in freezer; [or]
3. a consumer product regulated under the National Appliance Energy Conservation Act of 1987 (Public Law 100-12); OR
4. ANY REFRIGERATOR, FREEZER, OR REFRIGERATOR-FREEZER DESIGNED AND MARKETED EXCLUSIVELY FOR MEDICAL, SCIENTIFIC, OR RESEARCH PURPOSES.

~~(6) "HUGGER FAN" MEANS A CEILING FAN DESIGNED FOR THE MOTOR TO BE MOUNTED DIRECTLY TO THE CEILING WITHOUT AN EXTENDER.~~

~~{(6)}~~(7) (4) "Illuminated exit sign" means an internally illuminated sign that is designed to be permanently fixed in place to identify an exit and the background of which is not transparent.

~~{(7)}~~(8) (5) "Large packaged air-conditioning equipment" means packaged air-conditioning equipment with [over] AT LEAST 20 tons TO 80 TONS, INCLUSIVE, BUT NOT MORE THAN 80 TONS of cooling capacity.

~~{(8)}~~(9) (6) (i) "Low-voltage dry-type distribution transformer" means a distribution transformer that:

1. has an input voltage of 600 volts or less;
2. is air-cooled; and
3. does not use oil as a coolant.

(ii) "Low-voltage dry-type distribution transformer" does not include any of the following transformers:

1. an autotransformer in which the primary and secondary windings are not electronically isolated and at least a portion of the secondary voltage is derived from the primary winding;
2. a drive transformer designed only to provide power to operate an electronic variable speed motor drive;