- 2. a walk-in refrigerator or walk-in freezer; [or]
- 3. a consumer product regulated under the National Appliance Energy Conservation Act of 1987 (Public Law 100–12), OR
- 4. ANY <u>ULTRA-LOW TEMPERATURE</u> <u>REFRIGERATOR</u>, FREEZER, <u>OR REFRIGERATOR-FREEZER</u> DESIGNED AND MARKETED EXCLUSIVELY FOR MEDICAL, SCIENTIFIC, OR RESEARCH PURPOSES.
- (6) "HUGGER FAN" MEANS A CEILING FAN DESIGNED FOR THE MOTOR
 TO BE MOUNTED DIRECTLY TO THE CEILING WITHOUT AN EXTENDER
- [(6)] (7) "Illuminated exit sign" means an internally illuminated sign that is designed to be permanently fixed in place to identify an exit and the background of which is not transparent.
- (8) (I) "INSTALLER" MEANS ANY PERSON RECEIVING PAYMENT FOR INSTALLATION.
- (II) "INSTALLER" DOES NOT INCLUDE ANY PERSON INSTALLING A PRODUCT LISTED UNDER SUBSECTION (B) OF THIS SECTION IN HIS OR HER OWN RESIDENCE OR BUSINESS.
- [(7)] (9) (8) (7) "Large packaged air-conditioning equipment" means packaged air-conditioning equipment with [over] 20 tons OR MORE AT LEAST 20 TONS BUT NOT MORE THAN 80 TONS of cooling capacity.
- [(8)] (10) (9) (8) (i) "Low-voltage dry-type distribution transformer" means a distribution transformer that:
 - 1. has an input voltage of 600 volts or less;
 - 2. is air-cooled; and
 - does not use oil as a coolant.
- (ii) "Low-voltage dry-type distribution transformer" does not include any of the following transformers:
- 1. an autotransformer in which the primary and secondary windings are not electronically isolated and at least a portion of the secondary voltage is derived from the primary winding;
- 2. a drive transformer designed only to provide power to operate an electronic variable speed motor drive;
- 3. a grounding transformer designed only to provide a system ground reference point;
- 4. a harmonic transformer designed to supply a load with a higher than normal harmonic current level and that has a k-rating of k-4 or greater;
- 5. an impedance transformer that has a specified impedance of less than 4% or greater than 8%;