

(2) This section does not apply to:

- (i) new products manufactured in the State and sold outside the State;
- (ii) new products manufactured outside the State and sold at wholesale inside the State for final retail sale and installation outside the State;
- (iii) products installed in mobile manufactured homes at the time of construction; or
- (iv) products designed expressly for installation and use in recreational vehicles.

(c) (1) On or before January 1, 2004, the Administration shall adopt regulations establishing minimum efficiency standards for the types of new products set forth in subsection (b)(1) of this section.

(2) The regulations shall provide for the following minimum efficiency standards:

- (i) torchiere fixtures may not consume more than 190 watts and may not be capable of operating with lamps that total more than 190 watts;
- (ii) unit heaters [may not have pilot lights] SHALL BE EQUIPPED WITH AN INTERMITTENT IGNITION DEVICE and shall have either power venting or an automatic flue damper;
- (iii) The efficiency of all low-voltage dry-type distribution transformers may not be less than the values shown in Table 4-2 of National Electrical Manufacturers Association Standard TP-1-2002;

~~(iv) EXCEPT CEILING FANS WITH A BLADE PITCH OF 14 DEGREES OR GREATER, ceiling fans and ceiling fan light kits, EXCEPT HUGGER FANS AND FANS OF LESS THAN 52 INCHES IN DIAMETER, shall meet the [tier 1 criteria of version 1.1 of the product specification] APPLICABLE CRITERIA contained in the "Energy Star Program Requirements for Residential Ceiling Fans", developed by the U.S. Environmental Protection Agency [that took effect on January 1, 2002];~~

(IV) CEILING FAN LIGHT KITS:

1. SHALL MEET THE TIER 1 LIGHTING CRITERIA OF VERSION 1.1 OF THE PRODUCT SPECIFICATION CONTAINED IN THE "ENERGY STAR PROGRAM REQUIREMENTS FOR RESIDENTIAL CEILING FANS", DEVELOPED BY THE U.S. ENVIRONMENTAL PROTECTION AGENCY THAT TOOK EFFECT ON JANUARY 1, 2002;
AND

2. MAY CONTAIN LIGHT SOURCES THAT ARE NOT COMPACT FLUORESCENT LAMPS BUT THAT HAVE LUMEN-PER-WATT PERFORMANCE AT LEAST EQUIVALENT TO COMPARABLY CONFIGURED COMPACT FLUORESCENT LAMPS MEETING "ENERGY STAR PROGRAM REQUIREMENTS FOR CFLS: ENERGY EFFICIENCY CRITERIA - VERSION 3.0";