

foot benefit assessment or ad valorem tax is suspended or exempted.

[(c) If property under § 5-102(b)(1)(ii) of this article is not within a drainage area or otherwise provided direct or indirect service from a WSSC storm drainage system, the WSSC may not impose or collect the sanitary district ad valorem tax.]

6-108.

[(c) The WSSC may:

(1) Plan, design, develop, construct, and maintain storm and surface water drainage systems for the protection of any property in any area of the sanitary district in Prince George's County; and

(2) Levy an ad valorem tax against all assessable property in that area of the sanitary district.]

7-101.

(a) In this title the following words have the meanings indicated.

(b) (1) "Major projects" means extensions, projects, or programs of water[, AND sewer[, and storm drainage] facilities.

(2) "Major projects" includes:

(i) Sewer mains at least 15 inches in diameter;

(ii) Water mains at least 16 inches in diameter; and

(iii) Sewage or water pumping stations, force mains, and storage and other major facilities.

(3) "Major projects" does not include a water main that:

(i) Provides only local service;

(ii) Is 16 inches or more in diameter for only a small segment of a future main; and

(iii) Is built to avoid unnecessary and uneconomical duplication when a major project is constructed.

(c) "WSSC Capital Improvements Program" means a 6 year projected program of capital improvements for water[, AND sewer[, and storm drainage] facilities.