

REACH-IN CABINETS, PASS-THROUGH CABINETS, AND ROLL-IN OR ROLL-THROUGH CABINETS THAT ARE FREEZERS WITH TRANSPARENT DOORS	0.940V + 5.10
REACH-IN CABINETS THAT ARE REFRIGERATOR-FREEZERS WITH SOLID DOORS	0.273AV + 1.65

(VII) LARGE PACKAGED AIR-CONDITIONING EQUIPMENT SHALL MEET THE TIER II REQUIREMENTS OF THE "MINIMUM EQUIPMENT EFFICIENCIES FOR UNITARY COMMERCIAL AIR CONDITIONERS" OR "MINIMUM EQUIPMENT EFFICIENCIES FOR HEAT PUMPS", AS APPROPRIATE, DEVELOPED BY THE CONSORTIUM FOR ENERGY EFFICIENCY, BOSTON, MASSACHUSETTS, AS IN EFFECT ON JANUARY 1, 2002; AND

~~(IX) SET TOP BOXES SHALL MEET THE TIER 2 CRITERIA OF THE "ENERGY STAR PROGRAM REQUIREMENTS FOR SET TOP BOXES" DEVELOPED BY THE U.S. ENVIRONMENTAL PROTECTION AGENCY AND THAT TOOK EFFECT ON JANUARY 1, 2001; AND~~

~~(X)~~ (IX) COMMERCIAL CLOTHES WASHERS SHALL HAVE A MINIMUM MODIFIED ENERGY FACTOR OF 1.26 AND A MAXIMUM WATER CONSUMPTION FACTOR OF 9.5, AS MEASURED IN ACCORDANCE WITH THE FEDERAL TEST METHOD FOR CLOTHES WASHERS AS DEFINED IN 10 C.F.R., SECTION 430.23(J) (APPENDIX J1 TO SUBPART B OF PART 430) (2001).

(D) (1) (I) EXCEPT AS PROVIDED IN ~~SUBPARAGRAPH (II)~~ SUBPARAGRAPHS (II) AND (III) OF THIS PARAGRAPH, ON OR AFTER JANUARY MARCH 1, 2005, A NEW PRODUCT OF ANY TYPE SET FORTH IN SUBSECTION (B)(1) OF THIS SECTION MAY NOT BE SOLD OR OFFERED FOR SALE IN THE STATE UNLESS THE EFFICIENCY OF THE NEW PRODUCT MEETS OR EXCEEDS THE EFFICIENCY STANDARDS SET FORTH IN THE REGULATIONS ADOPTED UNDER SUBSECTION (C) OF THIS SECTION.

(II) WITH RESPECT TO CEILING FAN LIGHT KITS, ENERGY EFFICIENCY STANDARDS MAY NOT TAKE EFFECT UNTIL MARCH 1, 2007.

~~(H)~~ (III) WITH RESPECT TO COMMERCIAL CLOTHES WASHERS, ~~WATER~~ EFFICIENCY STANDARDS MAY NOT TAKE EFFECT UNTIL JANUARY MARCH 1, 2007.

(2) (I) THIS PARAGRAPH DOES NOT APPLY TO A PRODUCT THAT IS SOLD BEFORE THE APPLICABLE DATE UNDER PARAGRAPH (1) OF THIS SUBSECTION.

(II) EXCEPT AS PROVIDED IN ~~SUBPARAGRAPH (II)~~ SUBPARAGRAPHS (III) AND (IV) OF THIS PARAGRAPH, ON OR AFTER JANUARY 1, 2006, A NEW PRODUCT OF A TYPE SET FORTH IN SUBSECTION (B)(1) OF THIS SECTION MAY NOT BE INSTALLED IN THE STATE UNLESS THE EFFICIENCY OF THE NEW PRODUCT MEETS OR EXCEEDS THE EFFICIENCY STANDARDS SET FORTH IN THE REGULATIONS ADOPTED UNDER SUBSECTION (C) OF THIS SECTION.

(III) CEILING FAN LIGHT KITS THAT DO NOT MEET THE ENERGY EFFICIENCY STANDARDS MAY BE INSTALLED IN THE STATE UNTIL JANUARY 1, 2008.