- (6) Indicate that water quality practices may be required for any redevelopment, even when predevelopment runoff characteristics are maintained; [and]
- (7) Specify the minimum requirements for inspection and maintenance of stormwater practices;
- (8) SPECIFY ALL STORMWATER MANAGEMENT PLANS AND STORMWATER-CONTROL ORDINANCES SHALL BE DESIGNED TO:
- (I) PREVENT SOIL EROSION FROM ANY DEVELOPMENT OR GONSTRUCTION PROJECT;
- (II) PREVENT, TO THE MAXIMUM EXTENT PRACTICABLE, AN INCREASE IN NONPOINT POLLUTION;
- (III) MAINTAIN THE INTEGRITY OF STREAM CHANNELS FOR THEIR BIOLOGICAL FUNCTION, AS WELL AS FOR DRAINAGE;
- (IV) MINIMIZE POLLUTANTS IN STORMWATER RUNOFF FROM NEW AND EXISTING DEVELOPMENT AND REDEVELOPMENT IN ORDER TO:
- 1. RESTORE, ENHANCE AND MAINTAIN THE CHEMICAL, PHYSICAL, AND BIOLOGICAL INTEGRITY OF THE WATERS OF THE STATE;
 - 2. PROTECT PUBLIC HEALTH;
- 3. SAFEGUARD FISH AND AQUATIC LIFE AND SCENIC AND ECOLOGICAL VALUES; AND
- 4. ENHANCE THE DOMESTIC, MUNICIPAL, RECREATIONAL, INDUSTRIAL, AND OTHER USES OF WATER AS SPECIFIED BY THE DEPARTMENT;
- (V) PROTECT PUBLIC SAFETY THROUGH THE PROPER DESIGN AND OPERATION OF STORMWATER MANAGEMENT FACILITIES;
- (VI)

 MAINTAIN 100% OF AVERAGE ANNUAL PREDEVELOPMENT GROUNDWATER RECHARGE VOLUME FOR THE SITE;

 ⊕

 ⊕
- 2. ENSURE THAT THE SITE WILL INFILTRATE THE POSTDEVELOPMENT INCREASE OF STORMWATER RUNOFF VOLUME FOR THE