

(ii) if located in a school, hospital, hotel, residential facility, or other building generally open to the public, is visited at least once every 8 hours that the building is open for public use, if the licensee:

- 1. is responsible for the safe operation of such equipment at all times;
- 2. is available to observe the monitoring equipment or devices and make necessary adjustments at least once every 24 hours; and
- 3. maintains a daily inspection log.

SECTION 2. AND BE IT FURTHER ENACTED, That this Act shall take effect October 1, 2008.

Approved by the Governor, May 13, 2008.

CHAPTER 433

(House Bill 808)

AN ACT concerning

Business Regulation – Stationary Engineers – Boilers

FOR the purpose of altering the scope of stationary engineer services that are subject to certain licensing requirements; altering the types of boilers certain stationary engineers ~~may~~ are authorized to oversee; providing that the Maryland Stationary Engineers Act and certain regulations may not supersede certain authority of the Board of Boiler Rules; defining certain terms; altering a certain definition; and generally relating to stationary engineers.

BY repealing and reenacting, with amendments,
Article – Business Occupations and Professions
Section 6.5–101 and 6.5–302
Annotated Code of Maryland
(2004 Replacement Volume and 2007 Supplement)

BY adding to
Article – Business Occupations and Professions
Section 6.5–103
Annotated Code of Maryland
(2004 Replacement Volume and 2007 Supplement)